



Gas Cooktops

300 Series

NGM3050UC – 30"
NGM3650UC – 36"




- 16K max BTU performance
- Stainless color metal knobs
- Continuous, cast iron grates
- FlameSafe device on each burner
- LP kit included
- ADA compliant



NGM3051UC – 30" 4 Burner

500 Series


NGM5058UC – 30"
NGM5658UC – 36"



- + OptiSim® burner
- + Single burner "on" indicator light
- + Low profile maintop

800 Series

NGM8058UC – 30"
NGM8658UC – 36"



- + FlameSelect technology
- + 17K max BTU performance
- + Dual flame ring burner
- + Individual knob illumination with residual heat indicators
- + Dishwasher safe, cast iron grates

Black with BSS Knobs:



NGM8048UC – 30"

Benchmark® Series


NGMP058UC – 30"
NGMP658UC – 36"



- FlameSelect technology
- + 18K max BTU performance
- + Black glass control panel
- + LED digital display for power level & residual heat indicators

Gray Tempered Glass Surface:

- 14.3K max. BTU performance
- + Countertop or flush installation



NGMP077UC – 30"



NGMP677UC – 36"



36" Legacy Gas Cooktops

Features

800 Series

NGM8656UC – SS
NGM8646UC – BSS

Benchmark® Series

NGMP656UC – SS

Automatic Burner Re-Ignition



- Featured on all Legacy cooktop burners
- Provides the peace of mind that gas isn't leaking into the kitchen if a burner is extinguished

OptiSim® Burner





- Allows for simmering performance as low as 850 BTUs
- OptiSim® Cap fits on the 5500 BTU burner (rear right burner)

Benchmark® Dual-Stacked Burner



- High efficiency burner that offers great performance flexibility
- 2 "stacked" rings of 15K BTU and 5K BTU can be used independently or together



- 19K max. BTU performance
- Automatic burner re-ignition
- OptiSim® burner
- 1 Burner indicator light
- LP kit included
- ADA compliant

Black Stainless Model:

- Porcelain enamel surface
- Black stainless steel knobs

- + 20K max. BTU performance
- + Dual-stacked, hi/lo burner
- + LED indicator lights on all knobs

Gas Rangetops

30" 4-Burner

RGM8058UC



- + 18K BTU Dual Flame Ring power burner
- + Two 12K BTU large burners
- + 47K total BTU load on high efficiency burners
 - OptiSim® burner
 - Dishwasher safe, cast iron grates
- + Porcelain enamel surface
- + Front, metal control knobs
- FlameSafe device on each burner
- LP Kit included

36" 6-Burner

RGM8658UC




- + Two 18K BTU Dual Flame Ring power burners
- + Three 12K BTU large burners
- + 77K total BTU load on high efficiency burners

Electric Cooktops

500 Series

NEM5066UC – 30"
NEM5666UC – 36"



- Stainless steel color knobs (PBT)
- Dual ring element (2 on 36")
- Heat indicator
- 9" – 2500 W element
- Frameless design

800 Series


NET8069UC / NET8069SUC* – 30"
NET8669UC / NET8669SUC* – 36"



- + PreciseSelect® touch controls
- + True bridge element
- + 9" – 3600 W dual ring element
- + SpeedBoost®
- + Framed or Frameless design options

Benchmark® Series

NETP069SUC – 30"
NETP669SUC – 36"




- + 5 Burner 30" unit
- + AutoChef®
- + Count-up timer
- SpeedBoost® (30" only)
- + 2 Dual ring elements (30" only)
- + 1 Dual ring & 1 Triple ring elements (36" only)
- True bridge element (36" only)
- + PowerStart® (36" only)
- Framed design

* Model numbers NET8069SUC and
NET8669SUC indicate Framed design

Induction Cooktops

500 Series

NIT5060UC – 30"
NIT5660UC – 36"




- 17 heat settings
- 11" – 3600 W element (30")
- 12" – 5400 W dual ring element (36")
- SpeedBoost®
- PreciseSelect® control
- Frameless design

30 Amp Breaker—30"
40 Amp Breaker—36"

800 Series

NIT8060UC / NIT8060SUC* – 30"
NIT8660UC / NIT8660SUC* – 36"



- + PreciseSelect® 2.0 controls
- + AutoChef® frying sensor
- + ShortBoost
- + Count-up timer
- + Home Connect® / Hood Control
- + Framed or Frameless design options

30 Amp Breaker—30"
40 Amp Breaker—36"

Benchmark® Series

NITP060UC / NITP060SUC* – 30"
NITP660UC / NITP660SUC* – 36"



- + FlexInduction® elements
(1 on 30" & 2 on 36" models)
- + PowerMove®
- PreciseSelect® 2.0 controls
- AutoChef® frying sensor
- ShortBoost
- Count-up timer
- Home Connect® / Hood Control
- Framed or Frameless design options

30 Amp Breaker—30"
50 Amp Breaker—36"

* Model numbers with an S indicate Framed design

24" Cooktops

Gas – 300 & 500 Series


NGM3450UC – 300S
NGM5458UC – 500S



- 10,300 max BTU performance
- Stainless color metal knobs
- Continuous, cast iron grates
- FlameSafe device on each burner
- LP kit included
- ADA compliant
- Approved for installation over 24" wall ovens and **all** Bosch Speed Ovens

Electric – 500 Series


NEM5466UC – 24"



- 8" – 2200 W element
- 6" – 1850 W element
- Residual heat indicator
- Stainless steel color knobs (PBT)
- Ceramic glass surface

Induction – 500 Series

NIT5460UC – 24"



- 17 heat settings
- PreciseSelect® touch controls
- 11" – 3600 W element
- SpeedBoost®
- ADA compliant