


# Slide-In Ranges

- **Fits in Freestanding Range Cutout**  
Provides a built-in look and offers a premium replacement range option
- **Self-Cleaning Oven**  
Select from 2–4 hours depending on soil level
- **Warming Drawer**  
400 watt warming drawer for added convenience
- **Sabbath Mode**  
Temperature range 100°F – 450°F

## — Design Features —



# Slide-in Ranges

## Gas Ranges

### 800 Series

HGI8056UC - SS  
HGI8046UC - BSS

### Benchmark®

HGI8056UC - SS



- + QuietClose® oven door
- + 4.8 ft<sup>3</sup> oven capacity
- Fan convection
- 9 Cooking modes
- 18K BTU center burner
- 3 Standard oven racks
- LP kit included
- 15 amp

- + QuietClose® oven door
- + 4.6 ft<sup>3</sup> oven capacity
- True convection
- 11 Cooking modes
- Temperature probe
- 18K BTU center burner
- 2 oven lights
- + 2 Standard oven racks
- + 1 Telescopic rack &
- + 20K BTU dual stacked burner
- Temperature probe
- + 3 Standard oven racks
- LP kit included
- 30 amp

## Dual Fuel Ranges

### 800 Series

HDI8056U - SS

### Benchmark®

HDI8056U - SS



- + QuietClose® oven door
- + 1 Telescopic rack &
- + 2 Standard oven racks
- + 2 oven lights
- + 20K BTU dual stacked burner
- Temperature probe
- + 2 oven lights
- 3 Standard oven racks
- LP kit included
- 30 amp

- + QuietClose® oven door
- + 1 Telescopic rack &
- + 2 Standard oven racks
- + 20K BTU dual stacked burner
- Temperature probe
- + 2 oven lights
- 3 Standard oven racks
- LP kit included
- 30 amp



- + QuietClose® oven door
- + 4.6 ft<sup>3</sup> oven capacity
- True convection
- 11 Cooking modes
- Temperature probe
- 18K BTU center burner
- 2 oven lights
- + 2 Standard oven racks
- + 1 Telescopic rack &
- + 20K BTU dual stacked burner
- Temperature probe
- + 3 Standard oven racks
- LP kit included
- 30 amp



- + QuietClose® oven door
- + 4.6 ft<sup>3</sup> oven capacity
- True convection
- 11 Cooking modes
- Temperature probe
- 18K BTU center burner
- 2 oven lights
- + 2 Standard oven racks
- + 1 Telescopic rack &
- + 20K BTU dual stacked burner
- Temperature probe
- + 3 Standard oven racks
- LP kit included
- 30 amp


# Slide-in Ranges

## Electric Ranges

### 800 Series

HEI8056U - SS

HEI8046U - BSS



- 4.6 ft<sup>3</sup> oven capacity
- True convection
- 11 Cooking modes
- 4 Elements (1 dual ring)
- 1 Warming element
- 3 Standard oven racks
- 40 amp

- + QuietClose® oven door
- + 1 Telescopic rack & 2 Standard oven racks
- + 2 oven lights
- + 4 Elements (1 triple ring)
- + 6" / 9" / 12" elements
- + Temperature probe
- + 17 Heat levels (controls)

- + SpeedBoost®
- 3 Standard oven racks
- 40 amp

## Induction Ranges

### 800 Series

HII8057U - SS

HII8047U - BSS



- 4.6 ft<sup>3</sup> oven capacity
- True convection
- 11 Cooking modes
- 4 Elements
- 17 Heat levels (controls)

- + QuietClose® oven door
- + 1 Telescopic rack & 2 Standard oven racks
- + 2 oven lights
- + Temperature probe
- + FlexInduction®
- + PowerMove®

- + SpeedBoost®
- 3 Standard oven racks
- 40 amp

### Benchmark®

HIIP057U - SS



- QuietClose® oven door
- 1 Telescopic rack & 2 Standard oven racks
- 2 oven lights
- Temperature probe
- FlexInduction®
- PowerMove®

- + QuietClose® oven door
- + 1 Telescopic rack & 2 Standard oven racks
- + 2 oven lights
- + Temperature probe
- + FlexInduction®
- + PowerMove®

- + SpeedBoost®
- 3 Standard oven racks
- 40 amp

# Over-the-Range Microwaves

## 300 Series

HMV3054U - SS

## 500 Series

HMV5053U - SS

## 800 Series

HMV8054U - SS  
HMV8045U - BSS

## Benchmark® Series

HMVP054U - SS



- 1.7 ft<sup>3</sup> capacity
- 1000 watts
- Auto programs
- 3-speed 300 CFM vent
- LED surface & cavity lights
- 13 ½ inch turntable



- 2.1 ft<sup>3</sup> capacity
- 1100 watts
- Sensor cooking
- 4-speed 385 CFM vent
- 14 ¾ inch turntable



- 1.9 ft<sup>3</sup> capacity
- 1000 watts
- Convection cooking
- Stainless steel cavity
- + Heavy duty framed mesh vent cover
- + Triple Distribution System for more even cooking

