

Price List

Consumer

Q1 2025





Price List

Consumer

Q1 2025

Refrigeration	1-1
French Door Refrigerator	1-1
Bottom Freezer	1-6
Built-In Bottom Freezer	1-8
Built-In Single Door	1-9
Accessories	1-10
Dishwashers	2-1
Dishwashers	2-1
ADA-Height Dishwashers	2-11
Accessories	2-13
Laundry	3-1
Washers	3-1
Dryers	3-3
Accessories	3-5
Coffee Machine	4-1
Built-In	4-1
Ranges	5-1
Freestanding Ranges-Induction	5-1
Freestanding Ranges–Gas	5-2
Freestanding Ranges–Dual-Fuel	5-3
Slide-in Ranges–Induction	5-4
Slide-In Ranges–Electric	5-5
Slide-In Ranges–Gas	5-6
Slide-in Ranges—Dual-Fuel	5-8
Accessories	5-9
Microwaves	6-1
Over-the-Range Microwaves	6-1
Drawer Microwaves	6-2
Built-in Microwaves	6-3
Speed Ovens	6-4

Ovens	7-1
Built-In Ovens	7-1
Warming Drawers	7-9
Accessories	7-9
Cooktops	8-1
Induction	8-1
Radiant	8-5
Gas	8-7
Accessories	8-10
Rangetops	9-1
Rangetops	9-1
Ventilation Under-Cabinet Hoods Under-Cabinet Hood Accessories Island Hoods/Accessories Chimney Wall Hoods Chimney Wall Hood Accessories Pull-Out Hoods/Accessories Custom Inserts Custom Insert Accessories Downdraft/Accessories	10-1 10-2 10-3 10-4 10-5 10-6 10-7 10-8 10-9
Index	11-1
Index	11-1

*Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

FRENCH DOOR REFRIGERATOR

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP

All Bosch Freestanding French Door Refrigerators Include the Following Features:

- Home Connect[®] Features
- ENERGY STAR[®] Certified
- SuperCool/SuperFreeze®
- Built-In Look

• 26.0 cu.ft.

• 70" Cutout Height

Steel Exterior

Anti-Fingerprint Stainless

• Sleek Recessed Handles

- MultiAirFlow[®] Circulation System
- LED Lighting
- Door Alarm
- Fill Large Cups and Bottles with Ease with One Touch Bottlefill and Extra Large **Dispenser Shelf**
- Freezer with Two-Tiered Shelving

B36FD10ENS

B36FD10ENS

Stainless Steel, Recessed Handle

2,449 2,699



100 Series



• Full-Width Chiller Drawer

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- Hidden Hinges

• QuickIce System Makes Up

To 8 lbs of Ice Per Day*

• External Ice and Water

Dispenser

- MSRP
- Adjustable Tempered Glass Shelving UltraClarityPro® Water Filter
 - · Ice Maker
 - Gallon Door Storage Bins

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.			
Model Number	Description	MAP	MSRP

500 Series

36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- QuickIce Pro System[™] Makes up to 12 lbs. of Ice per Day*
- 26.0 cu.ft.
- Standard Depth
- 70" Cutout Height
- Anti-Fingerprint Stainless Steel Exterior
- Stainless Steel Back Wall
- Humidity Controlled
 Crisper Drawers
- Adjustable Garage Shelf
- Full-Width Chiller DrawerExternal Ice and Water
- Dispenser • Freezer with Two-Tiered Shelving



B36FD50SNS

B36FD50SNB



B36FD50SNS Stainless Steel, Bar Handle

B36FD50SNB Bla

Both Discontinue March

Black Stainless Steel, Bar Handle

2,999 3,299 3,249 3,599



NEW B36FD52SNS	Stainless Steel, Bar Handle	2,999	3,299
NEW B36FD52SNB	Black Stainless Steel, Bar Handle	3,249	3,599

*Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

				500 Series
Model Number	Description	МАР	MSRP	
This price list super	sedes all previous price lists. Prices listed herei	do not include applicable state or local taxes.		

36" Freestanding Counter-Depth French Door Refrigerator, External Water and Ice- Stainless Steel

 QuickIce Pro System[™] Makes up to 12 lbs. of Ice per Day*

• True Counter Depth

• 70" Cutout Height

• 21.6 cu.ft.

DOCODENCING

- Anti-Fingerprint Stainless Steel Exterior
- Stainless Steel Back Wall
 - Humidity Controlled Crisper Drawers

Ctainlage Steel Day Handle

- External Ice and Water Dispenser
- Freezer with Two-Tiered Shelving
- Extra Ice Bin in Freezer





B36CD50SNS

2 200 2 640



B36CD50SNS	Stainless Steel, Bar Handle	3,299 3,649
Discontinues March		
B36CD50SNB	Black Stainless Steel, Bar Handle	3,549 3,949
Discontinues January		
		B36CD52SNS B36CD52SNB

NEW B36CD52SNS	Stainless Steel, Bar Handle	3,299	3,649
NEW B36CD52SNB	Black Stainless Steel, Bar Handle	3,549	3,949
Both Available April			

*Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

	all previous price lists. Prices listed her	in do not include applicable state or local taxes.	
Model Number	Description	MAP MSRP	
			800 Series
 36" Freestandin 20.8 cu.ft. True Counter E 72" Cutout He Dual Compres Evaporator Easy to Clean S 	• Stainles • VitaFres cally ac and hu fresh u • Stainles • VitaFres cally ac and hu fresh u • Two Inc	Door Refrigerator–Stainless Steels Steel Back Wall• FlexBar® with shelving accessorieshPro® automati- usts temperature hidity to keep food to 3x longer*• Dual Activated Internal Water Dispenserependently ed Temperature and• Freezer with Three-Tiered Shelving	
Steel	Humidi	Crisper Drawers	
		B36CT80SNS B36CT80SNB	B36CT81ENS
B36CT80SNS	Stainless Steel, Ba	Handle 3,499 3,849	
B36CT80SNB	Black Stainless Ste	el, Bar Handle 3,749 4,149	
B36CT81ENS	Stainless Steel, Re	essed Handle 3,599 3,999	

*As compared to a Bosch refrigerator without FarmFresh System®. Results may vary among different foods.

This price list sup Model Number				
				800 Series

36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- 20.5 cu.ft.
- True Counter Depth
- 72" Cutout Height
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- Dual Compressor and Dual Evaporator
- VitaFreshPro[®] automatically adjusts temperature and humidity to keep food fresh up to 3x longer*
- FlexBar® with shelving accessories
- Dual Activated Internal Water Dispenser
- Freezer with Three-Tiered Shelving
- Ice Scoop



B36CL80SNSStainless Steel, Bar Handle3,6994,099B36CL80ENSStainless Steel, Recessed Handle3,7994,199

36" Freestanding Counter-Depth French Door Refrigerator Refreshment Center

- 20.5 cu.ft.
- True Counter Depth
- 72" Cutout Height
- Stainless Steel Back Wall
- Dual Compressor and Dual Evaporator
- Beverage Drawer Holds up to 17 Standard Wine Bottles or 35 Standard Beverage Cans
- Temperature-controlled middle drawer
- FlexBar® with Shelving Accessories

- Dual Activated Internal Water Dispenser
- · Freezer with Three-Tiered Shelving
- Ice Scoop



B36CL81ENGGlass on Stainless Steel, Integrated Handle4,7995,21B36CL81ENWGlass on White, Integrated Handle4,7995,21

*As compared to a Bosch refrigerator without FarmFresh System®. Results may vary among different foods.

500 Series

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Description

All Bosch Counter-Depth Two Door Bottom Freezer Refrigerators Include the Following Features:

• Counter Depth

Model Number

- MultiAirFlow[®] Circulation System
- Reversible Door Swing
- ENERGY STAR[®] Certified
- 24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator-Stainless Steel Door • 13 cu.ft. • VitaFresh Plus[™] Drawer • 3 Freezer Drawers with Humidity Adjustment • 80 ⁷/16" Cutout Height • Ice Cube Tray • LED Lighting Inside Home Connect[™] · Star-K Certified • Adjustable Shelving and Integrated Handles Door Bins for Flexible • Easy clean stainless steel Storage and glass front exteriors B24CB50ESS

- 24" Built-In Two Door Bottom Freezer Refrigerator-**Custom Panel**
- 8.4 cu.ft.
- Home Connect[®] Features
- OptiFlex[®] Hinge
- VitaFresh®—Technology Provides Stable Temperature and Humidity Controlled Drawer
- Installs True Flush

B09IB91NSP

• Dual Evaporators

• Garage Shelving

Lighting

Custom Panel

2,999 3,299


B09IB91NSP

REFRIGERATION



1-6







Bosch Consumer Price List - Q1 2025

Job # 20-BSH-0914.3 11/14/2024



MAP MSRP

BOTTOM	FREEZER
--------	---------

This price list supersedes all Model	previous price lists. Prices listed herein do not include applicable	e state or local taxes.
Number	Description	MAP MSRP
		800 Serie
	 LED Lighting Inside Adjustable Shelving and Door Bins for Flexible Storage 	 Internal Water Dispenser
324CB80ESS	Stainless Steel	3,299 3,649
324CB80ESW	White Glass	3,099 3,449
B24CB80ESB	Black Glass	3,099 3,449

Benchmark® Series

	s all previous price lists. Prices	listed herein do not include applicable state or local taxes.	
Model Number	Description		MAP MSRP
All Bosch Benc	hmark® Series Bott	om Freezer Refrigerators Include the I	Following Features:
• Home Connec	ct® Capability	 Carbon Air Filter 	 Internal Ice Maker
• ENERGY STAF	R [®] Certified	 SuperCool/SuperFreeze[®] 	• Water Filter
• Installs True F	Flush or Framed	 Adjustable Shelving 	 Sabbath/Economy/Vacation Mode
• Sidewall LED	Theater Lighting	 Full Extension Drawers 	 Dual Compressor and Evaporator
• Touchscreen C	Control Panel	 Temperature Controlled Deli 	
• OptiFlex® Hin	ige	Drawer	
 MultiAirFlow[®] 	Circulation System	 Gallon Door Bins 	

30" Built-In Two Door Bottom Freezer Refrigerator

• 16.0 cu.ft.



B301B905SP	Custom Panel	7,999	8,799			
B30BB935SS	Stainless Steel	8,999	9,899			
Pre-Assembled Package includes: Flat Stainless Panels • Bosch Handles						

36" Fully-Integrated French Door Bottom Freezer Refrigerator

• 19.5 cu.ft.



8,699 9,599

9,899 10,899




B36IT905NP

B36BT935NS

B36IT905NP

B36BT935NS

Custom Panel Stainless Steel



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Accessorie	es for Refriger	ration					F	рΒ	M				BF		SI	D
					100 Series	500 Cariac				-	Benchmark	800 Series	Benchmark	5	Banchmark	בפווכוויומוא
	Model Number	Description	МАР	MSRP	B36FD10ENS	B36CD5_SN_	B36FD5_SN_		B30CL01EN-	B36BTNS	B36ITNP	B24CB80ES_		B30IBSP	B18IF905SP	B301R905SP
0	BORPLFTR55	UltraClarityPro® Water Filter	46	59	•	•	•		• •			•		1	•	•
111 H 111	BORPLFTR30	Water Filter	40	49								•1				
	FPETHKT50	FreshProtect™ Ethylene Filter "Starter" Kit	19	29	•	•	•	•	• •	•	•					
	FPETHRF50	FreshProtect™ Ethylene Filter "Refill" Kit	9	9	•	•	•	•	•	•	•					
	BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499											•	
	BFL30IR800	30" Stainless Steel Flat Panel Freezer Door	550	649												•
	B36HNDL800	36" Handle for Single Door	100	109											•	•
	HEATKITB82	Heater Kit	399	439									•	•	•	•

Please make sure to order HEATKITB82 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB82 is recommended for use with any installation in areas that are subject to extreme humidity.

1 B20CS30SNS/02

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP Bosch 100 Series Dishwashers Include the Following Features: **Quiet Operation** Racks Performance • 50 dBA 14 Place Setting Capacity Wash System: PrecisionWash[®] • Drying System: PureDry™ • Multiple Layers of Sound-• Manual Adjusting Upper Rack Absorbing Insulation • 2 Silverware Baskets • Wi-Fi Home Connect® • EcoSilence[™] Dual Brushless Motor features System Smart Cycle Guidance Design • Delay Start, Remote Start, • All-new Recessed Handle Design and Cycle Monitoring PCB/Touch Control • Access Additional Cycles, • Flush Installation Manuals, and Tips & Tricks • Time Remaining Display • Cycles:

• Self-Latching Door

Quality

- Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

- - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
- 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
 - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
 - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

				100 Series
Efficiency • 269 kWh/year				1 mm
SHE3AEM5N	Recessed Handle, Stainless Steel	649	749	SHE3AEM5N
SHE3AEM2N	Recessed Handle, White	549	649	
SHE3AEM6N	Recessed Handle, Black	549	649	SHE3AEM2N
				a mari
				SHE3AEM6N
				Q
Efficiency • 240 kWh/year				1 mm
• ENERGY STAR®	Certified			SHE3AEE5N
SHE3AEE5N	Recessed Handle, Stainless Steel	669	749	



Model	ed herein do not include applicable state or local taxes.	
Number Description		MAP MSRP
All Bosch 100 Series Plus Dishwashe	ers Include the Following Features:	
 All Bosch 100 Series Plus Dishwashe Quiet Operation 48 dBA Multiple Layers of Sound-Absorbing Insulation EcoSilence™ Dual Brushless Motor System Design All-new Recessed Handle Design Touch Controls Flush Installation Time Remaining Display Self-Latching Door Quality Anti-Finger Print Stainless Steel Stainless Steel Tub with Polypropylene 24/7 Overflow Protection Easily Accessible 3-Stage Filtration 	 Present in the section of t	 Performance Wash System: PrecisionWash® Drying System: PureDry™ Wi-Fi Home Connect® features Smart Cycle Guidance Delay Start, Remote Start, and Cycle Monitoring Access Additional Cycles, Manuals, and Tips & Tricks Cycles: 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite 3 Additional in Home Connect®: Delicate, Rinse, Machine Care Options: 3 on the Control Panel: Sanitize, Extra Dry, Remote Start 4 Additional in Home Connect®:

100 Series Plus



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP All Bosch 100 Series Premium Dishwashers Include the Following Features: **Quiet Operation** Racks Performance • 46 dBA • Wash System: PrecisionWash® • 15 Place Setting Capacity InfoLight[®] Drying System: PureDry™ Standard 3rd Rack · Multiple Layers of Sound- 3 Step RackMatic[®] • Wi-Fi Home Connect® features Absorbing Insulation • 2 Lower Rack Flip Tines (Rear) • Smart Cycle Guidance • EcoSilence™ Dual Brushless Motor • Delay Start, Remote Start, and 1 Silverware Basket System Cycle Monitoring Efficiency Design • 269 kWh/year Access Additional Cycles, Touch Controls Manuals, and Tips & Tricks Flush Installation • Cycles: Time Remaining Display • 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite • Self-Latching Door Quality 3 Additional in Home Connect[®]: Delicate, Rinse, Machine Care Anti-Finger Print Stainless Steel • Options: Stainless Steel Tub with Polypropylene • 3 on the Control Panel: Sanitize, Extra Dry, Remote Start • 24/7 Overflow Protection • 4 Additional in Home Connect®: Easily Accessible 3-Stage Filtration Half Load, Eco, Extra Quiet, System Fast Forward

100 Series Premium

SHX5AEM6N

SHX5AEM4N

SHX5AEM5N	Bar Handle, Stainless Steel	899	999	
SHX5AEM2N	Bar Handle, White	849	949	SHX5AEM5N
SHX5AEM6N	Bar Handle, Black	849	949	
SHX5AEM4N	Bar Handle, Black Stainless Steel	999	1,099	SHX5AEM2N



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

MAP MSRP

Bosch 300 Series Dishwashers Include the Following Features:

Racks

Efficiency

269 kWh/yr

Quiet Operation

- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

- Flush Installation
- Time Remaining Display
- Self-Latching Door

Quality

- Easily Accessible 3-Stage Filtration System
- **Quiet Operation**

• 48 dBA

Design

- Recessed Handle Design
- Touch Controls

Quality

- Deeper Stainless Steel Tub
- 24/7 AquaStop[®] Leak Protection System
- Anti-Finger Print Stainless Steel

PerformanceWash System: PrecisionWash[®]

• 14 Place Setting Capacity

• 2 Flip Tines Lower Rack

• 2 Silverware Baskets

- Drying System: PureDry™
- Up to Six Wash Cycles: Heavy, Auto, Normal, Speed60
- Up to Six Options: Sanitize, Delay
- Home Connect[®] Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

Performance	2
-------------	---

- Wi-Fi Home Connect[®] features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
 - Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
 - Options:
 - *3 on the Control Panel:* Sanitize, Remote Start, ExtraDry
 - 2 Additional in Home Connect®: Half Load, Eco







DISHWASHERS

Nodel Number Descrip	lists. Prices listed herein do not include applicable st ion	MAP MSRP	
			300 Series
Quiet Operation • 46 dBA • InfoLight® Design • Touch Controls • Self-Latching Door Quality • Deeper Stainless Steel T • 24/7 AquaStop® Leak Protection System • Anti-Fingerprint Stainless Steel • Easily Accessible 3-Stag Filtration System	 Flip Tines Lower Rack 1 Fixed (Rear) 1 Single (Left) 1 Fixed (Right) 	 Performance Wi-Fi Home Connect® features Smart Cycle Guidance Delay Start, Remote Start, and Cycle Monitoring Access Additional Cycles, Manuals, and Tips & Tricks Cycles: 5 on the Control Panel: Heavy, Auto, Normal, Speed60®, Favorite. 3 Additional in Home Connect®: Delicate, Rinse, Machine Care Options: 3 on the Control Panel: Sanitize, Remote Start, ExtraDry 2 Additional in Home Connect®: Half Load, Eco 	SHE53C85N SHE53C82N SHE53C82N SHE53C86N SHE53C86N SHE53C85N ² SHE53C85N ² SHX53CM5N SHV53CM3N
	ssed Handle, Stainless Steel	999 1,099	
	ssed Handle, White ssed Handle, Black	949 1,049 949 1,049	
	ssed Handle, Stainless Steel	1,019 1,149	
	andle, Stainless Steel	1,019 1,249	
	om Panel	1,099 1,249	



1 No InfoLight®

2 240 kWh/year; ENERGY STAR® Certified

DISHWASHERS

Model Number Description		MAP MSRP	
Number Description Quiet Operation • • 46 dBA • InfoLight® Design • • Touch Controls • Anti-Fingerprint Stainless Steel Quality • • Deeper Stainless Steel Tub • 24/7 AquaStop® Leak Protection System • Easily Accessible 3-Stage Filtration System	 Racks 16 Place Setting Capacity Standard 3rd Rack 3 Step RackMatic[®] EasyGlide[™] on All 3 Rack Levels FlexSpace[™] Tines 1 Flip Tine Upper Rack Flip Tines Lower Rack 1 Fixed (Rear) 1 Single (Left) 1 Fixed (Right) 1 Silverware Basket Efficiency 269 kWh/yr 	 Performance Wi-Fi Home Connect® features Smart Cycle Guidance Delay Start, Remote Start, and Cycle Monitoring Access Additional Cycles, Manuals, and Tips & Tricks Cycles: 5 on the Control Panel: Favorite 3 Additional in Home Connect®: Express, Rinse, Machine Care Options: 3 on the Control Panel: ExtraDry 4 Additional Options in Home Connect®: Half Load, SpeedPerfect, Extra Scrub, Eco 	300 Series SHS53CD5N SHS53CD2N
SHS53CD5N Scoop H	andle, Stainless Steel	1,049 1,199	
-	andle, White	999 1,099	



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.						
Model Number	Description	МАР	MSRP			

All Bosch 500 Series Dishwashers Include the Following Features:

Featuring AutoAir™-which opens the door to let fresh air circulate for 40% drier dishes.*

Quiet Operation

- InfoLight[®]
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

Pocket Handle Design

- Touch Controls
- Flush Installation
- Time Remaining Indicator
- Self-Latching Door
- Anti-Fingerprint Stainless Steel

Quality

- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- 3 Step RackMatic®
- EasyGlide[™] on all 3 Rack Levels
- FlexSpace[™] Tines
- 2 Flip Tines Upper Rack
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

Performance

- Wash System: PrecisionWash®
- Wi-Fi Home Connect® features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
- Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: (**Delicate**, Rinse, Machine Care)
- Options:
 - 2 on the Control Panel: Sanitize, Remote Start,
 - 2 Additional in Home Connect®: Half Load, Eco

*Based on average drying performance of Bosch Dishwashers with AutoAir™ after seven hours as compared to Bosch Dishwashers with PureDry™.

500 Series

Quiet Operation • 44 dBA	Racks Flexible 3rd Rack Efficiency 240 kWh/yr ENERGY STAR[®] Certified 	 Performance Drying System: AutoAir™ Options: Additional on the Control Panel: AutoAir™ 	SHP65CM5N
SHP65CM5N	Pocket Handle, Stainless Steel	1,149 1,299	SHP65CM2N
SHP65CM2N	Pocket Handle, White	1,149 1,299	
SHP65CM6N	Pocket Handle, Black	1,149 1,299	SHP65CM6N
SHX65CM5N	Bar Handle, Stainless Steel	1,199 1,349	SHX65CM5N
Quiet Operation	• Racks	Performance	
• 38 dBA	 Standard 3rd Rack 	• Drying System: PureDry™	
	<i>Efficiency</i> ▪ 269 KWh/yr	 Options: Additional on the Control Panel: PureDry™ 	SHP95CM5N
SHP95CM5N	Pocket Handle, Stainless Steel	1,249 1,399	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.						
Model Number	Description	MAP	MSRP			

Bosch 800 Series Dishwashers Include the Following Features:

Featuring CrystalDry™—a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier.*

Quiet Operation

- 42 dBA
- InfoLight[®]
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence[™] Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

Design

- Anti-Fingerprint Stainless Steel
- Flush Installation
- Touch Controls
- Time Remaining Display
- Self-Latching Door

Quality

- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System

Racks

- 16 Place Setting Capacity
- EasyGlide[™] on All 3 Rack Levels
- FlexSpace™ Tines
- Flexible 3rd Rack
- 3 Step RackMatic[®]
- Flip Tines Lower Rack
 - 1 Fixed (Rear)
 - 1 Single (Left)
 - 1 Fixed (Right)
- 1 Silverware Basket

Efficiency

- 240 KWh/yr
- ENERGY STAR® Certified

Performance

- Wash System: PrecisionWash®
- Drying System: CrystalDry™ PureDry™

- Wi-Fi Home Connect[®] features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
 - 5 on the Control Panel: Sanitize, Remote Start, CrystalDry™, Controlled Spray Arm
 - 2 Additional in Home Connect®: Half Load, Eco
- Home Connect[®] Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

*Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

800 Series

NEW SHP78DM5N NEW SHX78DM5N	Pocket Handle, Stainless Steel Bar Handle, Stainless Steel Custom Panel	1,349	1,449 1,499	SHP78DM5N
NEW SHV78DM3N Available January	Custom Panel	1,349	1,499	SHX78DM5N
				SHX78DM5N
				SHV78DM3N



*Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.							
Model Number	MA	AP I	MSRP				

800 Series

 Racks 2 Flip Tines Upper Performance Wash System: PowerControl[™] wi PrecisionWash[®] 				SHP78CM5N SHP78CM2N
SHP78CM5N ¹	Pocket Handle, Stainless Steel	1,399	1,549	
SHP78CM2N ¹	Pocket Handle, White	1,399	1,549	SHP78CM6N
SHP78CM6N ¹	Pocket Handle, Black	1,399	1,549	
SHP78CM4N ¹	Pocket Handle, Black Stainless Steel	1,449	1,599	SHP78CM4N
SHX78CM5N	Bar Handle, Stainless Steel	1,449	1,599	
SHX78CM2N	Bar Handle, White	1,449	1,599	
SHX78CM6N	Bar Handle, Black	1,449	1,599	SHX78CM5N
SHX78CM4N	Bar Handle, Black Stainless Steel	1,499	1,649	
SHV78CM3N	Custom Panel	1,449	1,599	SHX78CM2N
				SHX78CM6N









Model	This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.							
Number Description MAP MSRP	Model Number	Description	МАР	MSRP				

Featuring the New PowerControl™ Wash System plus CrystalDry™—the industry's most advanced clean meets the ultimate dry.

Quiet Operation

• 38 dBA

- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration
- TimeLight®

Design

- Flush Installation
- Touch Controls
- Touch Screen Display
- Time Remaining Display
- Self Latching Door
- Anti-Fingerprint Stainless Steel

Quality:

- Easily Accessible 3-Stage Filtration System
- Water Softener
- Corrugated Shaped Filter
- Deeper Stainless Steel Tub
- 24/7 AquaStop[®] Leak Protection System

- Racks
- 16 Place Setting Capacity
- EasyGlide[™] Plus on All 3 Rack Levels
- Flexible 3rd Rack
- 3 Step RackMatic®
- 2 Flip Tines Upper Rack
- FlexSpace[™] Plus
- Flip Tines Lower Rack
 - 1 Double (Rear)
 - 1 Single (Left)
 - 1 Wide (Right)
- 1 Silverware Basket

Efficiency

- 240 kWh/yr
- ENERGY STAR® Certified

Performance

- Wash System: PowerControl[™] with PrecisionWash[®]
- Drying System: CrystalDry™
- Wi-Fi Home Connect[®] features
 - Smart Cycle Guidance
 - Delay Start, Remote Start, and Cycle Monitoring
 - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
 - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
 - 3 Additional in Home Connect[®]: Express, Rinse, Glass, Machine Care
- Options:
 - 4 on the Control Panel: Sanitize, Remote Start, CrystalDry™, Controlled Spray Arm **PowerControl**™
 - 4 Additional in Home Connect[®] Half Load, SpeedPerfect, ExtraScrub, Eco

SHP9PCM5N ¹	Pocket Handle, Stainless Steel	1,799 1,999
SHX9PCM5N ²	Bar Handle, Stainless Steel	1,799 1,999
SHV9PCM3N ²	Custom Panel	1,799 1,999

No TimeLight®

1 No Time 2 39 dBA SHP9PCM5N SHX9PCM5N

Benchmark® Series



300 Series EuroTub/ADA-Height 18" and 24"

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP Bosch ADA-Height Dishwashers Include the Following Features: Design Quality Performance • Full Stainless Steel Tub Time Remaining Display • Up to Seven Wash Cycles: Heavy, Auto, Normal, Favorite, Rinse • ADA Compliant Height (32" Tall) • 24/7 AguaStop® Plus • Six Options: Delicate, Extra Dry, Racks · Easily Accessible 3-Stage Filtration Sanitize, 24H Delay Start, Machine RackMatic[®] System Care, Remote Start Flexible Silverware Basket Efficiency Home Connect[®] Allows You to ENERGY STAR[®] Certified Remotely Monitor and Control with Wi-Fi Connectivity

Quiet Operation Racks • 46 dBA 10 Place Setting Capacity (18" Width) SPE53B52UC • Standard 3rd Rack Quality Made in Poland Efficiency SPE53B56UC • 269 kWh/yr SPE53B52UC 18" Recessed Handle, White 999 1.099 SPE53B56UC 18" Recessed Handle, Black 999 1,099 Quiet Operation Racks 46 dBA 10 Place Setting Capacity (18" Width) SPE53C52UC • Standard 3rd Rack Quality Made in Poland Efficiency SPE53C55UC • 240 kWh/yr SPE53C52UC 18" Recessed Handle, White 999 1,099 SPE53C56UC SPE53C55UC 18" Recessed Handle, Stainless Steel 1.099 999 SPE53C56UC 18" Recessed Handle, Black 999 1,099 SPE53C52UC (White) and SPE53C56UC (Black) Discontinue May. Please call for availability .. ~ ′

• 48 dBA	<i>Racks</i> • 13 Place Setting Capacity	
Design Toe Panel Color: Stainle 	Quality • Made in Germany	SGV43C53UC
Steel	Water Softener	
	<i>Efficiency</i> • 240 kWh/yr	
NEW SGV43C53UC 24"	Fully Integrated – Requires Custom Panel	999 1,099

NEW SGV43C53UC 24" Fully Integrated - Requires Custom Panel

Available January

This price list supersedes all p	revious price lists. Prices listed herein do not include applicable state or local taxes.		
Model Number	Description	MAP	MSRP

300 Series EuroTub/ADA-Height 18" and 24"

Quiet Operation 46 dBA 		<i>Racks</i>14 Place Setting Capacity			0
Design • Toe Panel Color: S	Stainless	<i>Quality</i> • Made in Germany	SGE53C55UC		
Steel		• Water Softener			No Alexandre De
		<i>Efficiency</i> • 240 kWh/yr			SGE53C52UC
SGE53C55UC	24" Rece	ssed Handle, Stainless Steel	999	1,099	 The second second
SGE53C52UC	24" Rece	ssed Handle, White	999	1,099	SGE53C56UC
SGE53C56UC SGE53C52UC (White) Dis		ssed Handle, Black nuary. SGE53C56UC (Black) Discontinues March. Pleas	999 e call for avail	1,099 ability	

800 Series EuroTub/ADA-Height 18" and 24"

SGV78C53UC	24" Fully Integrated – Requires Custom	Panel	1,349	1,499					
SGX78C55UC	24" Bar Handle, Stainless Steel		1,349	1,499		EAR MORE AT ECONOMISTIC			
SGE78C55UC ¹	24" Recessed Handle, Stainless Steel		1,299	1,449	SGV78C53UC				
	• 240 kWh/yr				SCV78052UC				
	 Vase Holder and Small Item Clips 				SGX78C55UC				
	Water Softener				L.				
	Quality Made in Germany 				SGE78C55UC				
Quiet Operation • 42 dBA	<i>Racks</i> • 15 Place Setting Capacity	Performance Drying System 	n: Crysta	alDry™	C	0			
SPV68C73UC	18" Fully Integrated – Requires Custom	Panel	1,349	1,499					
SPX68C75UC	18" Bar Handle, Stainless Steel		1,349	1,499					
SPE68C75UC ¹	18" Recessed Handle, Stainless Steel		1,299	1,449	SPV68C73UC				
	• 240 kWh/yr				SPX68C75UC				
	 Vase Holder and Small Item Clips 								
	<i>Quality</i>Made in Poland	 Additional Water Delicate, Explored to the second se	2	es:	SPE68C75UC				
Quiet Operation • 44 dBA • InfoLight®	Racks 10 Place Setting Capacity Standard 3rd Rack 				-0				



	sedes all previous price lists.	Prices listed herein do not include applicable state or local taxes.										
Model Number	Description		MAP	MSRP								
Accessorie	es for Dishwash	ers			100 Series	100 Series Plus	100 Series Premium	Series	500 Series	800 Series	Benchmark	All ADA Models
	SGZ1010UC	Dishwasher Drain Hose Extension 76¾"	18	19	•	•	•	•	•	•	•	•
A A A A A A A A A A A A A A A A A A A	SGZ1052UC	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•						
	SMZ1008UC	Bosch Dishwasher Bar Handle, Stainless Steel, July 2023 Style	59	69		•	•	•	•	•	•	•1
	SMZ4000UC	Flexible Silverware Basket	25	29	•	•	•	•	•	•	•	
174 C	SMZ5000	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•	•	•	•	•	•	•
	SMZ5002UC	Anti-Tarnish Silverware Cassette with Clips	25	29	•	•	•	•	•	•	•	•
FIH H	SMZ5003	18" Dishwasher Accessory Hinge for 4" Toekick Height Installation	150	169								•2
15 30	SMZCD200UC	Flexible 3rd Rack	49	59			•	•	•	•	•	•3
	SMZEPCC1UC	Power Cord Clips + Edge Protector Kit Edge Protector Is for Dishwasher Installations through Metal Cabinetry, for Water/drain/electrical Lines	5	9	•	•	•	•	•	•	•	•
~~ Q	SMZ3IN1UC	Dish Junction Box and Supply Hose Kit	49	59	•	•	•	•	•	•	•	•



¹ For 24" Onl

For 18" Only
 For 24" Only.

	sedes all previous price lists.	Prices listed herein do not include applicable state or local taxes.										
Model Number	Description		MAP	MSRP								
Accessorie	es for Dishwash	ers			100 Series	100 Series Plus	100 Series Premium	300 Series	500 Series	800 Series	Benchmark	All ADA Models
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	20	29	•	•	•	•	•	•	•	•
Q_{\bullet}	SMZSH1ABUC	Bosch Dishwasher Water Supply Hose	39	49	•	•	•	•	•	•	•	•



WASHERS

300 Series

This price list supers Model	edes all previous price lists. Prices liste	d herein do not include applicable state or local taxes.		
Number	Description		Ν	IAP MSRP
All Bosch Wa	ashers Include the Follow	wing Features:		
 SpeedPerfe 40% Faster 	ect® Provides up to Washing	 ENERGY STAR[®] Certified Improved Energy Efficiency and 		nstallation: Stackable, Side-by- Side, Under Counter or Pedestal
 EcoSilence Quieter Op 	™ BLDC Motor for eration	Performance • Child Lock	Option 208–240 V	
	ed Stainless Steel Drum on Circular Side Walls	SignalInternal Water Heater		Plug type 240V; NEMA 6-15 (3 prong)

24" Compact Washer

Design

- White Exterior with White Dial and White Door Ring
- Updated Door Design with Bosch Magneto (WGA14400UC only)
- Touch Control Display
- Large 2.2 cu.ft. Capacity
- Spin Speed up to 1400 RPM
- Clear See-Through Window
- Matching Dryer WTG86403UC

WGA12400UC

Discontinues January

NEW WGA14400UC

Available January

Quality

• Energy Consumption 84 kWh/year

Silence Level

• Washing/Spinning 54/73 dBA

15 Individually-Tailored Washing Programs

 Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans,Quick Wash 30 min.,

24" White Cabinet with White Dial and White Door Ring

24" White Cabinet with White Dial and White Door Ring

Heavy Duty, Delicates, Hand wash/Wool, Allergen, Towels, Drum Clean, Drain, Rinse/Spin

6 Options

- SpeedPerfect[®], Temperature, Finish In, Extra Rinse, Prewash, Spin Speed
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 48"

1,249 1,399



WGA12400UC



1,249 1,399 WGA14400UC



· · ·	edes all previous price lists. Prices listed h	erein do not include applicable state or local taxes.	
Model Number	Description	МАР	MSRP

24" Compact Washer

Home Connect® Features

- App Allows You to Operate Washer From Anywhere In the Home
- Remote Diagnostics, Monitoring, and Control
- Energy Management
 Information

Design

- White Exterior with Chrome Door Ring
- Updated Touch Control Display
- New, Larger 2.4 cu.ft. Capacity
- Spin Speed up to 1600 RPM

- Tinted Glass Window with Bosch Magneto
- Matching Dryer WQB245B0UC

Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level

• Washing/Spinning 51/75 dBA

13 Individually-Tailored Washing Programs

• Cotton, SuperQuick, Delicates, Bedding, Rinse, Towels, Whites, Mix,

Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

10 Options

 SpeedPerfect[®], Temperature, Finish In, Prewash, Spin Speed, Intensive Plus, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics based stains)

• Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)

1,499 1,649

• Hose Length: 59"

500 Series





800 Series

WGB24600UC

24" White Cabinet with Chrome Door Ring

24" Compact Washer

Home Connect® Features

- App Allows You to Operate Washer from Anywhere in the Home
- Easy Start Option for Your Wash Cycle
- Energy Management
 Information

Design

- Pearl Steel Exterior with Chrome Door
- Updated Touch Control Display
- New i-DOS Automatic
 Dosing
- New, Larger, 2.4 cu.ft. Capacity
- Spin Speed up to 1600 RPM

- Interior LED Drum Light
- Tinted Glass Window with Bosch Magneto
- Matching Dryer
 WQB245AXUC

Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak Protection System in the Hoses and the Base

Silence Level

• Washing/Spinning 51/75 dBA

13 Individually-Tailored Washing Programs

• Cotton, SuperQuick, Delicates, Bedding, Automatic, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

10 Additional Options

- SpeedPerfect®, Temperature, Finish In, Prewash, Spin Speed, Intensive Plus, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics Based Stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"



WGB246AXUC

\frown
energy
LEAVIN MORE A

WGB246AXUC

24" Pearl Steel Cabinet with Chrome Door Ring 1,849 2,049

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP MSRP All Bosch Dryers Include the Following Features: • Large 4.0 cu.ft. Capacity ActiveDry[®] System • Power Cord Included with Plug Type: 240V; NEMA 6-15 (3 Prong). • Anti-Vibration Circular Side Walls Installation Dryer Is Also Supplied with a • Stackable, Side-by-Side, Under · Sensitive Drying System Power Adapter to Fit a Standard Counter or Pedestal Option • Start/Pause to Add an Item 4-Prong 30A Dryer Receptacle · No Ducting Required (NEMA 14-30R) and Powers Both • ENERGY STAR® Certified • Drain Pump and Hose Included Bosch Washer and Dryer • Child Lock

300 Series

 24" Compact Condensation Design White Exterior with White Dial and White Door Rine Touch Control Display Updated Door Design with Bosch Magneto (WPA12100UC only) Stainless Steel Drum Clear See-Through Wind Matching Washer WGA12400UC 	Quality te • Energy Consumption g 315 kWh/year Silence Level • 63 dBA 15 Individually-Tailored Drying Programs • Cotton Extra Dry, Cotton Extra Dry,	Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels 6 Options • Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal	WTG86403UC
Whit Discontinues January NEW WPA12100UC 24"	Ventless Condensation Drying Systems te with White Dial and White Door Ventless Condensation Drying Systems te with White Dial and White Door	Ring tem 1,249 1,399	WPA12100UC

• Extra-Fine Lint Filter

This price list supersed	es all previous price lists. Prices listed h	erein do not include applicable state or local taxes.	
Model Number			
Number	Description	MAF	NP MSRP

500 Series

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect® Features

- App Allows You to Operate Dryer from Anywhere in the Home
- Smart Dry Connects the Dryer to the Washer to Determine the Best Drying Program based off of the Wash Cycle

Design

- White Exterior with Chrome Door Ring
- Updated Touch Control Display
- Reversible Door (No Additional Parts Required)

- Stainless Steel Structured Drum
- Tinted Glass Window with Bosch Magneto
- Matching Washer WGB24600UC

Quality

- Energy Consumption 125 kWh/year
- Maintenance-Free Self Cleaning Condenser
- Dual-Layer Lint Filtration System

Silence Level

• 62 dBA

13 Individually-Tailored Drying Programs

 Cotton, Quick Dry Auto, Delicates, Bedding, Anti Shrink, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

8 Options

• Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Dry Level Adjust, End Signal



WQB245B0UC



800 Series

1,499 1,649

WQB245B0UC

24" Ventless Heat Pump Dryer with Self-Cleaning Condenser White with Chrome Door Ring

24" Compact Heat Pump Dryer with Self-Cleaning Condenser

Home Connect® Features

- App Allows You to Operate Dryer from Anywhere in the Home
- Easy Start Option for Your Dry Cycle

Design

- Pearl Steel Exterior with Chrome Door Ring
- Updated Touch Display
- Interior LED Drum Light
- Reversible Door (No Additional Parts Required)
- Stainless Steel Structured Drum

WQB245AXUC

• Tinted Glass Window with Bosch Magneto

 Matching Washer WGB246AXUC

Quality

• Energy Consumption 125 kWh/year

Silence Level

• 62 dBA

13 Individually-Tailored Drying Programs

• Cotton, Quick Dry Auto, Delicates, Bedding, Steam Restore, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

8 Options

• Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Dry Level Adjust, End Signal







24" Ventless Heat Pump Dryer with Self-Cleaning Condenser Pearl Steel with Chrome Door Ring 1,849 2,049

earl Steel with Chrome Door F

ACCESSORIES

This price list supe Model Number	ersedes all previous price lists. Description	Prices listed herein do not include applicable state or local taxes.	MAP	MSRP						
Accessori	ies for Laundry				W	ashe	ers	Dr	yer	5
					WGA1_400UC	WGB24600UC	WGB246AXUC	WTG86403UC/ WPA12100UC	WQB245B0UC	WQB245AXUC
	WMZ20600	Drying Rack for Wool items, Shoes, etc. for Bosch 24" Dryers	79	89				•	•	•
I	WMZPW20W	Pedestal with Drawer for 24" Washer	299	329	•	•				
	WTZPW20D	Pedestal with Drawer for 24" Dryer	299	329				•	•	
	WMZPW2XW	Washer 24" Pedestal – Pearl Steel	399	439			•			
	WTZPW2XD	Dryer 24" Pedestal – Pearl Steel	399	439						•
are set our	WTZ11400UC	Stacking Kit with Pull Out Tray	149	169	•			•		
al and a	WTZ20410UC	Stacking Kit without Pull Out Tray	49	59	•			•		
	WTZ27510UC	500 Stacking Kit – NO Drawer White	69	79		•			•	
1 1	WTZ27500UC	500 Stacking Kit – w/ Drawer White	199	219		•			•	
	WTZ2751XUC	800 Stacking Kit — NO Drawer Pearl Steel	69	79			•			•
	WTZ2750XUC	800 Stacking Kit — w/ Drawer Pearl Steel	199	219			•			•
										<u> </u>

	sedes all previous price lists. P	rices listed herein do not include applicable state or local taxes.								
Model Number	Description		MAP	MSRP						
Accessorie	es for Laundry				W	ashe	ers	Dr	yer	s
					WGA1_400UC	WGB24600UC	WGB246AXUC	WTG86403UC/ WPA12100UC	WQB245B0UC	WQB245AXUC
76	WTZPA20UC	Dryer Power Adapter – 4 Prong 240V; NEMA 14-30R to 6-15R	69	79				•1	•1	•1
	WTZPA30US	Dryer Power Adapter – 3 Prong 240V; NEMA 10-30R to 6-15R	69	79				•1	•1	•1
	WTZSB30UC	Bracket Style Stacking Kit White	49	59	•	•		•	•	
		Bracket Style Stacking Kit Pearl Steel	69	79			•			•
	Available January									

¹ Adapter only works with dryers listed in this guide.

This price list supersedes Model Number	s all previous price lists Description	. Prices listed herein do not include applicable sta	te or local taxes. MAP MSRP	
 24" Built-In Cof Home Connect Allows You to Coffee from A the Home Within Minute Espressos, Ca Lattes, Macchi MyFavorites S 8 of Your Favo Preferences Large TFT Col Screen Interfat Automatic Sys Cleaning, Milk Rinsing and D 	et® App Prepare nywhere in es Prepare oppuccinos, iato and More tores up to orite Coffee for Touch ace stem for c Steam	 AromaPro Provides Constant Pressure for an Enhanced Coffee Experience Grinding Settings for Dark or Light Coffee OneTouch DoubleCup Dispenses Two Beverages at the Same Time Integrated Built-In Sensors Will Alert You When Coffee, Water Level Is Low AromaDouble Shot Prepares Extra-Strong Coffee with Less Bitterness 	 Individual Cup Volume Allows You to Adjust Your Coffee Cup Size 1 lb. Bean Container 81 oz. Water Reservoir Stainless Steel 17 oz. Milk Container Drip Tray Removable for Cleaning 120 V 	BOD SeriesImage: constraint of the seriesBCM8450UC
BCM8450UC		uilt-In Coffee Machine achine	3,699 4,099	BCM8450UC

HEZCMT3050	30" SS Trim Kit	429	479	•

For coffee accessories, please see the Cleaners & Accessories Price List.

FREESTANDING RANGES-INDUCTION

This price list supersede Model Number	es all previous price list Description		rein do not include app	plicable state or l	ocal taxes.	MAP MSF	RP
All Bosch Indu	ction Ranges	Include the	Following Fe	atures:			
Genuine Euro	opean Convect	ion •	Faster than (Gas or Elec	tric	 Heavy-Du 	ıty Metal Knobs
• Easy to View	Inclined Displ	ay •	Temperature	Probe		• One Halo	ogen Light
 8 Cooking Mo 		-	Dampened H	linges Softl	y Guide the	 Catalytic 	Clean Cavity
Sabbath Mod			QuietClose [-	• Kitchen 1	•
							800 Series
30" Industrial-9	•	-					0.0
• 4 Induction Z			lard Racks		Electrical sup 240 V/208 V	oply: 40 A,	
Oven Capacit	ty at 3.9 cu.ft.	• 2,700 V Elemen	V Convection t		240 V/208 V		
LR:	1,400 W / 2,200 W	,	RF	R:1,850 W / 3,	000 W		
LF: 2	2,300 W / 3,700 W		RF	F: 2,300 W / 3	700 W		HIS8055U
HIS8055U	Stainle	ss Steel				4,399 4,84	19
36" Industrial-9	Style Induction	n Range					
• First 36" Bos		• 5 Induc	tion Zones		2,500 W Conv	vection	
with the Mos ⁻ Element of 5,		Oven C	apacity at 3.7	cu.n.	Element		
CombiZone [™]	,500 w and	1 Teles1 Stance	copic Rail with Iard Rack		Electrical sup 240 V/208 V	oply: 50 A,	
LR: 1,850 W ,	/ 3,000 W	C+ 1 850 W	/ / 3,000 W	RR:1,40	00 W / 2,200 W		тарана и политика HIS8655U
LF: 1,850 W /	/ 3,000 W		, -,	RF: 2,3	00 W / 3,700 W		
HIS8655U	Stainles	ss Steel				6,199 6,84	19

This price list supersedes a Model	ll previous price lists. Prices list	ed herein do not include ap	plicable state or local taxes.			
Number	Description			MAP	MSRP	
All Bosch Indust	rial-Style Gas Range	es Include the Fo	llowing Features:			
Powerful 18,00	0 BTU Dual Flame	Dishwasher-	Safe Grates	• Cat	alytic C	lean Cavity
Burner		Continuous	Grate Design	• Kito	chen Tin	ner
3 Cooking Mod		• Heavy Metal	Knobs	• LP	Convers	ion Kit
17,000 BTU Ba	ke Burner	• One Haloger	n Light	• Eleo	ctrical S	Supply: 15 A, 120 V
						800 Serie
30" Industrial-Sty	yle Gas Range					
5 Burners		andard Racks				000 000
Oven Capacity a	at 3.6 cu.ft. • 11,	500 BTU Broil Bui	rner			
LR: 10,000 BTL			RR: 5,000 BTU (NG)			
LF: 5,000 BTU		9,000 BTU (NG)	RF: 10,000 BTU (NG)			U U
IGS8055UC	Stainless Steel			3,699	4,099	HGS8055UC
IGS8045UC	Black Stainless	Steel		4 199	4,649	and the second s
						000 4000
						T T
						HGS8045UC
6" Industrial-Sty	-					0 0 0 0000
6 Burners Addin Flexibility to Yo	Carlina a	elescopic Rail with	n Rack			
Oven Capacity a		tandard Rack				
oven oupdetty (• 14,0	000 BTU Broil Bui	rner			
LR: 5,000 BTU	(NG) CR: 1	0,000 BTU (NG)	RR: 10,000 BTU (NG)			
LF: 18,000 BTU	J (NG) CF: 1	0,000 BTU (NG)	RF: 10,000 BTU (NG)			HGS8655UC
IGS8655UC	Stainless Steel			4,899	5,399	0000000
IGS8645UC	Black Stainless	Steel		5,499	6,049	which are a second s
						A Contraction of the second

HGS8645UC

FREESTANDING RANGES-DUAL FUEL

	ice lists. Prices listed herein do not include applicable state or local to	axes.
Model Number Descri	ption	MAP MSRP
All Bosch Industrial-Style	e Dual-Fuel Ranges Include the Following F	eatures:
 Powerful 18,000 BTU D Burner Genuine European Conv 8 Cooking Modes Sabbath Mode Temperature Probe 	ual Flame • 1,700 W Bake Element • 2,900 W Broil Element	 One Halogen Light Catalytic Clean Cavity Kitchen Timer LP Conversion Kit Electrical Supply: 20 A, 240 V/208 V
		800 Series
30" Industrial-Style Dual	Fuel Range	
• 5 Burners	• 2 Standard Racks	
Oven Capacity at 3.9 cu	.ft. • 2,700 W Convection Element	

 LR: 10,000 BTU (NG)
 CR: 18,000 BTU (NG)
 RR: 5,000 BTU (NG)
 Image: state line sta





 36" Industrial-S 6 Burners Add Flexibility to Y Oven Capacity 	ing More our Cooking	 el Range 1 Telescopic Rail with 1 Standard Rack 2,500 W Convection Element 	h Rack				0000
LR: 5,000 BT	U (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)			T	T
LF: 18,000 B1	U (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)			HDS8655U	- Party and
HDS8655U	Stainle	ss Steel		5,799	6,399	0 0 0 128	0.0.0.0
HDS8645U	Black S	itainless Steel		6,299	6,949	T	
						HDS8645U	-

	price lists. Prices listed herein do not include applicable state or local taxes.	
Model Number Descr	ription	MAP MSRP
All Bosch Induction Slid	e-In Ranges Include the Following Features:	
 The Bosch Slide-In Rar Any Freestanding Rang 400 W Warming Drawe Touch Control for Easie of the Oven Temperature Conversio Convection Cooking 	nge Fits in e Cutout r e Cutout r er Operation on for en for e Cutout r er Operation er Operation en for en for en for e Star-K Certified 100°–450°F Rear Vent Trim Included 17 Heat Levels e A 11" Heating Element Offers 3,700 W of Power e Faster than Gas or Electric e Easier to Clean and More Efficie	
 2–4 hr Time-Adjustable Temperature Probe Extra Large Door Wind 	 SpeedBoost[®] ChildLock 	Element • Electric Supply: 40 A or 50 A. Check with local code requirement

800 Series

 30" Induction SI 11 Specialized Modes One Oven Light 	l Cooking	 Gege And Angle Angle			
LR: 9" @ 2,200 W/3,700 W (S	SpeedBoost®)	RR: 11" @ 2,600 W/3,700 W (SpeedBoost®)			- And Annual Contraction of the
2 LF: 6 1,400 W/2,200 W (S		RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)			HII8057U
HII8057U	Stain	ess Steel	3,799	4,199	In the second
HII8047U	Black	Stainless Steel	3,999	4,399	

HII8047U

HIIP057U

Benchmark® Series

30" Induction Slide-In RangeQuietClose[®] Door

- A Full-Extension Telescopic Rack
- Two Oven Lights
- Kitchen Timer
- FlexInduction® Cooktop Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove[®]
- PotSense
- PreciseSelect[®]
- 1 Telescopic Rack, 2 Standard racks

LR : 8" × 9" @ 2,200 W/3,600 W (SpeedBoost®)	RR: 11" @ 2,600 W/3,700 W (SpeedBoost®)	Full Zone: 16" x 9" @
LF: 8" × 9" @ 2,200 W/3,600 W (SpeedBoost®)	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)	3,300 W/3,600 W (SpeedBoost®)

HIIP057U

30" Induction Slide-In Range

4,099 4,549

			SLIDE-IN R	ANGES-ELECTRIC
This price list supersedes all previous price list Model Number Description	s. Prices listed herein do not include apj	olicable state or local taxes.	MAP MSRP	
All Bosch Electric Slide-In Ra	inges Include the Follow	ing Features:		
• The Bosch Slide-In Range Fi	-	ble Self Clean	• Kitchen Tim	ier
Any Freestanding Range Cut		Door Window	• Sabbath Mo	ode
Touch Control for Easier Op of the Oven	 Fast Preheat¹ 	opean Convection		oply: 40 A or 50 A. local code requirements
Easy to Clean Ceramic Surfa	ace			
				100 Series
30" Electric Slide-In Range				
 All-In-One Range with 9 Specialized Cooking Modes, with Air Fry Sleek Backlit UI Wakes Up 	 Flexible 6" 1,200 W Simmer Elements Cook with 6", 9", or 1 Elements for Added 		capacity at 5.8	
With Prompted	Cooking Flexibility	 Sabbath Mo 		
Modern Engraved Straight	Self Clean & Steam-a			
Handle DesignLarge & Powerful 3,000 W Elements	cleaning modes 2 Standard Racks 	• 1,500 W Co Element	nvection Ring	HEF1050MU
LR: 6" @ 1,200 W	C: 6" @	RR: 6" @ 1,200 W		
LF: 9" @ 3,000 W	100 W Warming Element	RF: 12" @ 3,000 W		
NEW HEF1050MU Stainles	s Steel		1,649 1,849	
Available April				
30" Electric Slide-In Range				800 Series
• 2,000 W Convection Ring Element	 3 Standard Racks Star-K Certified 100°-4 	• Large Oven 450° F 4.6 cu.ft.	Capacity at	
• 400 W Warming Drawer	Rear Vent Trim Incluc	Deceed 0	Pass 3,800 W	
• 100 W Warm Zone	2,000 W Convection I	Broil Eleme		
Temperature Conversion	Element	 Powerful 2, 		
for Convection Cooking	 Heavy-Duty Metal Kno 	obs Bake Eleme	nı	HE18056U
• 2–4 hr Time-Adjustable Self Clean	 11 Specialized Cooki Modes 	ng		HEIOUSOU
LR: 6" @ 1,200 W	C: 6" @	RR: 6" @ 1,200 W		
LF: 9"/6" @ 3,000 W/1,400 W	100 W Warming Element	RF: 9.5" @ 3,200 W		
HEI8056U Stainles	s Steel		2,399 2,649	

				SLID	E-IN RANGES-GAS
Model		ts. Prices listed herein do not include app	olicable state or local taxes.		
Number	Descriptior	1		MAP MSRP	
 All Bosch Gas Sli The Bosch Slide Any Freestandin Extra Large Doc Touch Control for of the Oven 	e-In Range F ng Range Cu or Window	tout • Standard Cor • 5 Burners Ad	Cooking Modes nvection d Flexibility to Your	 Sabbath M LP Conversion Electrical S 	sion Kit Included
					100 Series
 30" Gas Slide-In I All-In-One Range Sleek Backlit UI When Prompted Modern Engrave Handle Design Easy To Clean Porcelainized St Large 9,200 BTU Oval Burner LR: 5,000 BTU 	with Air Fry Wakes Up d ed Straight urface J Center	 5,000 BTU Rear Simm Burner Powerful 16,000 BTU Burner 2 Standard Racks Rapid Pre-Heat Brings Oven Cavity to Temp B You Can Finish Your F 	Cleaning Mo Front • Large oven 5.8 cu.ft. • 18,000 BTU Burner Before • 14,000 BTU	capacity at Hidden Bake Broil Burner	HGF1050MUC
	(110)	C: 9,200 BTU (NG)			
LF: 16,000 BTU	(NG)		RF: 12,000 BTU (NG)		
NEW HGF1050MU(Available April	C Stainle	ss Steel		1,699 1,899	
 30" Gas Slide-In I 400 W Warming Temperature Co for Convection (2–4 hr Time-Adj Self Clean Star-K Certified Rear Vent Trim I 	Drawer onversion Cooking justable 100°–450°F	 Heavy-Duty Metal Kno Low-Profile Continuou Grate Design Stainless Steel Mainto Powerful 18,000 BTU Center Burner 3 Standard Racks 	us 4.8 cu.ft. • 18,000 BTU	Bake Burner	800 Series
LR: 5,000 BTU	(NG)	C: 18,000 BTU (NG)	RR: 5,000 BTU (NG)		• • <u>11.7</u>
LF: 10,000 BTU	(NG)		RF: 15,000 BTU (NG)		
HGI8056UC	Stainle	ss Steel		2,549 2,849	
HGI8046UC	Black S	itainless Steel		2,749 3,049	

Bosch Consumer Price List – Q1 2025 Job # 20-BSH-0914.3 11/14/2024 HGI8046UC

This price list supersedes all previous price list. Model Number Description	s. Prices listed herein do not include appl	licable state or local taxes. MAP MSRP	
			Benchmark [®] Series
 30" Gas Slide-In Range 400 W Warming Drawer Temperature Conversion for Convection Cooking 2-4 hr Time-Adjustable Self Clean QuietClose® Door Star-K Certified 100°-450°F Rear Vent Trim Included Heavy-Duty Metal Knobs LR: 5,000 BTU (NG) LF: 10,000 BTU (NG) 	 Low-Profile Continuou Grate Design Stainless Steel Mainto Temperature Probe A Full-Extension Teleso Rack Temperature Probe Two Oven Lights C: 20,000 BTU (NG) Dual-Stacked 	Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer • 1 Telescopic Back	HGIP056UC
HGIP056UC 30" Gas	Slide-In Range	2,949 3,249	

Model		ed herein do not include app:	olicable state or local taxes.		MCDD	
lumber	Description			MAP	MSRP	
The Bosch SI Any Freestan 400 W Warm Touch Contro of the Oven Temperature Convection C 2–4 hr Time- Extra Large D	ol for Easier Operation Conversion for Cooking Adjustable Self Clean	 Rear Vent Trin Heavy-Duty M Low-Profile C Design Stainless Stee 11 Specialize 2,000 W Com 	m Included letal Knobs Continuous Grate el Maintop ed Cooking Modes vection Ring Element opean Convection Probe	Coo • Larg • Rece Elen • Pow Elen • LP C	king ge Oven essed 8- nent rerful 2,4 nent Conversio	dd Flexibility to Your Capacity at 4.6 cu.ft. Pass 3,800 W Broil 100 W 4-Pass Bake on Kit Included upply: 30 A
						800 Serie
30" Dual Fuel Powerful 18, Center Burne		o Oven Lights chen Timer	• 3 Standard F	Racks		
LR: 5,000 B		RR: 5,000 BTU (NG) RF: 15,000 BTU (NG)				
LF: 10,000 E						
HDI8056U	Stainless Steel			2,949	3,249	HDI8056U
						Benchmark [®] Seri
30" Dual Fuel • QuietClose® • A Full-Extens Rack	ion Telescopic • Pov Cer	chen Timer verful 20,000 BTU nter Dual-Stacked mer Designed for F ling and Low Simm				
 Temperature Two Oven Lig LR: 5,000 E 	ghts Boi	0,000 BTU (NG) Dual-Stacked	RR: 5,000 BTU (NG)			HDIP056U
• Two Oven Lig	ghts Boi	0,000 BTU (NG)				HDIP056U

This price list super Model Number	rsedes all previous price lists. Description	Prices listed herein do not include applicable state or local taxes.	MAP	MSRP									
Accessorio	cessories for Industrial Style Ranges					Induction		Gas				חחמו רעכו	
					30"	36"	JC 30"	45UC 30" BS	00 20 20	5U 30"	J 30" BS	5U 36" SS	11 26"
\bigcirc	HEZ9GW23UC	Wok Ring for Industrial Style Range	69	79			•	•	• •		•	•	
	HEZ8YZ30UC	9" Low Backguard for 30" Industrial Style Range, Black Stainless Steel	229	259				•			•		
	HEZ8YZ36UC	9" Low Backguard for 36" Industrial Style Range, Black Stainless Steel	239	269					•				•
and a	HEZ9YZ30UC	9" Low Backguard for 30" Industrial Style Range, Stainless Steel	179	199	•		•			•			
	HEZ9YZ36UC	9" Low Backguard for 36" Industrial Style Range, Stainless Steel	189	209		•			•			•	
	HEZ8ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Black Stainless Steel	139	159				•			•		
	HEZ8ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Black Stainless Steel	139	159					•				•
	HEZ9ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Stainless Steel	119	139	•		•			•			
	HEZ9ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Stainless Steel	119	139		•			•			•	
	HEZ8YZ04UC	Side Panel Extension Kit for Industrial Style Range, Black Stainless Steel Provides full side coverage extending to rear of range	99	109				•	•		•		•
	HEZ9YZ04UC	Side Panel Extension Kit for Industrial Style Range, Stainless Steel Provides full side coverage extending to rear of range	89	99	•	•	•		•	•		•	

^r his price list supe Model Number	rsedes all previous price lists Description	Prices listed herein do not include applicable state or lo	ocal taxes. MAP	MSRP								
Accessori	es for Industrial	Style Ranges				Induction		Gas			Dual Fuel	
					30"	36"	C 30"	HGS8655UC 36" SS	36"	S8055U 30"	S8045U 30"	HDS8655U 36" SS
<u> </u>	HEZ8TK30UC	Range Toe Kick 30", Black Stainless Steel	229	259				•		-	•	
<u> </u>	HEZ8TK36UC	Range Toe Kick 36", Black Stainless Steel	249	279					•			
	HEZ9TK30UC	Range Toe Kick 30", Stainless Steel	219	249	•		•			•		
	HEZ9TK36UC	Range Toe Kick 36", Stainless Steel	239	269		•		•				•
	HEZ8LLUC	Range Feet Premium 30"/36", Black Stainless Steel-Set of 4	149	169				•	•		•	
	HEZ9LLUC	Range Feet Premium 30"/36", Stainless Steel-Set of 4	79	89	•	•	•	•		•		•
	12029918	Telescopic Extension Rails Industrial Style Ranges, Wire ra *Available only as a service par			•	•	•	• •	•	•	•	•

This price list supe Model	ersedes all previous price lis	ts. Prices listed herein do not include applicable state or local taxes.						
Number	Description	1	MAP	MSRP				
Accessori	es for Slide-In			-	00 S ench			
					Induction	Electric	Gas	Dual Fuel
\bigcirc	HEZ298102	Wok Ring–Attaches to Grates	69	79			•	
		Pan with Aluminum Core Optimized for Corrior Heat Distribution	ooking with A	utoChef®	•	•	•	•
	HEZ390210	8" Pan for 6" Element	89	99				
Or	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•
6		Pan with Aluminum Core Optimized for Corrior Heat Distribution	ooking with A	utoChef®		•	•	•
	HEZ390230	10" Pan for 8" and 9" Elements	119	139				
	HEZTR301	Gliding Telescopic Rack	279	309	•	•	•	•
	HEZBS301	4" Low Back Accessory for Radiant and Induction Slide-In Ranges	249	279	•	•		
	HGZBS301	4" Low Back Accessory for Gas Slide-In Ranges	219	249			•	
	HDZBS301	4" Low Back Accessory for Dual-Fuel Slide-In Ranges	249	279				•
		Island Trim Accessory for Use in Dual-Fuel Range Island Applications	249	279				•
	HGZIT301	Island Trim Accessory for Use in Gas Range Island Applications	219	249			•	

OVER-THE-RANGE MICROWAVES

This price list supercodes all provinus price li	sts. Prices listed herein do not include applicable		• =		
Model		state of local taxes.	MAD	MCDD	
Number Descriptio	n		MAP	MSRP	
All Bosch Over-the-Range M Design-Matched for Use in Combination with Bosch R Cooktop Exclusive Stainless Steel H Easy to Read White LCD D Easy to Use Touch Control Side-Hinged Door Allows F Access to Microwave Cavit	 Reheat Setting Potato Program isplay Automatic Defrost Popcorn Program Timer with Cook 	t Time and	 Easil Time 10 N 	y Adds licrowa s into S	Kitchen Timer 30 Seconds to Cooking ive Power Levels Standard 110 V, 3-Prong
					100 Series
30" Over-the-Range Microwa	ave				
 Stainless Steel Colored Vent Grid 	 1.7 cu.ft. Large Cavity Capacity 	Three-Spee to 300 CFM		h up	
vent Ghu	 Large 13 %" Glass Turntable 	• Two Surface for Bright C Illumination	e Lights ooktop		HMV1055U
NEW HMV1055U 30" Sta Available August	ainless Steel		579	649	
					300 Series
30" Over-the-Range Microwa	ave				
 Stainless Steel Colored Vent Grid 	 1.7 cu.ft. Large Cavity Capacity Large 13 ⁵/₈" Glass Turntable 	 Three-Speet to 300 CFM Two Surface for Bright C Illumination 	Power e Lights ooktop	h up	нмv3054U
HMV3054U 30" Sta Discontinues August	ainless Steel		599	699	
NEW HMV3055U 30" Sta Available August	ainless Steel		599	699	НМV3055U
					500 Series
30" Over-the-Range Microwa	ave				
 Easy-Clean Stainless Steel Vent Cover 2.1 cu.ft. Large Cavity 	_	Two LED Lig Cooktop Illu		right	0 max

- 2.1 cu.ft. Large Cavity Capacity
- 8 Sensor Programs
 Four-Speed Vent with up to 385 CFM Power

HMV5053U 30" Stainless Steel

HMV5053U

649 749

OVER-THE-RANGE MICROWAVES/DRAWER MICROWAVES

Model Number	Description	s. Prices listed herein do not include applicable s	MAP MSRP	
				800 Series
30" Over-the-Rar	nge Convecti	on Microwave		
 Easy-Clean Sta Vent Cover 1.9 cu.ft. Large 		 Large 14³/₁₆" Glass Turntable 8 Sensor Programs 	 Two LED Lights for Bright Cooktop Illumination Convection Cooking 	() mm -
Capacity		 Four-Speed Vent with up to 385 CFM Power 	• Full Stainless Steel Cavity	HMV8045U
HMV8045U	30" Bla	ck Stainless Steel	1,049 1,199	
HMV8054U	30" Stai	nless Steel	949 1,049	•••••• HMV8054U
				Benchmark® Series
 30" Over-the-Rar Easy-Clean Sta Vent Cover 1.9 cu.ft. Large Capacity Large 14³/₁₆" G Turntable 	inless Steel Cavity	 Microwave 8 Sensor Programs Four-Speed Vent with up to 385 CFM Power Two 30 W LED Lights for Bright Cooktop Illumination 	 Convection Cooking Full Stainless Steel Cavity Heavy-Duty Mesh Ventilation Filter Triple Distribution System 	HMVP054U
HMVP054U	30" Stai	nless Steel	1,049 1,199	
				800 Series
 24" and 30" Draw New hidden co panel; opens for visibility Home Connect⁶ for remote mon and control the microwave with Connectivity 	ntrol or enhanced ® allows itoring drawer	 1.2 cu.ft. overall capacity Microwave Power 950 W 10 Power Levels Sensor Cooking Door 	 Opens and Closes through Touch Control Can Be Installed Flush 	Image: Market and the second secon
HMD8454UC	24" Drav	wer Microwave	1,949 2,149	HMD8454UC
		wer Microwave	2,049 2,299	

BUILT-IN MICROWAVES

This price list supersedes all	previous price lists. Prices listed herein do not include	- plicable state or local taxes.
Model Number	Description	MAP MSRP
		800 Series
24" Built-in Microv	wave with Side Swing Door and Tr	n Kit Accessory in 27" or 30"
 Glass touch contained white display 2.1 cu.ft. overall 16 1/2" Glass Turn 	 10 Power Levels capacity Sensor Cooking 	00 W
HMB30155UC	24" Microwave, Stainless Steel	699 799
HMT5755	27" Built-In Trim Kit Standard Microwave, Stainless	299 329
HMT5055	30" Built-In Trim Kit Standard Microwave, Stainless	299 329 HMB30155UC w/ HMT5755
27" and 30" Built-I	n Microwave Touch Control with D	op Down Door
• LCD Display and	LED Light • Microwave Power: 9	0 W • Sensor Reheat
• 1.6 cu.ft. Overall	Capacity • 10 Power Levels	No Trim Kit Required
• 14 ¼" Glass Turr	table • Sensor Cooking	Plugs into a Standard 120 V, 3-Prong Outlet HMB57152UC
HMB57152UC	27" Microwave, Stainless Steel	1,449 1,599
HMB50152UC	30" Microwave, Stainless Steel	1,449 1,599

					SFEED OVENS
This price list supersedes al Model	l previous price lists. Prices liste	d herein do not include applicable state or local taxes.			
Number	Description		MAP	MSRP	
 All Bosch Speed 1.6 cu.ft. Overa Nine SpeedChee Convection Broin Bake Modes Seven Auto Sen Cycles 	f® Cooking Cycles l and Convection	 Following Features: 1,000 W Microwave 1,750 W Broil Element 600 W Bake Element 1,700 W Convection Element Kitchen Timer and Panel Lock Setting 	 Cut Sep Mul Wal Inst 	-resistar parate Co Iti-Use C Il or Unc callation	teel Cooking Interior nt Metal Turntable and eramic Cooking Tray Oven Rack der Counter Approved (HMC54151UC cannot d under a cooktop)
					500 Series
 24" Speed Oven Cooks Faster th Traditional Over Can Also Be Use Microwave HMC54151UC 	and 120 ed as a Plug • Elec	trical Connection – V NEMA 5-20 3-Prong tric Load – 20 A d Oven, Stainless Steel	1,949	2,149	HMC54151UC 800 Series
 27" and 30" Spee Cooks Faster th Traditional Over Can Also Be Use Microwave LCD Display and 	an a Elec n and 120 ed as a Plug and I LED Light 240 HMC	trical Connection – • Electric V NEMA 5-20 3-Prong for HMC80152UC HMC87152UC; V Direct Wire for 280252UC and 280242UC	: Load – 20 A		HMC87152UC
HMC87152UC	27" 120 V Speed	d Oven, Stainless Steel	2,049	2,299	
HMC80252UC	30" 240 V Speed	d Oven, Stainless Steel	2,399	2,649	HMC80152UC
HMC80242UC	30" 240 V Speed	d Oven, Black Stainless Steel	2,449	2,699	
HMC80152UC	30" 120 V Speed	d Oven, Stainless Steel	2,049	2,299	

HMC80242UC

Benchmark® Series

30" Speed Oven Touch Control with TFT Display

- Electrical Connection: 240 V Direct Wire
- Electric Load 16 A
- Installs in Horizontal Configuration Paired with 30" Bosch Single Wall Ovens/ Steam Oven and Warming Drawers

HMCP0252UC

30" Stainless Steel



HMCP0252UC

2,599 2,899

500 Series

	previous price lists. Prices listed	d herein do not include applicable state or local taxes.	
Model Number	Description		MAP MSRP
All Bosch 500 Seri	es 24" Built-In Ove	ns Include the Following Features:	
 Oven Is Perfect f Smaller Footprin 		 Genuine European Convection Ensures Even Cooking and Baking 	 The DualClean[®] System Uses the Cavity Coating and Heat to Burn
 Designed to Be I with Your Cabine 		Results on Multiple Racks10 Oven Modes	Off Most Grease Timer with Cook Time
Telescopic ExtenKnob Control	sion Rail	 Custom Cooking Modes: Pie, Frozen Foods, Defrost, Warm, and Brail Dive 	and Delay Start Function Kitchen Timer
 Halogen Light to Cooking Progress 		Broil Plus • 8-Pass Broil Element	• Capacity at 2.8 cu.ft.

24" Single Wall Oven, European Convection



	previous price lists. Prices list	ed herein do not include applicable sta	te or local taxes.			
Model Number	Description			MAP	MSRP	
 All Bosch 500 Ser Heavy-Duty Meta Premium Look a Compatible with Cut-Outs Designed to Be with Your Cabing 	al Knobs for a nd Feel Most Existing Installed Flush	 ens Include the Followin 2, 3, and 4-Hour Se Kitchen Timer Extra Large Door W Monitoring of Cookin Star-K Certified 100 	If-Clean Cycles indow for Easy ng Process	• Rec for	essed 1	city at 4.6 cu.ft. 2-Pass Broil Element ed Capacity and e
						500 Series
 30" Single Wall O Thermal Cooking Bake, Broil, Roas Warm HBL5351UC 	۔ مد میما	ven Modes e Oven Light		2,099	2,349	HBL5351UC
 30" Single Wall O Genuine Europea Convection HBL5451UC 	• Cus	Oven Modes atom Cooking Modes: a, Pie, Warm and Proof	 Temperature for Convection One Oven Lipping 	on Cook ght		HBL5451UC

						BUILT-IN OVENS
This price list supersedes Model Number	all previous price lists Description	s. Prices listed herein do not include applicable st	ate or local taxes.	MAP	MSRP	
						500 Series
30" Single Wall	Oven SideOp	ening Door, European Convect	ion			封/名
 SideOpening E 		 11 Oven Modes 	Two Oven	Lights		
Better Ergonor the Oven Cavit		 Custom Cooking Modes: Pizza, Pie, Warm and Proof 				
 Genuine Europ Convection 	ean	 Temperature Conversion for Convection Cooking 				(d) anice.
NEW HBL5455RU	C 500 Stai	nless Steel, Right SideOpening	g Door	2,799	3,099	HBL5455RUC
NEW HBL5455LU	C 500 Stai	nless Steel, Left SideOpening	Door	2,799	3,099	
Both Available Febru	Jary					() mox
						HBL5455LUC
30" Double Wal	l Oven, Europ	ean Convection (Upper Cavity)				
 Genuine Europ Convection in 		Custom Cooking Modes Upper Oven: Pizza, Pie,		ction Cook		
 11 Upper Over 	n Modes	Warm and Proof • Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven	Upper Ov • One Oven			
				3 7/9	4,149	
HBL5651UC	30" Stai	nless Steel		3,743	4,143	£

30" Microwave Combination Oven

- Combination Oven Featuring a Microwave and Wall Oven with Stainless Steel Knobs
- 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display
- HBL57M52UC
- 30" Stainless Steel

- Genuine European Convection in Lower Oven
- One Oven Light

3,999 4,399



HBL57M52UC

BUILT-IN OVENS

This price list superse Model Number	edes all previous price lists. F Description	Prices listed herein do not include applicable sta	ite or local taxes.	MAP MSRP	
					500 Series
• Combinatio Featuring a	Speed Oven ven with Heavy-	• The Upper Speed Oven Functions as a Microwave and Convection Oven So You Have Flexible Cooking Options	Details Pleas HMC80152U • Genuine Eur	ropean in Lower Oven	
HBL5754UC	30" Stainl	less Steel		4,699 5,199	HBL5754UC
All Bosch 800		vens Include the Following F • Temperature Conver		• Two Oven Li	ghts
• A Full-Exten	sion Telescopic Ra Be Installed Flus	h Convection Cooking • Touch Control with Buttons Makes Ope	SteelTouch™	 Timer with C Start Function Extra Large 	Cook Time and Delay on Door Window for Easy
Cut-Outs 11 Oven Mo 	oking Modes: Pizza	Temperature Probe Guesswork Out of C East Prebeat™ Beduce	Cooking ces Preheat	 Star-K Certif Large Capac Recessed 12 	of Cooking Process ied 100°–450°F ity at 4.6 cu.ft. PPass Broil Element d Capacity and

- Genuine European Convection
- 2, 3, and 4-Hour Self-Clean Cycles
- Performance

800 Series

27" Single Wall Oven

• Recessed 8-Pass Broil Element for Increased Capacity and Safety

HBN8451UC

27" Single Wall Oven, Stainless Steel

3,099 3,449

HBN8451UC

Model Number	Description		MAP	MSRP		
					800 Se	rie
80" Single Wall	Ovens				December of	1
Home Connect						
Remotely Mon	itor and					
Control the Wa						
Wi-Fi Connecti	vity				15	
HBL8443UC	30" Single Wall Oven, Bla	ack Stainless Ste	el 3,249	3,599	0.000	
					HBL8443UC	C
30" Single Wall	Oven					
• The Bosch Wal		Quickly Cooks •	Home Connect® Feat	ures.		
Combines Your	•		Remotely Monitor and			
Tools into One It's an Air Fryer		l Oil	Control the Wall Over Wi-Fi Connectivity	n with		
Oven, Roaster,			with connectivity			
Proofer and Mo	bre				() mace	
HBL8454UC			2 000	3,449	HBL8454UC	
IDL04J4UC	30" Single Wall Oven, Sta	ainless Steel	3,099	0,770		
101043400	30" Single Wall Oven, Sta with Air Fry	ainless Steel	3,099	0,440		
	with Air Fry	ainless Steel		0,110		
30" Double Wall	with Air Fry Oven					
30" Double Wall 11 Upper Over 5 Lower Oven	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h 1d		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit	:h 1d		
30" Double Wal 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h 1d		
30" Double Wal 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h 1d		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd		
30" Double Wal • 11 Upper Over	with Air Fry Oven Modes Genuine Euro	pean •	Thermal Cooking wit Bake, Broil, Roast ar	:h าd	HBL8642UC	
30" Double Wall 11 Upper Over 5 Lower Oven	with Air Fry Oven Modes Genuine Euro	pean Upper Oven	Thermal Cooking wit Bake, Broil, Roast ar Warm in Lower Over		HBL8642UC	
30" Double Wal • 11 Upper Over	with Air Fry A Oven Modes • Genuine Euro Convection in	pean Upper Oven	Thermal Cooking with Bake, Broil, Roast ar Warm in Lower Over	ah h 4,749	HBL8642UC	

BUILT-IN OVENS

Model Number Description		MAP MSRP	
			800 Series
30" Microwave Combination	Oven		
Home Connect® Features. Remotely Monitor and Control the Lower Wall Oven with Wi-Fi Connectivity	 Combination Oven Featuring a Microwave and Wall Oven with Touch Control 	 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display 11 Lower Oven Modes 	
HBL87M53UC 30" Sta	inless Steel	4,499 4,949	l mer
			НВL87М53UC
30" Speed Combination Over Home Connect® Features. Remotely Monitor and Control the Lower Wall Oven with Wi-Fi Connectivity	 Combination Oven Featuring a Speed Oven and Wall Oven with Touch Control Speed Oven Cooks Faster than a Traditional Oven 	 Speed Oven: For Additional Details Please Review SKU HMC80252UC (page 6-4) 11 Lower Oven Modes 	

HBL8753UC	30" Combo, Stainless Steel	5,349 5,899
HBL8743UC	30" Combo, Black Stainless Steel	5,649 6,249

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description

MAP MSRP

All Bosch Benchmark® Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- The Color TFT Control Panel with SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- Designed to Be Installed Flush with Your Cabinetry
- Compatible with Most Existing Cut-Outs

- 13 Specialized Cooking Modes Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat[™] Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode Remaining Heat in Cavity Finishes Cooking Process

- AutoProbe Takes the Guesswork
 Out of Cooking
- Two Halogen Lights Provide Superior Cavity Illumination
- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Two Separate Time Intervals Can Be Programmed
- Large Capacity at 4.6 cu.ft.

Benchmark® Series

30" Single Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- Recessed 12-Pass Broil Element for Increased Capacity and Performance





HBLP451RUC

HBLP451RUC	30" Stai	nless Steel, Right SideOpening Door	3,599	3,999	
HBLP451LUC	30" Stai	nless Steel, Left SideOpening Door	3,599	3,999	
30" Single Wall	Oven				11. 44 11.
• The Bosch Wall	Oven	 Air Fry Mode Quickly 			
Combines Your	Favorite	Cooks Foods to Crisp			
Tools into One	Appliance.	Perfection without Added			
lt's an Air Fryer		Oil			
Convection Ove	, ,				1.000
Dough Proofer	and More				
HBLP454UC	30" Sing with Air	le Wall Oven, Stainless Steel Fry	3,399	3,749	HBLP454UC

Benchmark® Series

	edes all previous price lists. Prices listed her	ein do not include applicable state or local taxes.		
Model Number	Description	Ν	ΛAΡ	MSRP

30" Double Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- AutoProbe in the Upper Oven Takes the Guesswork Out of Cooking
- Recessed 12-Pass Broil Element for Increased Capacity and Performance



HBLP651RUC

HBLP651UC

HBLP651RUC	30" Stainless Steel, Right SideOpening Door	5,349	5,899
HBLP651LUC	30" Stainless Steel, Left SideOpening Door	5,349	5,899
HBLP651UC	30" Stainless Steel	4,799	5,299

30" Speed Combination Oven with TFT Display

30" Stainless Steel

 Combination Oven Featuring a Speed Oven

HBLP752UC

- Speed Oven Cooks Faster than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMCP0252UC (page 6-4)
- Recessed 12-Pass Broil Element for Increased Capacity and Performance

5,649 6,249



Benchmark® Series


HBLP752UC

Bosch Consumer Price List – Q1 2025 Job # 20-BSH-0914.3 11/14/2024

WARMING DRAWERS/ACCESSORIES

Model Number	Description	ts. Prices listed herein do not include applicable s	MAP MSRP	
				500 Series
 27" and 30" Wa Keeps Meals Designed to N Perfectly Flus Bosch Wall, S Steam Oven 3 Settings to Hot and React Installs Vertic Bosch Speed Wall Oven 	Hot and Is Match the sh Fit of a Speed or Keep Meals dy to Serve cally under	 Matches Bosch Built-In Products Install Either Flush or Proud 450 W Heating Element Concealed Below Drawer Special Dough Proofing Mode Sturdy Ball Bearing Telescopic Rails for Smooth Opening 	 Star-K Certified 1 Hour Automatic Shut Off Function with Adjustable Timer 2.2 cu.ft. Large Cavity (1.9 cu.ft. for 27") Lower Side Walls Allow Easy Loading and Unloading of Drawer 	HWD5051UC
HWD5051UC	30" Sta	inless Steel	1,499 1,649	

Accessorie	es for Ovens	30" Single Wall	30" Double Wall
		Ovens	Ovens
	Ball Bearing Telescopic RackBall Bearing Full Extension Telescopic Racks• Adjustable to All Rack Support Levels • Convenient Handling • Easy to Operate• Available as Separate Accessory for Even More ConvenienceHEZTR30130" Telescopic Rack279309	•	•



Frameless

INDUCTION

Model Number Des	cription		MAP	MSRP	
					800 Serie
24" Induction Cooktop					
Home Connect®	• An 11" Heating Element	 Hood Control 	with		
AutoChef®	Offers 3,600 W of Power	Home Connec		bled	- D. B. Contract of the local state
	 PreciseSelect[®] 	Ventilation			
		• 30 A Breaker			
	RR: 7" @				NIT8461UC
LR: 11" @ 2,600 W/3,600 W (SpeedBoos	1,800 W/3,100 W (SpeedBoost®)				Mi1040100
2,000 W/3,000 W (Speedboos	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)				C
W NIT8461UC 24 vailable April	" Induction, Black, Frameless		1,999	2,199	
0" Induction Cooktop					
Home Connect®	• An 11" Heating Element	 Hood Control 	with		
AutoChef®	Offers 3,600 W of Power	Home Connec		bled	
	 PreciseSelect[®] 	Ventilation			
		• 30 A Breaker			in the second second
LR: 9" @	RR: 11" @				NIT8060SUC
2,200 W/3,600 W (SpeedBoos					e
LF: 6" @ 1,400 W/2,200 W (SpeedBoos	LF: 6" @ st®) 1,400 W/2,200 W (SpeedBoost®)				
	" Induction, Black, Stainless Steel F	rame	2,399	2,649	
iscontinues March					NIT8060UC
IIT8060UC 30 Discontinues March	" Induction, Black, Frameless		2,349	2,599	
W NIT8061UC 30 vailable April	" Induction, Black, Frameless		2,399	2,649	
•					
					NIT8061UC
CII Industion Cookton					
6" Induction Cooktop Home Connect®	• Dual 12" Heating Element	• Hood Control	with		
AutoChef®	with Powerful 5,400 W	Home Connec		bled	
Autoener	 PreciseSelect[®] 	Ventilation			
		• 40 A Breaker			12
LR: 7" @		RR: 6" @			NIT8660SUC
1,800 W/3,100 W (SpeedBoos		W/2,200 W (SpeedBoo	st®)		
	3,600 W/5,400 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)	RF: 9" @			
LF: 7" @	st®) 2,200	W/3,600 W (SpeedBoo	st®)		
					and the second secon
1,800 W/3,100 W (SpeedBoos	" Induction, Black, Stainless Steel F	Frame	2,799	3,099	NIT8660UC
1,800 W/3,100 W (SpeedBoos IIT8660SUC 36 Viscontinues March	" Induction, Black, Stainless Steel F	rame	-	3,099 3,099	NIT8660UC

INDUCTION

Number	Description			MAP	MSRP	
6" Induction Cooki	top					800 Serie
Home Connect® AutoChef®		 Triple-Ring 13" Heating Element Accommodate Multiple-Size Pans wit Three Diameter Sizes PreciseSelect[®] 	es Home Connect		led	NIT8661UC
LR: 7" @ 1,800 W/3,100 W (Speed LF: 7" @ 1,800 W/3,100 W (Speed	2,2	C: 9"/11"/13" @ 200 W/3,600 W (SpeedBoost®) 600 W/3,600 W (SpeedBoost®) 300 W/3,600 W (SpeedBoost®)	RR: 6" @ 1,400 W/2,200 W (SpeedBoost RF: 9" @ 2,200 W/3,600 W (SpeedBoost			Q
NIT8661UC Available April	36" Indu	ction, Black, Frameless	:	2,799	3,099	
10" Induction Cooki	ton					Benchmark® Serie
 30" Induction Cooki Home Connect[®] AutoChef[®] An 11" Heating Ele Offers 3,600 W of 	ement	 Hood Control Hood Control with Home Connect® Enabl Ventilation FlexInduction® Can Combine Two Cooking Zones into One Continuous Surface 	Simply Move Y Change the Po	Into 3 Level Zo Your Pot	t to	Benchmark® Serie
Home Connect® AutoChef® An 11" Heating Ele	ement Power @	Control with Home Connect® Enabl Ventilation • FlexInduction® Can Combine Two Cooking Zones into One	FlexInduction® Preset Power I Simply Move Y Change the Po	Into 3 Level Zo Your Pot	t to	22-00-00-00-0-0-0-0-0-0-0-0-0-0-0-0-0-0
 Home Connect[®] AutoChef[®] An 11" Heating Ele Offers 3,600 W of Full Zone: 16"x9" 3,300 W / 	ement Power @ 	Control with Home Connect® Enable Ventilation • FlexInduction® Can Combine Two Cooking Zones into One Continuous Surface LR: 8" x9" @ 2,200 W/3,600 W (SpeedBoost®) LF: 8" x9" @ 2,200 W/3,600 W (SpeedBoost®)	FlexInduction® Preset Power I Simply Move Y Change the Po • 30 A Breaker 2,600 W/3,600 W (SpeedBoost®) RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)	Into 3 Level Zo Your Pot	t to vel	And the second sec

This price list supersedes a Model	all previous price lists. Prio	ces listed herein do not incl	ude applicable state or loca	al taxes.	
Number	Description			MAP	MSRP
					Benchmark® Serie
36" Induction Co	ooktop				
 Home Connect[®] AutoChef[®] Dual 12" Heating Element with Powerful 3,600 W 		Hood Control wi Home Connect® Ventilation	Enabled Fl	owerMove™ Divides .exInduction® Into 3 reset Power Level Zo	nes-
				imply Move Your Pot hange the Power Lev) A Breaker	
		Continuous Surfa	ace		·
Full Zone: 14" x 8" @ 3.300 W /	LR: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	C: 12"/9" @ 3,400 W/3,600 W	RR: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	Full Zone: 14"x8" @3,300 W /	
3,300 W / 3,600 W (SpeedBoost®)	LF: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	(SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)	RF: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)	3,600 W (SpeedBoost®)	NITP660UC
NITP660SUC	36" Inducti	on Cooktop		3,449 3	3,799
Discontinues March		Stainless Steel F	rame		
NITP660UC	36" Inducti	on Cooktop, Blac	k, Frameless	3,399 3	3,749

Model	rice lists. Prices listed herein do not include applicable st ription	MAP MSRP	
• Current and Residual I Indication for Each Ele	ment Multiple Pan Sizes		Accessories on
Easy to Clean Premiun	i Glass		
			500 Series
 24" Knob Control, Fram 4 Elements Knob Controls for Precision Cooking 	eless Design • 8" Heating Element with Powerful 2,200 W • 30 A Breaker		
LR: 8" @ 2,200 W	RR: 6" @ 1,200 W		NEM5466UC
LF: 6" @ 1,850 W	RF: 7" @ 1,800 W		
NEM5466UC 24	" Radiant Cooktop	949 1,049	
 30" Knob Control, Fram Dual Element for Using Different Pan Sizes 	-	 9" Heating Element with Powerful 2,500 W 30 A Breaker 	
LR: 7" @ 1,800 W LF: 7"/5" @	RR: 6" @ 1,200 W RF: 9" @		NEM5066UC
1,700 Ŵ/700 W	2,500 Ŵ		
NEM5066UC 30	" Radiant Cooktop	1,049 1,199	
			800 Series
 30" Cooktop with or wit PreciseSelect[®] Front and Back Stainles Steel Frame Bridge Element Dual Element 	hout Stainless Steel Frame • SpeedBoost® • 2-Level Heat Indicator • Childproof Panel Lock	 Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer 40 A Breaker 	NET8069UC
LR: 7" @ 1,800 W (400 W Bridge) LF: 7" @ 1,800 W	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	RF: 6" @ 1,200 W	

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.


30" Radiant, Black, Frameless

NET8069UC

1,499 1,649

Model	price lists. Prices listed herein do not include applicab ription	MAP MSRP	
			800 Serie
 36" Cooktop with or w	thout Stainless Steel Frame SpeedBoost® Clean Lock 2-Level Heat Indicator ChildLock 	 Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer 50 A Breaker 	NET8669UC
LR: 7" @ 1,800 W (400 W Bridge) LF: 7" @ 1,800 W	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	RR: 6" @ 1,200 W RF: 8"/5" @ 1,900 W/800 W	
NET8669UC 36	" Radiant, Black, Frameless	1,549 1,749	
			Benchmark® Serie
 30" Five Element Cooks Front and Back Stainle Steel Frame 2-Zone 9" Heating Eler with Powerful 3,600 V Element Dual Element Left Fro with AutoChef® SpeedBoost® AutoChef® PreciseSelect® 	 PowerStart® Heats Up the Cooking Zone Using the Highest Power Level and Automatically Adjust to the Selected Ongoing Cooking Setting 	 Count-Up Timer Clean Lock 2-Level Heat Indicator Childproof Panel Lock 40 A Breaker 	NETPO69SUC
LR: 6" @ 1,200 W AutoChef® LF: 7"/5" @ 2,000 W/800 W	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	RR: 6" @ 1,200 W RF: 6" @ 1,500 W	
	" Radiant ack with Stainless Steel Frame	1,549 1,749	

	ice lists. Prices listed herein do not include app	olicable stat	te or local taxes.		
Model Number Descrip	ption			MAP MSRP	
All Bosch Gas Cooktops	Include the Following Featur	'es:			
• Front-Center Controls	• Continuous C	Cast Iro	n Grates	• LP Kit Inclu	ded
High Efficiency Gas Burn	ners • FlameSafe th gas if flame is			• See All Pan Page 8-10.	Accessories on
					500 Series
24" Gas Cooktop					
• 4 Burners	 Stainless-Look Metal I 	Knobs	Sealed Burn	ers for Easier	$\Omega = \Omega$
• 10.3K BTU Max	 LED "On" Indicator Li 	ight	Cleanup		
Ideal for Kitchens with a Smaller Footprint	 Low Profile Stainless Design for Easy Clear 				NGM5453UC
LR: 6,000 BTU	RR: 10,300 BTU				
LF: 6,000 BTU	RF: 3,400 BTU				
NGM5453UC 24"	Gas Cooktop, 4 Burners, Sta	inless \$	Steel	999 1,099	
30" Gas Cooktop					32 == 72
• 5 Burners	 Stainless-Look Metal I 		• Sealed Burn	ers for Easier	
• 16K BTU Max	 LED "On" Indicator Li 	-	Cleanup		
 OptiSim[®] Burner 	 Low Profile Stainless Design for Easy Clear 				NGM5059UC
LR: 6,000 BTU	C: 16,000 BTU		RR:10,300 BTU		
LF: 3,400 BTU			RF: 6,000 BTU		
NGM5059UC 30"	Gas Cooktop, 5 Burners, Sta	inless \$	Steel	1,099 1,249	
36" Gas Cooktop					
• 5 Burners	 Stainless-Look Metal I 	Knobs		ers for Easier	
• 16K BTU Max	 LED "On" Indicator Li 	ight	Cleanup		72 14 3 2
 OptiSim[®] Burner 	• Low Profile Stainless Design for Easy Clear				NGM5659UC
LR: 6,000 BTU	C. 16 000 DTU		RR:10,300 BTU		
LF: 3,400 BTU	— C: 16,000 BTU		RF: 6,000 BTU		
NGM5659UC 36"	Gas Cooktop, 5 Burners, Sta	inless \$	Steel	1,249 1,399	



36" Gas Cooktop, 5 Burners, Stainless Steel

NGM8659UC

1,699 1,899

This price list supersedes all Model Number	previous price Descripti	lists. Prices listed herein do not include app on	licable state or local taxes. MAP MSRI	5
				Benchmark [®] Serie
 30" Gas Cooktop 5 Burners FlameSelect[®] (9 Levels) 18K BTU Max 	Power	 Bosch Exclusive Dual- Power Burner OptiSim[®] Burner LED Power Level/Rest Heat Indication Displated 	Selected Power Level • Stainless-Look Metal Knobs dual • Dishwasher-safe Grates	NGMP059UC
LR: 6,000 BT		C: 18,050 BTU	RR: 10,300 BTU 	
NGMP059UC		as Cooktop, 5 Burners, Sta)
 36" Gas Cooktop 5 Burners FlameSelect® (9 Levels) 18K BTU Max 	Power	 Bosch Exclusive Dual- Power Burner OptiSim[®] Burner LED Power Level/Resi Heat Indication Displated 	Selected Power Level • Stainless-Look Metal Knobs dual • Dishwasher-safe Grates	NGMP659UC
	U		RR: 10,300 BTU	() FlameSelect

	sedes all previous price lists	Prices listed herein do not include applicable state or local taxes.								
Model Number	Description		MAP	MSRP						
Accessori	es for Cooktops				С	ool	cto	os	Rang	etops
					Induction	Radiant	Mainline Gas	Benchmark Gas	30"	36"
\bigcirc	HEZ9GW23UC	Industrial-Style Wok Ring for 30" Gas Rangetop	69	79					•	
		Pan with Aluminum Core Optimized for Cookir ent • Superior Heat Distribution	ng with			•	•		•	•
	HEZ390210	8" Pan for 6" Element	89	99						
Or	HEZ390220	9" Pan for 7" Element	99	109	•	•	•	•	•	•
0		 Pan with Aluminum Core Optimized for Cookir ent • Superior Heat Distribution 10" Pan for 8" and 9" Elements 	ng with 119	139	•	•	•	•	•	•
0000	Metal Knob Kit Cooktops	Metal Knobs, Compatible with Mainline and Be	nchmark	Gas			•			
	HEZ27754	Set of Five Knobs	119	139						
	HEZ7YZ30UC	9" Stainless Steel Low Backguard for 30" Gas Rangetop	199	219					•	
	HEZ7YZ36UC	9" Stainless Steel Low Backguard for 36" Gas Rangetop	209	229						•

RANGETOPS

Model	ice lists. Prices listed herein do not include appli	icable state or local taxes.		
Number Descri	ption		MAP MSRP	
All Bosch Gas Rangetops	Include the Following Featur	es:		
• 18K BTU Max	 Porcelain Enam 	neled Cooking Surface	 Dishwasher 	-Safe Grates
 OptiSim[®] Burner 	 Large Metal Co 	ontrol Knobs	Electronic I	gnition
High Efficiency Burners	 Up-Front Centre 	ralized Controls	 Flame Supe 	ervision Device
Industrial-Style Design	 Continuous Su 	rface Cast Iron Grates	• LP Kit Inclu	ded
				800 Series
30" Gas Rangetop				
 18K BTU Dual Flame Ring Burner 	Two 12K BTU Large Burners • 5K BTU Opt Simmer Bur			
LR: 12,000 BTU	RR: 5,000 BTU			RGM8058UC
LF: 12,000 BTU	RF: 18,000 BTU			
RGM8058UC 30"	Gas Rangetop, 4 Burners, Sta	inless Steel	3,149 3,499	
36" Gas Rangetop				
 Two 18K BTU Dual Flan Ring Burners 	• Three 12K BTU Large Burners	 5K BTU Opti Burner 	Sim® Simmer	
LR: 12,000 BTU	CR: 12,000 BTU	RR: 5,000 BTU		RGM8658UC
LF: 18,000 BTU	CF: 12,000 BTU	RF: 18,000 BTU		
RGM8658UC 36"	Gas Rangetop, 6 Burners, Sta	inless Steel	3,649 4,049	

UNDER-CABINET HOODS

	previous price list	s. Prices listed herein do not include applicable stat	te or local taxes.		
Model Number	Description		MAP	MSRP	
					300 Series
0" and 36" Unde	r-Cabinet H	ood			
 5" Height / 21" Depth Slim-Line Styling 3-Speed Control – Rotary Knobs 300 CFM 		 2 LED Lights Dishwasher Safe Aluminum Mesh Filters Ducted or Convertible to Non-Ducted Operation 	 7" Round (Vertical) 3 ¼" x 10" Rectangu (Horizontal) 		DUH30253UC
DUH30253UC	30" Stai	inless Steel, 300 CFM Blower	649	749	
DUH36253UC	36" Stai	inless Steel , 300 CFM Blower	729	849	
					500 Serie
0" and 36" Unde	r-Cabinet H	ood			
5" Height / 21" [• 2 LED Lights	• 7" Round (Vertical)		
Slim-Line Stylin Touch Control w	-	 Dishwasher-Safe Aluminum Mesh Filters 	Ducting & 3¼" x 10" Rectangular (Horizor		DUH50353UC
Backlite LED — 3 300 CFM	Speeds	• Ducted or Convertible to Non-Ducted Operation			
EW DUH50353UC	30" Stai	inless Steel, 300 CFM Blower	849	949	
EW DUH56353UC	36" Stai	inless Steel, 300 CFM Blower	899	999	
					800 Serie
0" and 36" Profe	ssional-Stv	le Under-Cabinet Hood			
11" Height / 23"	-	• 2 LED Lights	• Ducting - 7" Round		
Professional Sty	ling	• Dishwasher Safe Aluminum	(Vertical)		
Touch Control w Backlite – 4 Spe		Mesh Filters with Stainless Steel Covers	 Home Connect[®] 		DUH80553UC
600 CFM		 Ducted or Convertible to Non-Ducted Operation 			0
DUH80553UC	30" Sta	inless Steel, 600 CFM Blower	1,499	1,649	
DUH86553UC	36" Sta	inless Steel, 600 CFM Blower	1,549	1,749	
					Benchmark Serie
0" and 36" Profe	essional-Sty	le Under-Cabinet Hood			
18" Height / 23"	Depth	• 2 LED Lights	• Ducting - 7" Round		
Professional Styling		Dishwasher Safe Aluminum	(Vertical)		
Touch Controls		Mesh Filters with Stainless Steel Covers	 Home Connect[®] 		
Backlite – 4 Spe 800 CFM	eds	 Ducted or Convertible to Non-Ducted Operation 			DUHP0853UC
OUHP0853UC	30" Sta	inless Steel, 800 CFM Blower	1,649	1,849	C
DUHP6853UC		inless Steel, 800 CFM Blower		1,949	
	55 514		1,745	.,	

This price list su Model	persedes all previous price list	s. Prices listed herein do not include applicable state or local taxes.						
Number	Description		MAP	MSRP				
Δετρο	ries for Under-Ca	binet Hoods				Г	UH	
						/500 ries	80	00/ hmark
					30"	36"	30"	36"
	HEZVEUD301	30" 300 Series Recirculation Filter Kit - 2 Pack	69	79	•			
	HEZVEUD361	36" 300 Series Recirculation Filter Kit - 2 Pack	79	89		•		
	HEZVEUD302	30" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	109	119			•	
	HEZVEUD362	36" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	119	139				•

ISLAND HOODS/ACCESSORIES

			MSRP	ite or local taxes. MAP	listed herein do not include applicable sta	evious price lists. Pric	This price list supersedes all pr Model Number
 600 CFM Four-Speed Electronic Control with White and Red LCD Display Kitchen Timer Clean Filter Reminder Four 20 W Halogen Lights Four 20 W Halogen Lights Three Anodized Aluminum Mesh Filters with Stainless Steel Bosch Design Covers and Metal Latch Vertical Ducting with 8" Round Duct Backdraft Damper and Transition Included Recirculation Kit Available as an Accessory HIB82651UC 	Series	80(Description	
		HIB82651UC	able ngs	 Transition Included Recirculation Kit Avail as an Accessory Extension Kit for Ceili 9' to 11' 6" Available at the second s	our 20 W Halogen Lights hree Anodized Aluminum Mesh Filters with Stainless teel Bosch Design Covers nd Metal Latch ertical Ducting with 8"	onic • e and nder •	 600 CFM Four-Speed Electr Control with Whit Red LCD Display Kitchen Timer Clean Filter Remining
HIB82651UC 42" Island Hood, 600 CFM 2,299 2,549			2,549	2,299	ood, 600 CFM	42" Island	HIB82651UC

	42"
Island Hood Extension Kit	
 Fits Ceilings From 9' Stainless Steel Flue Extensions and Inner Structure Parts Included. 	•
HCIEXT5UCIsland Hood Extension Kit539599	
HCREC5UC Box/Pyramid/Glass Canopy 119 139 Chimney Hood Recirculation Kit	•
HIREC5UC Island Hood Recirculation Kit 109 119	•

	ll previous price lists. Prices listed herein do not include applicable state or local	l taxes.
Model Number	Description	MAP MSRP
All Bosch Chimn	ey Wall Hoods Include the Following Features:	
 Kitchen Timer 	Vertical Ducting with 8" Ro	ound • Recirculation Kit Available as an
• Clean Filter Rer	minder Duct	Accessory
• Auto On/Heat S	Sensor • Backdraft Damper and Tra	
 Anodized Alumi 	inum Mesh Filters Included	Available as an Accessory
		300 Series
ENERGY STAR® C	Certified Pyramid Canopy Chimney Hood	
• 300 CFM	Three-Speed Electronic Two Control with White and Red LCD Display	vo Bright LED Lights
HCP34E52UC	24" Pyramid Canopy Chimney Hood, 300 CFM	1,099 1,249
HCP30E52UC	30" Pyramid Canopy Chimney Hood, 300 CFM	I 1,199 1,349
HCP36E52UC	36" Pyramid Canopy Chimney Hood, 300 CFM	I 1,299 1,449
		500 Serie
Box Canopy Chin		
• 600 CFM	Four Speed Electronic Two Control with White and Red LCD Display	vo 40 W Halogen Lights
HCB50651UC	30" Box Canopy Chimney Hood, 600 CFM	1,549 1,749
HCB56651UC	36" Box Canopy Chimney Hood, 600 CFM	1,649 1,849
		HCB50651UC
Pyramid Canopy	Chimney Hood	
 Home Connect[®] 	 Four Speed Electronic Two Control with White and 	o Bright LED Lights
• 600 CFM	Bed I CD Display	
Cooktop Hood	Control	
HCP50652UC	30" Pyramid Canopy Chimney Hood, 600 CFM	1 1,549 1,749
HCP56652UC	36" Pyramid Canopy Chimney Hood, 600 CFM	1 1,649 1,849 HCP50652UC
		800 Serie
Guards Against Scratches and	• Four Speed Electronic • Tw Surface Control with White and	vo 40 W Halogen Lights
	30" Pyramid Chimney, 600 CFM,	1,399 1,549
	Black Stainless	HCP80641UC
• Black Stainless Guards Against	Steel • Four Speed Electronic • Tw Surface Control with White and Fingerprints Red LCD Display 30" Pyramid Chimney, 600 CFM,	1,399 1,549

36" Pyramid Chimney, 600 CFM,

Black Stainless

HCP86641UC

CHIMNEY WALL HOODS/ACCESSORIES

This price list supersede Model Number	es all previous price lists Description	. Prices listed herein do not include applicable :	state or local taxes.	MAP	MSRP	
						Benchmark [®] Series
Glass Canopy C • Anodized Alur Filter with Sta Bosch Design Metal Latch • 600 CFM	ninum Mesh ainless Steel	 Four Speed Electronic Control with White and Red LCD Display Clean Filter Reminder 	• Two 40 W Halo	gen Li	ghts	-
HCG56651UC	36" Glas	s Canopy Chimney Hood, 600	CFM 2	,099	2,349	HCG56651UC


Accessories for Chimney Wall Hoods

Accessorie	es for Chimney V	Wall Hoods			HCP/Pyramid	HCG/Glass Canopy
	Chimney Wall He • Fits Ceilings Fr 6" in Height	ood Extension Kit. om 9' to 11' • Stainless Steel Flue Extensions and Inner Structure Parts Included				
	HCBEXT5UC	Box Canopy Chimney Hood Extension Kit, Stainless Steel	319	359		
	HCGEXT5UC	Glass Canopy Chimney Hood Extension Kit	319	359		•
	HCPEXT4UC	Pyramid Canopy Chimney Hood Extension Kit, Black Stainless Steel	539	599	•	
	HCPEXT5UC	Pyramid Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•	
	HCIFILTUC	Box/Pyramid/Glass Canopy Chimney Hood Filter Kit	119	139	•	•
	HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•	•

PULL-OUT HOODS/ACCESSORIES

This price list supersedes all previous price Model Number Descript	e lists. Prices listed herein do not include applicable st	tate or local taxes. MAP MSRP	
			500 Series
Integrated Stainless Pull-C)ut Range Hood		
 400 CFM Electronic Control with White LCD Display Kitchen Timer Clean Filter Reminder 	 Three Fan Speeds with Intensive Speed Two Bright LED Lights Two Anodized Aluminum Mesh Filters Vertical Ducting with 6" Round Duct 	 Backdraft Damper and Transition Included Recirculation/Charcoal Kit Available as an Accessory 110 V UL Rated with 120 V 3-Prong Plug 	HUI54452UC
HUI54452UC 24" F	Pull-Out Hood, 400 CFM	919 1,049	
 Integrated Stainless Pull-C 300 CFM - (30" Width) 500 CFM - (36" Width) Three Speed Slider Switch Control Two 20 W Halogen Lights Four Aluminum Mesh Filters 	 Removable Stainless Steel Front Visor Panel That Can Be Replaced with a Custom Strip (Not Provided) 6" Round Duct Vertical and Horizontal Discharge 	 120 V Junction Box Direct Wire CFM Reducer Kit Available as Accessory Non-Duct Recirculation Kit Available as Accessory (Vent Grate Cover Included with Hood) 	HUI56551UC
	Pull-Out Hood, 300 CFM, Stainless		
HUI56551UC 36" F Accessories for Pull-O	ull-Out Hood, 500 CFM, Stainless ut Hoods	s Steel 999 1,099	HUI54452UC HUI50351UC HUI56551UC

	t/Charcoal Filter Accessory Kit For HUI503 s Odors with High Quality Heavy Duty Charco Illations				•	•
HUIF06UC	Non-Duct Recirculation Accessory Kit/ Charcoal Filter Accessory Kit	109	119			
	ccessory Kit For HUI56551UC Model • Redu ound Duct to a 5" Round Duct • Check Your Lo Requirements					•
HUIRED56UC	CFM Reducer Accessory Kit, Reduces CFM to Under 300 CFM	59	69			
Recirculation/Cl	narcoal Kit for HUI54452UC – 24" Pull-Out Ho	bod				
HVREC5UC	Pull-Out Hood Recirculation/ Charcoal Filter Accessory Kit	109	119	•		



This price list super: Model Number	sedes all previous price lis Descriptior	ts. Prices listed herein do not include applicable state or local taxes.	MAP	MSRP					
Accessorie	es for Custom	Insert Range Hoods			HUI34253UC	HUI30253UC	HUI36253UC	HUI80553UC	HUI86553UC
	HUIFILTOUC	Charcoal Filter Kit for 30" Custom Inserts HUI30253UC, and HUI80553UC	109	119		•		•	
	HUIFIL46UC	Charcoal Filter Kit for 24" Custom Insert HUI34253UC and 36" Custom Inserts HUI36253UC, and HUI86553UC	109	119	•		•		•

DOWNDRAFT/ACCESSORIES

				800 Series
Model Number	Description	МАР	MSRP	
	sedes all previous price lists. Prices listed herein do not inc	clude applicable state or local taxes.		

Downdraft Ventilation

- Design Matched for Use In Combination with Bosch Cooktops
- 12" Telescopic Chimney Rise
- Preserves Clean Sight Lines When Not In Use
- Stainless Steel
- Six Possible Discharge Connections to Fit Your Kitchen Design Allowing Flexibility to Exhaust At Sides, Front, Rear or Downward (Additional Accessories May Be Required Depending on Installation, See Manual)
- Sleek Front Panel Conceals Mesh Filters, Giving a Timeless Aesthetic and Acts as a Splatter Guard While Cooking
- Dishwasher-Safe Aluminum Mesh Filters
- 3-Speed Control Required to Complete the Installation: Blower Options, Sold Separately
- 600 CFM Remote (DHR1FZUC), and Inline (DHI1FZUC) Blower

May Be Required to Complete the Installation Depending on Exhaust Direction & Blower Chosen:

- Downdraft Transitions (HDDSTRAN6, HDDSTRAN8, HDDFTRAN6, HDDFTRAN8, HDD2RECTD, HDDSTRAN2 see page 10-10)
- Recirculation Possible, Accessory Sold Separately (HDDREC5UC see page 10-11)
- Gas Cooktop Seal Kit Sold Separately (Required For Installation with Gas Cooktops see page 10-11).



HDD86051UC

HDD80051UC	30" Downdraft, Optional Blower	1,699	1,899			
HDD86051UC	36" Downdraft, Optional Blower	1,749	1,949			
NOTE: Transition required and sold separately for all remote and inline blower installations.						

Accessories for Downdraft–Blowers HDD86051UC HDD80051UC DHG602DUC 600 CFM Flexible Blower 739 849 for HDD86051UC and HDD80051UC • **Bosch Downdrafts Only** 8" Round Exhaust **DHI1FZUC** 600 CFM Inline Blower 689 799 DHR1FZUC 600 CFM Remote Blower 729 849 for HDD86051UC and HDD80051UC **Bosch Downdrafts Only 6**" Round Exhaust 25-ft Remote & Inline Blower See Thermador Price List **EXTNCB25W Extension Cable** Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC See Thermador Price List 3-pc extension set for Inline **EXTNSET4** and remote blowers For older generation blowers when paired with new generation blowers **Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC**

This price list supersed	les all previous price lists. Prices listed	I herein do not include applicable state or local taxes.		
Model Number	Description	N	MAP	MSRP

Accessories for Downdraft–Transitions

	The Below Transitions May Be Required to Complete the Installation of HDD80051UC and HDD86051UC Depending on the Discharge Connection Chosen in Combination with the Downdraft Blower Selected (See Installation Manual) • For Use with Inline and Remote Blowers					HDD80051UC
	HDD2RECTD	2' Rectangular Duct Rectangular Duct That Is 2' Long × 1 ⁷ / ₈ " Deep × 19" Wide Ability to Use as an Extension to Exhaust through a Cabinet or Wall. To Modify Length, Duct May Be Cut. HDDSTRAN6 or HDDSTRAN8 May Be Used to Connect HDD2RECTD to Round Ductwork HDDSTRAN2 Required to Attach Duct to Downdraft Housing	89	99	•	•
	HDDSTRAN2	Transition for Rectangular Duct Required to Attach HDD2RECTD 2' Rectangular Duct to Downdraft Housing	69	79	•	•
0	HDDFTRAN6	6" Round Front Plate Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
0	HDDFTRAN8	8" Round Front Plate for Downdraft Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
-0	HDDSTRAN6	6" Side/Rear Transition Rectangular 1%" X 19" Transition to 6" Round for Side and Rear Exhaust Applications	139	159	•	•
-0	HDDSTRAN8	8" Side/Rear Transition Rectangular 1 %" X 19" Transition to 8" Round for Side and Rear Exhaust Applications	139	159	•	•

This price list superse Model Number	des all previous price lists. Prices listed herein do not include apple Description	icable state or local taxes. MAP	MSRP
Accessories	s for Downdraft		86051UC

						HDD8(HDD8(
	 Downdraft Recirc Enables Non-Du Downdraft Insta by Allowing Filte to Re-Enter the after Passing Th Charcoal Filter Includes Recircu Module, Charco and Metal Grill 	icted allation ered Air Kitchen nrough a ulation val Filter	 Recirculation Module Works In Wall or Island Applications Mounts to Cabinet Base, Recesses into Toe Kick/ Socket Area Fits In Toe-Kick/Socket Heights of 4" or Taller Module and Grill Vent Plate Can Be Placed So Air Does Not Hit Feet 	 Blower To Be l Bosch Blower May By to Suppose 	raft and Internal Sold Separately Jsed Only with Downdrafts and s pass the Need ply Make Up Air, t to Local Code		
C.S	HDDREC5UC	Replace Fil	on Kit for Downdraft ters Every 3-6 Months, on Usage, with C	479	529	•	•
-	HDDFILTUC		ilter Replacement lation Kit for Downdraft	89	99	•	•
	Gas Cooktop Sea • For Use with 36 HDD86051UC a HDD80051UC D	;" nd 30"	• Required for Installation with Gas Cooktops		es Trim Bracket, nd 2 Metal Grills		
	HDDORSP	30" Gas Co Downdraft	oktop Seal Kit for	89	99	•	•
	HDD6RSP	36" Gas Co Downdraft	oktop Seal Kit for	89	99	•	•
	HDDTRIM30S	Trim acces	sory for 30" downdraft	49	59		•
	HDDTRIM36S	Trim acces	sory for 36" downdraft	49	59	•	

12029918......5-10

В

B09IB91NSP1-6 B18IF905SP1-9
B24CB50ESS1-6
B24CB80ESB1-7
B24CB80ESS1-7
B24CB80ESW1-7
B30BB935SS1-8
B30IB905SP 1-8
B30IR905SP 1-9
B36BT935NS 1-8
B36CD50SNB 1-3 B36CD50SNS 1-3
B36CD50SNS 1-3
B36CD52SNS 1-3
B36CL80ENS1-5
B36CL80SNS
B36CL81ENG 1-5
B36CL81ENW1-5
B36CT80SNB1-4
B36CT80SNS1-4
B36CT81ENS1-4
B36FD10ENS1-1
B36FD50SNB1-2
B36FD50SNS1-2
B36FD52SNB 1-2
B36FD52SNS1-2
B36HNDL8001-10 B36IT905NP1-8
BCM8450UC4-1
BFL18IF8001-10
BFL30IR8001-10
BORPLFTR30 1-10
BORPLFTR55 1-10

D

Ε

EXTNCB25W	10-9
EXTNSET4	10-9

F		
-		

FPETHKT50 1- ⁻	10
FPETHRF50 1-*	10

Н

HBE5453UC7-1
HBL57M52UC7-3
HBL87M53UC7-6
HBL5351UC7-2
HBL5451UC7-2
HBL5455LUC7-3
HBL5455RUC7-3
HBL5651UC7-3
HBL5754UC
HBL8443UC7-5
HBL8454UC7-5
HBL8642UC7-5
HBL8651UC7-5
HBL8743UC7-6
HBL8753UC7-6
HBLP451LUC
HBLP451RUC7-7
HBLP454UC7-7
HBLP651LUC7-8
HBLP651RUC7-8
HBLP651UC7-8
HBLP752UC
HBN8451UC
HBN8651UC7-5
HCB50651UC 10-4
HCB56651UC 10-4
HCBEXT5UC 10-5
HCG56651UC 10-5
HCGEXT5UC 10-5
HCIEXT5UC 10-3
HCIFILTUC 10-5
HCP30E52UC 10-4
HCP34E52UC 10-4
HCP36E52UC 10-4
HCP50652UC 10-4
HCP56652UC 10-4
HCP80641UC 10-4
HCP86641UC 10-4
HCPEXT4UC 10-5
HCPEXT5UC 10-5
HCREC5UC 10-3, 10-5
HDD0RSP 10-11
HDD2RECTD 10-10
HDD6RSP
HDD80051UC 10-9
HDD86051UC 10-9
HDDFILTUC 10-11
HDDFTRAN6
HDDFTRAN8
· · · · · · · · · · · · · · · · · · ·

HDDREC5UC 1	0-1	11
HDDSTRAN21		
HDDSTRAN6 1		
HDDSTRAN81		
HDDTRIM30S1		
HDDTRIM36S 1		
HDI8056U		
HDIP056U		
HDS8045U		
HDS8055U		
HDS8645U		
HDS8655U		
HDZBS301		
HDZIT301		
HEATKITB82	1-1	10
HEF1050MU	5	-5
HEI8056U	5	-5
HEZ7YZ30UC	8-1	10
HEZ7YZ36UC		
HEZ8LLUC		
HEZ8TK30UC	5-1	10
HEZ8TK36UC		
HEZ8YZ04UC		
HEZ8YZ30UC	5	-a
HEZ8YZ36UC	5 5	_0
HEZ872300C		
HEZ8ZZ36UC		
HEZ9GW23UC 5-9,		
HEZ9LLUC	5-	10
HEZ9TK30UC	5-	10
HEZ9TK36UC		
HEZ9YZ04UC		
HEZ9YZ30UC		
HEZ9YZ36UC		
HEZ9ZZ30UC		
HEZ9ZZ36UC		
HEZ27754		
HEZ298102	5-1	11
HEZ3902105-11,	8-1	10
HEZ3902205-11,	8-1	10
HEZ3902305-11,	8-1	10
HEZBS301	5-1	11
HEZCMT3050	4	-1
HEZTR3015-11	. 7	-9
HEZTR3015-11 HEZVEUD301	10	-2
HEZVEUD302	10	-2
HEZVEUD361		
HEZVEUD362		
HGF1050MUC		
HGF1050M0C		
HGI80460C HGI8056UC		
HGI8056UC		
HGS8045UC		
HGS8055UC		
HGS8645UC	5	-2

HGS8655UC 5-2
HGZBS3015-11
HGZIT3015-11
HIB82651UC 10-3
HII8047U 5-4
HII8057U5-4
HIIP057U5-4
HIREC5UC 10-3
HIS8055U
HIS8655U5-1
HMB30155UC
HMB50152UC
HMB57152UC6-3
HMC54151UC6-4
HMC80152UC6-4
HMC80242UC6-4
HMC80252UC6-4
HMC87152UC6-4
HMCP0252UC6-4
HMD8054UC6-2
HMD8454UC6-2
HMT50556-3
HMT57556-3
HMV1055U6-1
HMV3054U6-1
HMV3055U6-1
HMV5053U6-1
HMV8045U6-2
HMV8054U6-2
HMVP054U6-2
HUI30253UC 10-7
HUI34253UC 10-7
HUI36253UC 10-7
HUI50351UC 10-6
HUI54452UC 10-6
HUI56551UC 10-6
HUI80553UC 10-7
HUI86553UC 10-7
HUIF06UC 10-6
HUIFIL46UC 10-8
HUIFILTOUC 10-8
HUIRED56UC 10-6
HVREC5UC 10-6
HWD5051UC7-9

Ν

NEM5066UC	8-5
NEM5466UC	8-5
NET8069UC	8-5
NET8669UC	8-6
NETP069SUC	8-6
NGM5059UC	8-7
NGM5453UC	8-7
NGM5659UC	8-7
NGM8049UC	8-8

NGM8059UC	8-8
NGM8646UC	8-8
NGM8659UC	8-8
NGMP059UC	8-9
NGMP659UC	8-9
NIT5060UC	8-1
NIT5460UC	8-1
NIT5660UC	8-1
NIT8060SUC	8-2
NIT8060UC	8-2
NIT8061UC	8-2
NIT8461UC	8-2
NIT8660SUC	8-2
NIT8660UC	8-2
NIT8661UC	8-3
NITP060SUC	8-3
NITP060UC	8-3
NITP660SUC	8-4
NITP660UC	8-4

R

RGM8058UC	9-1
RGM8658UC	9-1

S

SGE53C52UC	2-12
SGE53C55UC	2-12
SGE53C56UC	
SGE78C55UC	2-12
SGV43C53UC	2-11
SGV78C53UC	2-12
SGX78C55UC	2-12
SGZ1010UC	2-13
SGZ1052UC	
SHE3AEE5N	2-1
SHE3AEM2N	
SHE3AEM5N	2-1
SHE3AEM6N	
SHE41CM2N	2-4
SHE41CM5N	
SHE41CM6N	2-4
SHE53C82N	
SHE53C85N	2-5
SHE53C86N	
SHE53CE5N	
SHP9PCM5N	
SHP65CM2N	
SHP65CM5N	
SHP65CM6N	
SHP78CM2N	
SHP78CM4N	
SHP78CM5N	
SHP78CM6N	
SHP78DM5N	2-8

SHP95CM5N	2-7
SHS53CD2N	
SHS53CD5N	
SHV4AEB3N	2-2
SHV9PCM3N	
SHV53CM3N	
SHV78CM3N	
SHV78DM3N	
SHX5AEM2N	
SHX5AEM4N	
SHX5AEM5N	
SHX5AEM6N	
SHX9PCM5N	
SHX53CM5N	
SHX65CM5N	
SHX78CM2N	
SHX78CM4N	
SHX78CM5N	
SHX78CM6N	
SHX78DM5N	
SMZ3IN1UC	
SMZ1008UC	
SMZ4000UC	
SMZ5000	2-13
SMZ5002UC	2-13
SMZ5003	2-13
SMZCD200UC	2-13
SMZEPCC1UC	2-13
SMZPCJB1UC	2-14
SMZSH1ABUC	
SPE53B52UC	2-11
SPE53B56UC	2-11
SPE53C52UC	2-11
SPE53C55UC SPE53C56UC	
SPE68C75UC	∠-11 2₋12
SPV68C73UC	∠-ו∠ 2₋10
SPX68C75UC	Z=1Z
JF AUOU / JUU	2" 1 2

W

WGA12400UC	3-1
WGA14400UC	3-1
WGB246AXUC	3-2
WGB24600UC	3-2
WMZ20600	3-5
WMZPW2XW	3-5
WMZPW20W	3-5
WPA12100UC	3-3
WQB245AXUC	3-4
WQB245B0UC	3-4
WTG86403UC	3-3
WTZ2750XUC	3-5
WTZ2751XUC	3-5
WTZ11400UC	3-5
WTZ20410UC	3-5

WTZ27500UC	3-5
WTZ27510UC	3-5
WTZPA20UC	3-6
WTZPA30US	3-6
WTZPW2XD	3-5
WTZPW20D	3-5
WTZSB3XUC	3-6
WTZSB30UC	3-6

Bosch Home Appliances

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

©2024 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate installation dimensions by fax, use your handset and call 1.775.833.3600. Use Code #8317 for a directory of Bosch products.

20-BSH-0914.3