

# **Price List**

National

Q2 2025





# **Price List**

**National** 

# Q2 2025

Refrigeration	1-1	Ovens	7-1
French Door Refrigerator	1-1	Built-In Ovens	7-1
Bottom Freezer	1-6	Warming Drawers	7-9
Built-In Bottom Freezer	1-8	Accessories	7-9
Built-In Single Door	1-10		
Accessories	1-11	Cooktops	8-1
		Induction	8-1
Dishwashers	2-1	Radiant	8-4
Dishwashers	2-1	Gas	8-6
ADA-Height Dishwashers	2-13	Accessories	8-9
Accessories	2-15		
		Rangetops	9-1
Laundry	3-1	Rangetops	9-1
Washers	3-1	• ,	
Dryers	3-3	Ventilation	10-1
Accessories	3-5	Under-Cabinet Hoods	10-1
		Under-Cabinet Hood Accessories	10-2
Coffee Machine	4-1	Island Hoods/Accessories	10-3
Built-In	4-1	Chimney Wall Hoods	10-4
		Chimney Wall Hood Accessories	10-5
Ranges	5-1	Pull-Out Hoods/Accessories	10-6
Freestanding Ranges—Induction	5-1	Custom Inserts	10-7
Freestanding Ranges—Gas	5-2	Custom Insert Accessories	10-8
Freestanding Ranges—Dual-Fuel	5-3	Downdraft/Accessories	10-9
Slide-in Ranges—Induction	5-4		
Slide-In Ranges—Electric	5-5	Index	11-1
Slide-In Ranges—Gas	5-6	Index	11-1
Slide-in Ranges—Dual-Fuel	5-8		
Accessories	5-9		
Microwaves	6-1		
Over-the-Range Microwaves	6-1		
Drawer Microwaves	6-2		
Built-in Microwaves	6-3		
Speed Ovens	6-4		

#### All Bosch Freestanding French Door Refrigerators Include the Following Features:

- · Home Connect® Features
- ENERGY STAR® Certified
- SuperCool/SuperFreeze®
- · Built-In Look
- · MultiAirFlow® Circulation System
- Adjustable Tempered Glass Shelving
   UltraClarityPro® Water Filter
- · Full-Width Chiller Drawer
- · Hidden Hinges
- LED Lighting
- · Door Alarm

- · Ice Maker
- · Gallon Door Storage Bins
- · Star-K Certified

#### 100 Series

#### 36" Freestanding Counter-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- · 21.6 cu.ft.
- 70" Cutout Height
- · Anti-Fingerprint Stainless Steel Exterior
- · Sleek Recessed Handles
- · Quicklee System Makes Up To 8 lbs of Ice Per Day\*
- · External Ice and Water Dispenser
- Fill Large Cups and Bottles with Ease with One Touch Bottlefill and Extra Large Dispenser Shelf
- · Freezer with Two-Tiered Shelving

2,799 3,099



B36CD10ENS







Available April

#### 36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- 26.0 cu.ft.
- 70" Cutout Height
- · Anti-Fingerprint Stainless Steel Exterior
- · Sleek Recessed Handles
- · Quicklee System Makes Up To 8 lbs of Ice Per Day\*
- · External Ice and Water Dispenser
- · Fill Large Cups and Bottles with Ease with One Touch Bottlefill and Extra Large Dispenser Shelf
- Freezer with Two-Tiered Shelving

2,449 2,699



B36FD10ENS





**B36FD10ENS** Stainless Steel, Recessed Handle

<sup>\*</sup>Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

MAP MSRP

#### 36" Freestanding Standard-Depth French Door Refrigerator, External Water and Ice-Stainless Steel

- Quicklce Pro System<sup>™</sup> Makes up to 12 lbs. of Ice per Day\*
- 26.0 cu.ft.
- · Standard Depth
- 70" Cutout Height
- Anti-Fingerprint Stainless Steel Exterior
- Stainless Steel Back Wall
- Humidity Controlled Crisper Drawers
- · Adjustable Garage Shelf
- Full-Width Chiller Drawer
- · External Ice and Water Dispenser
- · Freezer with Two-Tiered Shelving





B36FD52SNS

500 Series

B36FD52SNS	Stainless Steel, Bar Handle	2,999	3,299
B36FD52SNB	Black Stainless Steel, Bar Handle	3,249	3,599

<sup>\*</sup>Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

Number Description MAP MSRP

500 Series

#### 36" Freestanding Counter-Depth French Door Refrigerator, External Water and Ice- Stainless Steel

- Quicklce Pro System<sup>™</sup> Makes up to 12 lbs. of Ice per Day\*
- 21.6 cu.ft.
- True Counter Depth
- 70" Cutout Height
- Anti-Fingerprint Stainless Steel Exterior
- · Stainless Steel Back Wall
- Humidity Controlled Crisper Drawers
- · External Ice and Water Dispenser
- · Freezer with Two-Tiered Shelving
- · Extra Ice Bin in Freezer





B36CD52SNS



Q	C UL US	K	CAMPY LEARN MORE ONLY (STATE OF

NEW B36CD52SNS	Stainless Steel, Bar Handle	3,299	3,649

**NEW B36CD52SNB** Black Stainless Steel, Bar Handle 3,549 3,949

**Both Available April** 

<sup>\*</sup>Based on single ice maker production rates during a 24-hour period, measured per IEC standards, when the ice bin was removed. Results may vary depending on operating conditions.

Number Description MAP MSRP

800 Series

#### 36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- 20.8 cu.ft.
- · True Counter Depth
- 72" Cutout Height
- Dual Compressor and Dual Evaporator
- Easy to Clean Stainless Steel
- Stainless Steel Back Wall
- VitaFreshPro® automatically adjusts temperature and humidity to keep food fresh up to 3x longer\*
- Two Independently Controlled Temperature and Humidity Crisper Drawers
- FlexBar® with shelving accessories
- Dual Activated Internal Water Dispenser
- Freezer with Three-Tiered Shelving
- · Ice Scoop







B36CT80SNS	Stainless Steel, Bar Handle	3,499	3,849
B36CT80SNB	Black Stainless Steel, Bar Handle	3,749	4,149
B36CT81ENS	Stainless Steel, Recessed Handle	3,599	3,999

**MSRP** 

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP

800 Series

#### 36" Freestanding Counter-Depth French Door Refrigerator-Stainless Steel

- 20.5 cu.ft.
- · True Counter Depth
- 72" Cutout Height
- · Easy to Clean Stainless Steel
- · Stainless Steel Back Wall
- · Dual Compressor and Dual Evaporator
- VitaFreshPro® automatically adjusts temperature and humidity to keep food fresh up to 3x longer\*
- · FlexBar® with shelving accessories
- · Dual Activated Internal Water Dispenser
- · Freezer with Three-Tiered Shelving
- · Ice Scoop



B36CL80SNS

**B36CL80SNS B36CL80ENS** 

Stainless Steel, Bar Handle Stainless Steel, Recessed Handle 3,699 4,099 3,799 4,199



#### 36" Freestanding Counter-Depth French Door Refrigerator Refreshment Center

- 20.5 cu.ft.
- · True Counter Depth
- 72" Cutout Height
- · Stainless Steel Back Wall
- · Dual Compressor and Dual Evaporator
- Beverage Drawer Holds up to 17 Standard Wine Bottles or 35 Standard Beverage Cans
- · Temperature-controlled middle drawer
- FlexBar® with Shelving Accessories
- · Dual Activated Internal Water Dispenser
- · Freezer with Three-Tiered Shelving
- Ice Scoop



B36CL81ENG

4,799 5,299 4,799 5,299



**B36CL81ENG** Glass on Stainless Steel, Integrated Handle **B36CL81ENW** Glass on White, Integrated Handle

\*As compared to a Bosch refrigerator without FarmFresh System®. Results may vary among different foods.

Model Number Description

#### All Bosch Counter-Depth Two Door Bottom Freezer Refrigerators Include the Following Features:

· Counter Depth

- MultiAirFlow® Circulation System
- · Reversible Door Swing
- ENERGY STAR® Certified

#### 500 Series

#### 24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator— Stainless Steel Door

- 13 cu.ft.
- 80 7/16" Cutout Height
- Home Connect<sup>™</sup>
- Integrated Handles
- Easy clean stainless steel and glass front exteriors
- VitaFresh Plus™ Drawer with Humidity Adjustment
- LED Lighting Inside
- Adjustable Shelving and Door Bins for Flexible Storage
- 3 Freezer Drawers
- Ice Cube Tray
- · Star-K Certified



**B24CB50ESS** Stainless Steel

Note: For model with internal ice maker (B24CB80ES\_), see page 1-7.

2,999 3,299

MAP

**MSRP** 





#### 800 Series

#### 24" Built-In Two Door Bottom Freezer Refrigerator— Custom Panel

- 8.4 cu.ft.
- Home Connect® Features
- · OptiFlex® Hinge
- VitaFresh®—Technology Provides Stable Temperature and Humidity Controlled Drawer
- · Installs True Flush

- Dual Evaporators
- Recessed LED Theater Lighting
- · Garage Shelving
- Full Width Shelving
- Spill-Proof Glass Shelves
- Full Extension Drawers
- Electronic Controls
- · Removable Freezer Bins
- SuperCool/SuperFreeze®
- CoolPaks
- Economy/Vacation Mode
- · Wine Rack
- · Door Alarm



B09IB91NSP





**B09IB91NSP** Custom Panel

2,999 3,299

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number Description MAP

800 Series

#### 24" Freestanding Counter-Depth Two Door Bottom Freezer Refrigerator with Ice maker and Internal Water Dispenser

- 13 cu.ft.
- 80 7/16" Cutout Height
- Home Connect<sup>™</sup>
- Integrated Handles
- Easy clean stainless steel and glass front exteriors
- VitaFresh Plus™ Drawer with Humidity Adjustment
- LED Lighting Inside
- · Adjustable Shelving and Door Bins for Flexible Storage
- 3 Freezer Drawers

- Internal Water Dispenser
- · Ice Maker with Pyramid Ice
- UltraClarityPro® Filtered Ice and Water
- · Double Ice Bins
- · Star-K Certified







B24CB80ESS	Stainless Steel	3,299	3,649
B24CB80ESW	White Glass	3,099	3,449
B24CB80ESB	Black Glass	3,099	3,449

#### All Bosch Benchmark® Series Bottom Freezer Refrigerators Include the Following Features:

- Home Connect® Capability
- ENERGY STAR® Certified
- Installs True Flush or Framed
- · Sidewall LED Theater Lighting
- · Touchscreen Control Panel
- · OptiFlex® Hinge

• 16.0 cu.ft.

- MultiAirFlow® Circulation System
- · Carbon Air Filter
- SuperCool/SuperFreeze®
- · Adjustable Shelving
- · Full Extension Drawers
- Full Width Deli Drawer

- · Gallon Door Bins
- · Internal Ice Maker
- UltraClarityPro® Water Filter
- · Sabbath/Economy/Vacation Mode
- · Dual Compressor and Evaporator

#### Benchmark® Series





7,999 8,799 8,999 9,899



B30BB935SS

**B301B905SP B30BB935SS**  **Custom Panel** Stainless Steel

Pre-Assembled Package includes: Flat Stainless Panels • Bosch Handles

**Both Discontinue August** 

## 30" Built-In Two Door Bottom Freezer Refrigerator

30" Built-In Two Door Bottom Freezer Refrigerator

- 16.0 cu.ft.
- VitaFreshPro® Crisper Drawer Automatically Controls Temperature and Humidity to Keep Food Fresh Up to 3x Longer
- Internal water Dispenser
- Full Color Touchscreen Control Panel
- · Stainless Steel Back Wall
- · Premium Metal Door Bins with Slip Mats
- Three-Tiered Freezer Storage Drawers



B30IB100SP Image not final



B30BB130SS Image not final

**NEW B30IB100SP NEW B30BB130SS Both Available August**  **Custom Panel** Pre-Assembled Stainless Steel Panel & Handle 8,199 9,049 9,199 10,149



Number Description

Benchmark® Series

#### 36" Fully-Integrated French Door Bottom Freezer Refrigerator

• 19.5 cu.ft.



MAP

**MSRP** 



B36IT905NP

B36BT935NS

**B36IT905NP Custom Panel** 8,699 9,599

9,899 10,899

**Both Discontinue August** 

#### 36" Fully-Integrated French Door Bottom Freezer Refrigerator

Stainless Steel

• 19.4 cu.ft.

**B36BT935NS** 

- Two VitaFreshPro® Crisper **Drawers Automatically** Controls Temperature and Humidity to Keep Food Fresh Up to 3x Longer
- Internal Water Dispenser
- Full Color Touchscreen Control Panel
- Stainless Steel Back Wall
- · Premium Metal Door Bins with Slip Mats
- Adjustable Half-Width Shelves
- · Three-Tiered Freezer Storage Drawers







B36BT130NS Image not final

NEW B36IT100NP

**Custom Panel** 

9,199 10,149



**NEW B36BT130NS Both Available August**  Pre-Assembled Stainless Steel Panel & Handle

10,199 11,249

Number Description MAP **MSRP** 

#### All Bosch Benchmark® Series Single Door Freezers and Refrigerators Include the Following Features:

- Home Connect® Capability
- Installs True Flush or Framed
- MultiAirFlow® Circulation System

- ENERGY STAR® Certified
- All-LED sidewall and theater lighting TFT Controls

- · Tall Door Built-In Style
- · OptiFlex® Hinge

#### Benchmark® Series

#### 18" Built-In Single Door Freezer-Custom Panel

• 8.6 cu.ft.

- · Water Filter
- · Internal Ice Maker
- Single Compressor

**B18IF905SP** 

18" Freezer, Custom Panel Single Door

5,999 6,599







#### 30" Built-In Single Door Refrigerator-Custom Panel

• 17.2 cu.ft.

- · Humidity control drawer
- Full Width Shelving
- Gallon Door Bins
- Full Extension Drawers
- · VitaFresh System

**B301R905SP** 

30" Refrigerator, Custom Panel Single Door

6,999 7,699



B30IR905SP





Accessorie	es for Refriger	ration					F	D	BM	l			В	F	S	D
					100 Series	000	oud series		800 Series		Benchmark	201200 000	salles noo	Benchmark	-	Benchmark
					B36_D10ENS	CD52SN_	B36FD52SN_	B36CL80_NS	B36CL81EN_	B36CT8_SN_	B36BT_3_NS	I LULINF	CBOUES- RB 3 CC	IB_0_SP	IF905SP	IR905SP
	Model Number	Description	MAP	MSRP	B36	B36	B36	B36	988	B36	B36	020	B20	B30	B18	B30
	BORPLFTR55	UltraClarityPro® Water Filter	46	59	•	•	•	•	•	•	•	•	•	•	•	•
	BORPLFTR30	Water Filter	40	49								•	1			
Fruch Fruch  Fruch Profit  Annual Control  Ann	<b>FPETHKT50</b>	FreshProtect™ Ethylene Filter "Starter" Kit	19	29	•	•	•	•	•	•	•					
Final Annual	FPETHRF50	FreshProtect™ Ethylene Filter "Refill" Kit	9	9	•	•	•	•	•	•	•	•				
	BFL18IF800	18" Stainless Steel Flat Panel Freezer Door	450	499											•	
	BFL30IR800	30" Stainless Steel Flat Panel Freezer Door	550	649												•
	B36HNDL800	36" Handle for Single Door	100	109											•	•
	HEATKITB82	Heater Kit	399	439									•	•	•	•

Please make sure to order HEATKITB82 when installation is less than 6" apart but not connected, or for nontraditional side-by-side combinations without freezer column. A HEATKITB82 is recommended for use with any installation in areas that are subject to extreme humidity.

<sup>1</sup> B20CS30SNS/02

#### **Bosch 100 Series Dishwashers Include the Following Features:**

#### **Quiet Operation**

- 50 dBA
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System

#### Design

- All-new Recessed Handle Design
- PCB/Touch Control
- Flush Installation
- Time Remaining Display
- · Self-Latching Door

#### Quality

- Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

#### Racks

- 14 Place Setting Capacity
- Manual Adjusting Upper Rack
- 2 Silverware Baskets

#### Performance

- · Wash System: PrecisionWash®
- Drying System: PureDry™
- Wi-Fi Home Connect® features
  - · Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
  - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
  - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

#### 100 Series

#### **Efficiency**

· 269 kWh/year

SHE3AEM5N	Recessed Handle, Stainless Steel	649	749
SHE3AEM2N	Recessed Handle, White	549	649
SHE3AEM6N	Recessed Handle, Black	549	649



SHE3AEM5N



SHE3AEM2N



SHE3AEM6N



#### **Efficiency**

- · 240 kWh/year
- ENERGY STAR® Certified



SHE3AEE5N

SHE3AEE5N Recessed Handle, Stainless Steel 669 749







#### Bosch 100 Series Plus Dishwashers Include the Following Features:

#### **Quiet Operation**

- 48 dBA
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence<sup>™</sup> Dual Brushless Motor System

#### Design

- · All-new Recessed Handle Design
- Touch Controls
- Flush Installation
- · Time Remaining Display
- · Self-Latching Door

#### Quality

- · Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

#### Racks

- 14 Place Setting Capacity
- 3 Step RackMatic®
- 2 Silverware Baskets

#### **Efficiency**

· 269 kWh/year

#### Performance

- · Wash System: PrecisionWash®
- Drying System: PureDry™
- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
  - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
  - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

100 Series Plus

SHV4AEB3N Custom Panel

899 999



SHV4AEB3N





#### **Bosch 100 Series Premium Dishwashers Include the Following Features:**

#### **Quiet Operation**

- 46 dBA
- InfoLight®
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence<sup>™</sup> Dual Brushless Motor System

#### Design

- · Touch Controls
- · Flush Installation
- · Time Remaining Display
- · Self-Latching Door

#### Quality

- · Anti-Finger Print Stainless Steel
- Stainless Steel Tub with Polypropylene
- 24/7 Overflow Protection
- Easily Accessible 3-Stage Filtration System

#### Racks

- 15 Place Setting Capacity
- Standard 3rd Rack
- 3 Step RackMatic®
- 2 Lower Rack Flip Tines (Rear)
- 1 Silverware Basket

#### **Efficiency**

• 269 kWh/year

#### Performance

- Wash System: PrecisionWash®
- Drying System: PureDry™
- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
  - 3 on the Control Panel: Sanitize, Extra Dry, Remote Start
  - 4 Additional in Home Connect®: Half Load, Eco, Extra Quiet, Fast Forward

#### 100 Series Premium

SHX5AEM5N	Bar Handle, Stainless Steel	899	999	
SHX5AEM2N	Bar Handle, White	849	949	SHX5AEM5N
SHX5AEM6N	Bar Handle, Black	849	949	
SHX5AEM4N	Bar Handle, Black Stainless Steel	999	1,099	SHX5AEM2N



SHX5AEM6N



SHX5AEM4N





**MSRP** 

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number Description MAP

#### Bosch 300 Series Dishwashers Include the Following Features:

#### **Quiet Operation**

- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

#### Design

- · Flush Installation
- · Time Remaining Display
- Self-Latching Door

#### Quality

 Easily Accessible 3-Stage Filtration System

#### Performance

- · Wash System: PrecisionWash®
- Drying System: PureDry™
- Up to Six Wash Cycles: Heavy, Auto, Normal, Speed60
- Up to Six Options: Sanitize, Delay
- Home Connect® Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

#### 300 Series

#### **Quiet Operation**

• 48 dBA

#### Design

- · Recessed Handle Design
- · Touch Controls

#### Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Anti-Finger Print Stainless Steel

#### Racks

- 14 Place Setting Capacity
- 2 Flip Tines Lower Rack
- 2 Silverware Baskets

#### **Efficiency**

• 269 kWh/yr

#### Performance

- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- · Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
  - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
  - 2 Additional in Home Connect®: Half Load, Eco







SHE41CM6N







Number Description MAP MSRP

#### 300 Series

#### **Quiet Operation**

- 48 dBA
- · InfoLight®

#### Design

- Touch Controls
- · Self-Latching Door

#### Quality

- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Anti-Fingerprint Stainless Steel
- Easily Accessible 3-Stage Filtration System

#### Racks

- 16 Place Setting Capacity
- Standard 3rd Rack
- Manual Adjusting Middle Rack
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack
- Flip Tines Lower Rack
  - 1 Fixed (Rear)
  - 1 Single (Left)
  - 1 Fixed (Right)
- 1 Silverware Basket

#### **Efficiency**

• 269 kWh/yr

#### Performance

- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60®, Favorite.
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
  - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
  - 2 Additional in Home Connect®: Half Load, Eco



SHE43C75N



**SHE43C75N** 

Recessed Handle, Stainless Steel

799

899

Number Description MAP MSRP

#### 300 Series

#### **Quiet Operation**

- 46 dBA
- InfoLight®

#### Design

- · Touch Controls
- · Self-Latching Door

#### Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Anti-Fingerprint Stainless Steel
- Easily Accessible 3-Stage Filtration System

#### Racks

- 16 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- 1 Flip Tine Upper Rack
- Flip Tines Lower Rack
  - 1 Fixed (Rear)
  - 1 Single (Left)
  - 1 Fixed (Right)
- 1 Silverware Basket

#### **Efficiency**

 269 kWh/yr (except SHE53CE5N is 240 kWh/year & ENERGY STAR® Certified)

#### Performance

- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60®, Favorite.
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- Options:
  - 3 on the Control Panel: Sanitize, Remote Start, ExtraDry
  - 2 Additional in Home Connect®: Half Load, Eco



SHE53C85N



SHE53C82N



SHE53C86N



SHE53CE5N<sup>2</sup>



SHX53DM5N/SHX53DM5N



SHV53CM3N



SHE53C85N <sup>1</sup>	Recessed Handle, Stainless Steel	999	1,099
SHE53C82N <sup>1</sup>	Recessed Handle, White	949	1,049
SHE53C86N <sup>1</sup>	Recessed Handle, Black	949	1,049
SHE53CE5N <sup>2</sup>	Recessed Handle, Stainless Steel	1,019	1,149
NEW SHX53DM5N Available June	Bar Handle, Stainless Steel	1,099	1,249
SHX53CM5N Discontinues June	Bar Handle, Stainless Steel	1,099	1,249
SHV53CM3N	Custom Panel	1,099	1,249



<sup>1</sup> No InfoLight®

<sup>2 240</sup> kWh/year; ENERGY STAR® Certified

Number Description MAP **MSRP** 

#### 300 Series

#### **Quiet Operation**

- 46 dBA
- InfoLight®

#### Design

- · Touch Controls
- Anti-Fingerprint Stainless Steel

#### Quality

SHS53CD2N

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- · Easily Accessible 3-Stage Filtration System

#### Racks

- 16 Place Setting Capacity
- · Standard 3rd Rack
- 3 Step RackMatic®
- EasyGlide™ on All 3 Rack Levels
- FlexSpace<sup>™</sup> Tines
- 1 Flip Tine Upper Rack
- Flip Tines Lower Rack
  - 1 Fixed (Rear)
  - 1 Single (Left)
  - 1 Fixed (Right)
- 1 Silverware Basket

#### **Efficiency**

269 kWh/yr

#### **Performance**

- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - · Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Favorite
  - 3 Additional in Home Connect®: Express, Rinse, Machine Care
- Options:
  - 3 on the Control Panel: ExtraDry
  - 4 Additional Options in Home Connect®: Half Load, SpeedPerfect, Extra Scrub, Eco









Scoop Handle, Stainless Steel SHS53CD5N

Scoop Handle, White

1,049 1,199

999 1,099

Number Description MAP MSRP

#### All Bosch 500 Series Dishwashers Include the Following Features:

Featuring AutoAir™-which opens the door to let fresh air circulate for 40% drier dishes.\*

#### **Quiet Operation**

- InfoLight®
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

#### Design

- · Pocket Handle Design
- Touch Controls
- Flush Installation
- Time Remaining Indicator
- · Self-Latching Door
- Anti-Fingerprint Stainless Steel

#### Quality

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System

#### Racks

- 16 Place Setting Capacity
- 3 Step RackMatic®
- EasyGlide™ on all 3 Rack Levels
- FlexSpace™ Tines
- · 2 Flip Tines Upper Rack
- · Flip Tines Lower Rack
  - 1 Fixed (Rear)
  - 1 Single (Left)
  - 1 Fixed (Right)
- 1 Silverware Basket

#### Performance

- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- · Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: (**Delicate**, Rinse, Machine Care)
- Options:
  - 2 on the Control Panel: Sanitize, Remote Start,
  - 2 Additional in Home Connect®: Half Load, Eco

\*Based on average drying performance of Bosch Dishwashers with AutoAir™ after seven hours as compared to Bosch Dishwashers with PureDry™.

500 Series

#### **Quiet Operation**

· 44 dBA

#### Racks

Flexible 3rd Rack

#### **Efficiency**

- 240 kWh/yr
- ENERGY STAR® Certified

#### **Performance**

- Wash System: PrecisionWash®
- Drying System: AutoAir™
- · Options:
  - Additional on the Control Panel: AutoAir™

1,149 1,299

1,149 1,299

1,149 1,299

1,199 1,349

SHP65CM5N







SHX65CM5N



SHP65CM5N Pocket Handle, Stainless Steel

SHP65CM2N Pocket Handle, White
SHP65CM6N Pocket Handle, Black

SHX65CM5N Bar Handle, Stainless Steel

All Discontinue September

Model Number

Description

MAP MSRP

#### 500 Series

#### **Quiet Operation**

• 44 dBA

#### Racks

• Flexible 3rd Rack

#### **Efficiency**

- 240 kWh/yr
- ENERGY STAR® Certified

#### Performance

- Wash System: ZoneWash®
- Drying System: AutoAir™
- · Options:
  - Additional on the Control Panel: AutoAir™



SHP65DM5N



SHP65DM2N

NEW SHP65DM5N	Pocket Handle, Stainless Steel
NEW SHDSEDMON	Pocket Handle White

NEW SHP65DM6N Pocket Handle, Black

**NEW SHX65DM5N** Bar Handle, Stainless Steel

All Available June



1,149 1,299

1,149 1,299

1,199 1,349



SHP65DM6N



SHX65DM5N





#### **Quiet Operation**

38 dBA

- Racks
- · Standard 3rd Rack

#### **Efficiency**

• 269 KWh/yr

#### Performance

- Wash System: PrecisionWash®
- Drying System: PureDry™
- Options:
  - Additional on the Control Panel: PureDry™



SHP95CM5N



SHP95CM5N Pocket Handle, Stainless Steel 1,249 1,399

Number Description MAP MSRP

#### **Bosch 800 Series Dishwashers Include the Following Features:**

Featuring CrystalDry<sup>™</sup>—a patented drying technology that transforms moisture into heat to get dishes, including plastics, 60% drier.\*

#### **Quiet Operation**

- 42 dBA
- · InfoLight®
- Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- Solid Molded Base to Absorb Noise while Minimizing Vibration

#### Design

- · Anti-Fingerprint Stainless Steel
- Flush Installation
- Touch Controls
- · Time Remaining Display
- · Self-Latching Door

#### Quality

SHV78DM3N

- · Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System
- Easily Accessible 3-Stage Filtration System

**Custom Panel** 

#### Racks

- · 16 Place Setting Capacity
- EasyGlide™ on All 3 Rack Levels
- FlexSpace™ Tines
- · Flexible 3rd Rack
- 3 Step RackMatic®
- Flip Tines Lower Rack
  - 1 Fixed (Rear)
  - 1 Single (Left)
  - 1 Fixed (Right)
- 1 Silverware Basket

#### **Efficiency**

- · 240 KWh/yr
- ENERGY STAR® Certified

#### Performance

- · Wash System: PrecisionWash®
- Drying System: CrystalDry™ PureDry™

- Wi-Fi Home Connect® features
  - Smart Cycle Guidance
  - Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: Delicate, Rinse, Machine Care
- · Options:
  - 5 on the Control Panel: Sanitize, Remote Start, CrystalDry™, Controlled Spray Arm
  - 2 Additional in Home Connect®: Half Load, Eco
- Home Connect® Allows You to Remotely Monitor and Control with Wi-Fi Connectivity


800 Series

SHP78DM5N Pocket Handle, Stainless Steel 1,299 1,449
SHX78DM5N Bar Handle, Stainless Steel 1,349 1,499

1,349 1,499

SHP78DM5N











<sup>\*</sup>Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

<sup>\*</sup>Based on aggregate average drying performance of Bosch Dishwashers with CrystalDry™ on combined household load including plastics, glass, steel, and porcelain as compared to Bosch Dishwashers with PureDry™. Drying performance may vary by dish type.

Model Number Description MAP MSRP

#### 800 Series

#### Racks

• 2 Flip Tines Upper Rack

#### Performance

· Wash System:


 $\textbf{PowerControl}^{\text{\tiny TM}} \text{ with }$ 

PrecisionWash®

-	_		
SHP78CI	M5N		
-		-	
SHP78CI	M2N		

SHP78CM5N <sup>1</sup>	Pocket Handle, Stainless Steel	1,399	1,549	
SHP78CM2N <sup>1</sup>	Pocket Handle, White	1,399	1,549	SHP78
SHP78CM6N <sup>1</sup>	Pocket Handle, Black	1,399	1,549	
SHP78CM4N <sup>1</sup>	Pocket Handle, Black Stainless Steel	1,449	1,599	SHP78
SHX78CM5N	Bar Handle, Stainless Steel	1,449	1,599	
SHX78CM2N	Bar Handle, White	1,449	1,599	
SHX78CM6N	Bar Handle, Black	1,449	1,599	SHX78
SHX78CM4N	Bar Handle, Black Stainless Steel	1,499	1,649	
SHV78CM3N	Custom Panel	1,449	1,599	SHX78
				Jane .

9	
9	SHP78CM6N
9	1
9	SHP78CM4N
9	
9	
^	SHX78CM5N





SHX78CM6N



SHX78CM4N



SHV78CM3N





Benchmark® Series

SHP9PCM5N

SHX9PCM5N

SHV9PCM3N

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model

Number Description MAP **MSRP** 

#### Featuring the New PowerControl™ Wash System plus CrystalDry™—the industry's most advanced clean meets the ultimate dry.

#### **Quiet Operation**

- 38 dBA
- · Multiple Layers of Sound-Absorbing Insulation
- EcoSilence™ Dual Brushless Motor System
- · Solid Molded Base to Absorb Noise while Minimizing Vibration
- · TimeLight®

#### Design

- Flush Installation
- · Touch Controls
- · Touch Screen Display
- · Time Remaining Display
- · Self Latching Door
- Anti-Fingerprint Stainless Steel

#### Quality:

- · Easily Accessible 3-Stage Filtration System
- Water Softener
- · Corrugated Shaped Filter
- Deeper Stainless Steel Tub
- 24/7 AquaStop® Leak Protection System

#### Racks

- 16 Place Setting Capacity
- EasyGlide™ Plus on All 3 Rack Levels
- Flexible 3rd Rack
- 3 Step RackMatic®
- 2 Flip Tines Upper Rack
- FlexSpace™ Plus
- Flip Tines Lower Rack
  - 1 Double (Rear)
  - 1 Single (Left)
  - 1 Wide (Right)
- 1 Silverware Basket

#### **Efficiency**

- 240 kWh/yr
- ENERGY STAR® Certified

#### Performance

- Wash System: PrecisionWash®
- Drving System: CrystalDry™
- tures
  - Smart Cycle Guidance
  - · Delay Start, Remote Start, and Cycle Monitoring
  - Access Additional Cycles, Manuals, and Tips & Tricks
- Cycles:
  - 5 on the Control Panel: Heavy, Auto, Normal, Speed60, Favorite
  - 3 Additional in Home Connect®: Express, Care
  - Sanitize, Remote Start, CrystalDry™. Controlled Spray Arm

#### PowerControl™

 4 Additional in Home Connect® Half Load, SpeedPerfect,

- PowerControl™ with
- Wi-Fi Home Connect® fea-



- Rinse, Glass, Machine
- · Options:
  - 4 on the Control Panel:
  - ExtraScrub, Eco

SHP9PCM5N1 Pocket Handle, Stainless Steel 1,799 1,999

SHX9PCM5N<sup>2</sup> Bar Handle, Stainless Steel 1,999 1,799

SHV9PCM3N<sup>2</sup> **Custom Panel** 1,799 1,999



#### ADA-HEIGHT DISHWASHERS

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. MAP **MSRP** 

Number Description

**Performance** 

- Up to Seven Wash Cycles: Heavy, Auto, Normal, Favorite, Rinse
- Six Options: Delicate, Extra Dry, Sanitize, 24H Delay Start, Machine Care, Remote Start
- · Home Connect® Allows You to Remotely Monitor and Control with Wi-Fi Connectivity

### **Bosch ADA-Height Dishwashers Include the Following Features:**

#### Design

- · Time Remaining Display
- ADA Compliant Height (32" Tall)

#### Racks

- RackMatic®
- · Flexible Silverware Basket

## Quality

- · Full Stainless Steel Tub
- 24/7 AquaStop® Plus
- · Easily Accessible 3-Stage Filtration

#### **Efficiency**

• ENERGY STAR® Certified

#### 300 Series EuroTub/ADA-Height 18" and 24"

#### **Quiet Operation**

#### 46 dBA

#### Racks

 10 Place Setting Capacity (18" Width)

· Standard 3rd Rack

#### Quality

· Made in Poland

#### **Efficiency**

240 kWh/yr



SPE53C55UC





SPE53C55UC 18" Recessed Handle, Stainless Steel 999 1,099

#### **Quiet Operation**

48 dBA

#### Design

· Toe Panel Color: Stainless Steel

#### Racks

• 13 Place Setting Capacity

#### Quality

· Made in Germany · Water Softener

#### **Efficiency**

240 kWh/yr



SGV43C53UC





SGV43C53UC 24" Fully Integrated - Requires Custom Panel 999 1,099

#### **Quiet Operation**

46 dBA

#### Design

· Toe Panel Color: Stainless Steel

#### Racks

• 14 Place Setting Capacity

- · Made in Germany
- · Water Softener

#### **Efficiency**

• 240 kWh/yr



SGE53C55UC





SGE53C55UC 24" Recessed Handle, Stainless Steel 999 1,099



Model Number

Description

MAP **MSRP** 

#### 800 Series EuroTub/ADA-Height 18" and 24"

#### **Quiet Operation**

- 44 dBA
- · InfoLight®

#### Racks

- 10 Place Setting Capacity
- Standard 3rd Rack

#### Quality

- · Made in Poland
- · Vase Holder and Small **Item Clips**

#### **Efficiency**

• 240 kWh/yr

#### **Performance**

• Drying System: **CrystalDry™** 

• Additional Wash Cycles: **Delicate, Express** 



SPE68C75UC



SPX68C75UC



SPV68C73UC

SPE68C75UC1 18" Recessed Handle, Stainless Steel

18" Bar Handle, Stainless Steel

18" Fully Integrated - Requires Custom Panel

1,499 1,349

1,299 1,449

1,349 1,499



#### **Quiet Operation**

SPX68C75UC

SPV68C73UC

#### 42 dBA

#### Racks

• 15 Place Setting Capacity Quality

- · Made in Germany
- Water Softener
- · Vase Holder and Small **Item Clips**

#### **Efficiency**

• 240 kWh/yr

#### **Performance**

Drying System: CrystalDry™



SGX78C55UC



SGV78C53UC





SGX78C55UC	24" Bar Handle, Stainless Steel	1,349	1,499
SGV78C53UC	24" Fully Integrated - Requires Custom Panel	1,349	1,499



Bosch National Price List - Q2 2025

Job # 20-BSH-0914.2 2/20/2025

Model Number Description MAP MSRP

Accessorie	es for Dishwashe	ers			Series	Series Plus	Series Premium	Series	Series	Series	nark	All ADA Models
					100 Se	100 Se	100 Se	300 Se	500 Se	800 Se	Benchmark	All ADA
	SGZ1010UC	Dishwasher Drain Hose Extension 76%"	18	19	•	•	•	•	•	•	•	•
PPR	SGZ1052UC	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•						
	SMZ1008UC	Bosch Dishwasher Bar Handle, Stainless Steel, July 2023 Style	59	69		•	•	•	•	•	•	•1
	SMZ4000UC	Flexible Silverware Basket	25	29	•	•	•	•	•	•	•	
PAR	SMZ5000	Dishwasher Accessory Kit with Extra Tall Item Sprinkler, Vase/Bottle Holder, 3 Plastic Item Clips and Small Item Basket	19	29	•	•	•	•	•	•	•	•
	SMZ5002UC	Anti-Tarnish Silverware Cassette with Clips	25	29	•	•	•	•	•	•	•	•
PIN I	SMZ5003	18" Dishwasher Accessory Hinge for 4" Toekick Height Installation	150	169								•2
13 40	SMZCD200UC	Flexible 3rd Rack	49	59			•	•	•	•	•	•3
	SMZEPCC1UC	Power Cord Clips + Edge Protector Kit Edge Protector Is for Dishwasher Installations through Metal Cabinetry, for Water/drain/electrical Lines	5	9	•	•	•	•	•	•	•	•
	SMZ3IN1UC	Dish Junction Box and Supply Hose Kit	49	59	•	•	•	•	•	•	•	•

<sup>1</sup> For 24" Only.



<sup>2</sup> For 18" Only

<sup>3</sup> For 24" Only.

Accessorie	es for Dishwash	ers				ns	eminm					s
					100 Series	100 Series Plu	100 Series Pr	300 Series	500 Series	800 Series	Benchmark	All ADA Models
	SMZPCJB1UC	Junction Box Kit (alternate to the 3-Prong Power Cord Kit)	20	29	•	•	•	•	•	•	•	•
0.	SMZSH1ABUC	Bosch Dishwasher Water Supply Hose	39	49	•	•	•	•	•	•	•	•



#### All Bosch Washers Include the Following Features:

- SpeedPerfect® Provides up to 40% Faster Washing
- EcoSilence™ BLDC Motor for Quieter Operation
- · Wave Profiled Stainless Steel Drum
- Anti-Vibration Circular Side Walls
- ENERGY STAR® Certified
- Improved Energy Efficiency and Performance
- Child Lock
- Signal
- · Internal Water Heater

- Installation: Stackable, Side-by-Side, Under Counter or Pedestal Option
- 208-240 V
- Plug type 240V; NEMA 6-15 (3 prong)

#### 300 Series

#### 24" Compact Washer

#### Design

- White Exterior with White Dial and White Door Ring
- Updated Door Design with Bosch Magneto
- · Touch Control Display
- · Large 2.2 cu.ft. Capacity
- Spin Speed up to 1400 RPM
- · Clear See-Through Window
- Matching Dryer WPA12100UC

#### Quality

 Energy Consumption 84 kWh/year

#### Silence Level

 Washing/Spinning 52/72 dBA

# 15 Individually-Tailored Washing Programs

 Cotton Normal, Cotton Light Soil, Permanent Press, Permanent Press Heavy Soil, Permanent Press Light Soil, Jeans, Quick Wash 30 min., Heavy Duty, Delicates, Hand wash/Wool, Allergen, Towels, Drum Clean, Drain, Rinse/Spin

#### 6 Options

- SpeedPerfect®, Temperature, Finish In, Extra Rinse, Prewash, Spin Speed
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 48"



WGA14400UC



**WGA14400UC** 

24" White Cabinet with White Dial and White Door Ring

1,249 1,399

#### 500 Series

#### 24" Compact Washer

#### Home Connect® Features

- App Allows You to Operate Washer From Anywhere In the Home
- Remote Diagnostics, Monitoring, and Control
- Energy Management Information

#### Design

- White Exterior with Chrome Door Ring
- Updated Touch Control Display
- New, Larger 2.4 cu.ft. Capacity
- Spin Speed up to 1600 RPM

- Tinted Glass Window with Bosch Magneto
- Matching Dryer WQB245B0UC

#### Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak Protection System in the Hoses and the Base

#### Silence Level

 Washing/Spinning 51/75 dBA

#### 13 Individually-Tailored Washing Programs

 Cotton, SuperQuick, Delicates, Bedding, Rinse, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

#### 10 Options

- SpeedPerfect®,
   Temperature, Finish In,
   Prewash, Spin Speed,
   Intensive Plus, Rinse Plus,
   Remote Start, Mini Load,
   Stains (Stains Program
   Treats Blood, Oils food
   based, Red Wine, Grass,
   Sweat, Cosmetics based
   stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- Hose Length: 59"



WGB24600UC





WGB24600UC 24" White Cabinet with Chrome Door Ring

1,499 1,649

800 Series

#### 24" Compact Washer

#### Home Connect® Features

- App Allows You to Operate Washer from Anywhere in the Home
- Easy Start Option for Your Wash Cycle
- Energy Management Information

#### Design

- Pearl Steel Exterior with Chrome Door
- Updated Touch Control Display
- New i-DOS Automatic Dosing
- New, Larger, 2.4 cu.ft. Capacity

WGB246AXUC

· Spin Speed up to 1600 RPM

- Interior LED Drum Light
- Tinted Glass Window with Bosch Magneto
- Matching Dryer WQB245AXUC

#### Quality

- Energy Consumption 105 kWh/year
- AquaStop® Plus Leak
   Protection System in the
   Hoses and the Base

#### Silence Level

 Washing/Spinning 51/75 dBA

# 13 Individually-Tailored Washing Programs

 Cotton, SuperQuick, Delicates, Bedding, Automatic, Towels, Whites, Mix, Jeans, Sanitize, Hand Wash/Wool, Spin/Drain, Drum Clean

MAP

**MSRP** 

#### 10 Additional Options

- SpeedPerfect®, Temperature, Finish In, Prewash, Spin Speed, Intensive Plus, Rinse Plus, Remote Start, Mini Load, Stains (Stains Program Treats Blood, Oils - food based, Red Wine, Grass, Sweat, Cosmetics Based Stains)
- Plugs into Wall Receptacle or Dryer Adapter (provided with each dryer)
- · Hose Length: 59"



WGB246AXUC





24" Pearl Steel Cabinet with Chrome Door Ring

1,849 2,049

#### All Bosch Dryers Include the Following Features:

- Large 4.0 cu.ft. Capacity
- · Anti-Vibration Circular Side Walls
- · Sensitive Drying System
- · Start/Pause to Add an Item
- ENERGY STAR® Certified
- · Child Lock
- · Extra-Fine Lint Filter

• ActiveDry® System

#### Installation

- Stackable, Side-by-Side, Under Counter or Pedestal Option
- · No Ducting Required
- · Drain Pump and Hose Included

 Power Cord Included with Plug Type: 240V; NEMA 6-15 (3 Prong). Dryer Is Also Supplied with a Power Adapter to Fit a Standard 4-Prong 30A Dryer Receptacle (NEMA 14-30R) and Powers Both Bosch Washer and Dryer

#### 300 Series

#### 24" Compact Condensation Dryer

#### Design

- White Exterior with White Dial and White Door Ring Touch Control Display
- Updated Door Design with Bosch Magneto
- · Stainless Steel Drum
- · Clear See-Through Window
- Matching Washer WGA14400UC

#### Quality

 Energy Consumption 315 kWh/year

#### Silence Level

• 67 dBA

# 15 Individually-Tailored Drying Programs

 Cotton Extra Dry, Cotton Dry (Regular), Permanent Press Extra Dry, Permanent Press Dry, Permanent Press Damp, Jeans, Quick Dry Auto, Air Fluff/No Heat, Time Dry Variable, Quick 40, Delicates, Heavy Duty, Sanitize, Hand Wash/Wool, Towels



 Dry Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Signal



WPA12100UC



**WPA12100UC** 

24" Ventless Condensation Drying System White with White Dial and White Door Ring

1,249 1,399

#### 500 Series

#### 24" Compact Heat Pump Dryer with Self-Cleaning Condenser

#### Home Connect® Features

- App Allows You to Operate Dryer from Anywhere in the Home
- Smart Dry Connects the Dryer to the Washer to Determine the Best Drying Program based off of the Wash Cycle

#### Design

- White Exterior with Chrome Door Ring
- Updated Touch Control Display
- Reversible Door (No Additional Parts Required)

- Stainless Steel Structured Drum
- Tinted Glass Window with Bosch Magneto
- Matching Washer WGB24600UC

#### Quality

- Energy Consumption 125 kWh/year
- Maintenance-Free Self Cleaning Condenser
- Dual-Layer Lint Filtration System

#### Silence Level

• 62 dBA

#### 13 Individually-Tailored Drying Programs

 Cotton, Quick Dry Auto, Delicates, Bedding, Anti Shrink, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

#### 8 Options

 Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Dry Level Adjust, End Signal



WQB245B0UC





Siterice Level

WQB245B0UC 24" Ventless Heat Pump Dryer with Self-Cleaning Condenser White with Chrome Door Ring 1,499 1,649

Number Description MAP **MSRP** 

800 Series

#### 24" Compact Heat Pump Dryer with Self-Cleaning Condenser

#### Home Connect® Features

- App Allows You to Operate Dryer from Anywhere in the Home
- · Easy Start Option for Your Dry Cycle

#### Design

- · Pearl Steel Exterior with Chrome Door Ring
- · Updated Touch Display
- · Interior LED Drum Light
- · Reversible Door (No Additional Parts Required)
- · Stainless Steel Structured Drum

#### · Tinted Glass Window with Bosch Magneto

· Matching Washer WGB246AXUC

#### Quality

• Energy Consumption 125 kWh/year

#### Silence Level

• 62 dBA

#### 13 Individually-Tailored **Drying Programs**

· Cotton, Quick Dry Auto, Delicates, Bedding, Steam Restore, Towels, Jeans, Mix, Sportswear, Sanitize, Time Dry, Hand Wash / Wool, Air Fluff

#### 8 Options

• Dryness Level, Time Dry, Finish In, Wrinkle Block, Low Heat, Remote Start, Dry Level Adjust, End Signal



WQB245AXUC





**WQB245AXUC** 

24" Ventless Heat Pump Dryer with **Self-Cleaning Condenser Pearl Steel with Chrome Door Ring** 

1,849 2,049

Model Number Description MAP MSRP

Accessories for Laundry				Washers			Dryers			
					WGA14400UC	WGB24600UC	WGB246AXUC	WPA12100UC	WQB245B0UC	WQB245AXUC
	WMZ20600	Drying Rack for Wool items, Shoes, etc. for Bosch 24" Dryers	79	89				•	•	•
	WMZPW20W	Pedestal with Drawer for 24" Washer	299	329	•	•				
	WTZPW20D	Pedestal with Drawer for 24" Dryer	299	329				•	•	
	WMZPW2XW	Washer 24" Pedestal – Pearl Steel	399	439			•			
	WTZPW2XD	Dryer 24" Pedestal – Pearl Steel	399	439						•
to an and the second	WTZ11400UC	Stacking Kit with Pull Out Tray	149	169	•			•		
I	WTZ20410UC	Stacking Kit without Pull Out Tray	49	59	•			•		
1	WTZ27510UC	500 Stacking Kit – NO Drawer White	69	79		•			•	
0	WTZ27500UC	500 Stacking Kit – w/ Drawer White	199	219		•			•	
1	WTZ2751XUC	800 Stacking Kit – NO Drawer Pearl Steel	69	79			•			•
	WTZ2750XUC	800 Stacking Kit — w/ Drawer Pearl Steel	199	219			•			•

Model Number Description MAP MSRP

Accessorie	es for Laundry				Wa	ashe	ers	D	ryer	s
					WGA14400UC	WGB24600UC	WGB246AXUC	WPA12100UC	WQB245B0UC	WQB245AXUC
	WTZPA20UC	Dryer Power Adapter – 4 Prong 240V; NEMA 14-30R to 6-15R	69	79				•1	•1	•1
	WTZPA30US	Dryer Power Adapter – 3 Prong 240V; NEMA 10-30R to 6-15R	69	79				•1	•1	•1
******	WTZSB30UC	Bracket Style Stacking Kit White	49	59	•	•		•	•	
	WTZSB3XUC	Bracket Style Stacking Kit Pearl Steel	69	79			•			•

<sup>1</sup> Adapter only works with dryers listed in this guide.

Number Description MAP MSRP

#### 800 Series

#### 24" Built-In Coffee Machine

- Home Connect® App Allows You to Prepare Coffee from Anywhere in the Home
- Within Minutes Prepare Espressos, Cappuccinos, Lattes, Macchiato and More
- MyFavorites Stores up to 8 of Your Favorite Coffee Preferences
- Large TFT Color Touch Screen Interface
- Automatic System for Cleaning, Milk Steam Rinsing and Descaling

- AromaPro Provides
   Constant Pressure for an Enhanced Coffee Experience
- Grinding Settings for Dark or Light Coffee
- OneTouch DoubleCup Dispenses Two Beverages at the Same Time
- Integrated Built-In Sensors Will Alert You When Coffee, Water Level Is Low
- AromaDouble Shot Prepares Extra-Strong Coffee with Less Bitterness

- Individual Cup Volume Allows You to Adjust Your Coffee Cup Size
- 1 lb. Bean Container
- 81 oz. Water Reservoir
- Stainless Steel 17 oz. Milk Container
- Drip Tray Removable for Cleaning
- 120 V



BCM8450UC



**BCM8450UC** 

**Bosch Built-In Coffee Machine** 

3,699 4,099

# Accessories for Coffee Machine DOGF MOST MACHINE HEZCMT3050 30" SS Trim Kit 429 479 •

For coffee accessories, please see the Cleaners & Accessories Price List.

# All Bosch Induction Ranges Include the Following Features:

- · Genuine European Convection
- · Easy to View Inclined Display
- · 8 Cooking Modes
- · Sabbath Mode

- · Faster than Gas or Electric
- Temperature Probe
- Dampened Hinges Softly Guide the QuietClose Door Shut
- · Heavy-Duty Metal Knobs
- · One Halogen Light

**MSRP** 

- · Catalytic Clean Cavity
- · Kitchen Timer

#### 800 Series

# 30" Industrial-Style Induction Range

- · 4 Induction Zones
- 2 Standard Racks
- Oven Capacity at 3.9 cu.ft. Element

LR: 1,400 W / 2,200 W

LF: 2,300 W / 3,700 W

- 2.700 W Convection
- Electrical supply: 40 A, 240 V/208 V



RR:1,850 W / 3,000 W RF: 2,300 W / 3,700 W

Stainless Steel

4,399 4,849

# 36" Industrial-Style Induction Range

• First 36" Bosch Range with the Most Powerful Element of 5,500 W and CombiZone™

LR: 1,850 W / 3,000 W

LF: 1,850 W / 3,000 W

- 5 Induction Zones
- · Oven Capacity at 3.7 cu.ft.
- 1 Telescopic Rail with Rack
- 1 Standard Rack
- 2,500 W Convection Element
- Electrical supply: 50 A, 240 V/208 V



C: 1,850 W / 3,000 W

RR:1,400 W / 2,200 W RF: 2,300 W / 3,700 W



HIS8655U

HIS8655U

HIS8055U

Stainless Steel

6,199 6,849

# All Bosch Industrial-Style Gas Ranges Include the Following Features:

- Powerful 18,000 BTU Dual Flame Burner
- 3 Cooking Modes
- 17,000 BTU Bake Burner
- · Dishwasher-Safe Grates
- · Continuous Grate Design
- Heavy Metal Knobs
- · One Halogen Light

- Catalytic Clean Cavity
- · Kitchen Timer
- · LP Conversion Kit
- Electrical Supply: 15 A, 120 V

# 800 Series

# 30" Industrial-Style Gas Range

• 5 Burners • 2 Standard Racks

• Oven Capacity at 3.6 cu.ft. • 11,500 BTU Broil Burner

LR: 10,000 BTU (NG)

C: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 10,000 BTU (NG)

HGS8055UC Stainless Steel 3,699 4,099

HGS8045UC Black Stainless Steel 4,199 4,649



HGS8055UC



HGS8045UC

### 36" Industrial-Style Gas Range

• 6 Burners Adding More • 1 Telescopic Rail with Rack

Flexibility to Your Cooking • 1 Standard Rack

Oven Capacity at 3.4 cu.ft.
 14,000 BTU Broil Burner

LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)

 HGS8655UC
 Stainless Steel
 4,899 5,399

 HGS8645UC
 Black Stainless Steel
 5,499 6,049



HGS8655UC



HGS8645UC

# All Bosch Industrial-Style Dual-Fuel Ranges Include the Following Features:

- Powerful 18,000 BTU Dual Flame Burner
- · Genuine European Convection
- 8 Cooking Modes
- · Sabbath Mode
- · Temperature Probe

- 1,700 W Bake Element
- 2,900 W Broil Element
- · Dishwasher-Safe Grates
- · Continuous Grate Design
- · Heavy Metal Knobs

- · One Halogen Light
- · Catalytic Clean Cavity
- · Kitchen Timer

3,899 4,299

4,299 4,749

- · LP Conversion Kit
- Electrical Supply: 20 A, 240 V/208 V

00

#### 800 Series

# 30" Industrial-Style Dual Fuel Range

• 5 Burners

- 2 Standard Racks
- Oven Capacity at 3.9 cu.ft.
- 2,700 W Convection

Element

LR: 10,000 BTU (NG)

LF: 5,000 BTU (NG)

CR: 18,000 BTU (NG)

RR: 5,000 BTU (NG)

RF: 10,000 BTU (NG)



HDS8055U Stainless Steel

HDS8045U Black Stainless Steel



HDS8045U

#### 36" Industrial-Style Dual Fuel Range

- 6 Burners Adding More Flexibility to Your Cooking
- 1 Telescopic Rail with Rack
- 1 Standard Rack
- Oven Capacity at 3.7 cu.ft.
- 2,500 W Convection

Element

LR: 5,000 BTU (NG)	CR: 10,000 BTU (NG)	RR: 10,000 BTU (NG)
LF: 18,000 BTU (NG)	CF: 10,000 BTU (NG)	RF: 10,000 BTU (NG)



HDS8655U

HDS8655U Stainless Steel

tainless Steel 5,799 6,399

HDS8645U Black Stainless Steel

6,299 6,949



HDS8645U

# All Bosch Induction Slide-In Ranges Include the Following Features:

- · The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- · 400 W Warming Drawer
- · Touch Control for Easier Operation of the Oven
- · Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- · Temperature Probe
- · Extra Large Door Window

- Star-K Certified 100°-450°F
- · Rear Vent Trim Included
- 17 Heat Levels
- A 11" Heating Element Offers 3,700 W of Power
- · Faster than Gas or Electric
- · Easier to Clean and More Efficient
- SpeedBoost®
- ChildLock
- SafeStart

- 2,000 W Convection Ring Element
- · Genuine European Convection
- Fast Preheat™
- Large Oven Capacity at 4.6 cu.ft.
- · Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- Electric Supply: 40 A or 50 A. Check with local code requirements

#### 800 Series

# 30" Induction Slide-In Range

- 11 Specialized Cooking Modes
- · One Oven Light
- · Large Oven Capacity at 4.6 cu.ft.
- 3 Standard Racks

LR: 9" @ 2,200 W/3,700 W (SpeedBoost®)	RR: 11" @ 2,600 W/3,700 W (SpeedBoost®)
LF: 6" @ 1.400 W/2.200 W (SpeedBoost®)	RF: 6" @ 1.400 W/2.200 W (SpeedBoost®)



Stainless Steel

HII8047U

**Black Stainless Steel** 



HII8057U

- 3,799 4,199 3,999 4,399

HII8047U

# Benchmark® Series

### 30" Induction Slide-In Range

- QuietClose® Door
- A Full-Extension Telescopic Rack

LR:8" × 9" @

2,200 W/3,600 W (SpeedBoost®)

LF: 8" × 9" @

- · Two Oven Lights
- · Kitchen Timer
- FlexInduction® Cooktop Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove®

RR: 11" @

RF: 6" @

- PotSense
- PreciseSelect®
- 1 Telescopic Rack. 2 Standard racks





HIIP057U

#### HIIP057U

30" Induction Slide-In Range

4,099 4,549

# All Bosch Electric Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- Touch Control for Easier Operation of the Oven
- · Easy to Clean Ceramic Surface
- Time-Adjustable Self Clean
- Extra Large Door Window
- Genuine European Convection
- Fast Preheat™

- · Kitchen Timer
- · Sabbath Mode
- Electric Supply: 40 A or 50 A.
   Check with local code requirements

#### 100 Series

# 30" Electric Slide-In Range

- All-In-One Range with 9 Specialized Cooking Modes, with Air Fry
- Sleek Backlit UI Wakes Up With Prompted
- Modern Engraved Straight Handle Design
- Large & Powerful 3,000 W Elements

LR: 6" @ 1,200 W
LF: 9" @ 3,000 W

- Flexible 6" 1,200 W Simmer Elements
- Cook with 6", 9", or 12" Elements for Added Cooking Flexibility
- Self Clean & Steam-assist cleaning modes
- 2 Standard Racks

•	3,000	W	Bake	Burner
---	-------	---	------	--------

- Large oven capacity at 5.8 cu.ft.
- · Storage Drawer
- · Sabbath Mode
- 3,400 W Broil Element
- 1,500 W Convection Ring Element



HEF1050MU

C: 6" @	RR: 6" @ 1,200 W
100 W Warming Element	RF: 12" @ 3,000 W

**NEW HEF1050MU** 

Stainless Steel

1,449 1,599

# Available April

#### 800 Series

### 30" Electric Slide-In Range

- 2,000 W Convection Ring Element
- 400 W Warming Drawer
- 100 W Warm Zone
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean

LR: 6" @ 1,200 W	
LF: 9"/6" @ 3,000 W/1,400 W	

- 3 Standard Racks
- Star-K Certified 100°-450° F
- Rear Vent Trim Included
- 2,000 W Convection Ring Element
- · Heavy-Duty Metal Knobs
- 11 Specialized Cooking Modes
- Large Oven Capacity at 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element

DD. 6" @



HEI8056U

C: 6" @	1,200 W
100 W Warming Element	RF: 9.5" @ 3,200 W

HEI8056U Stainless Steel

2,399 2,649

# All Bosch Gas Slide-In Ranges Include the Following Features:

- · The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- · Extra Large Door Window
- Touch Control for Easier Operation of the Oven
- 9 Specialized Cooking Modes
- · Standard Convection
- 5 Burners Add Flexibility to Your Cooking
- · Kitchen Timer

- · Sabbath Mode
- · LP Conversion Kit Included
- Electrical Supply: 15 A

#### 100 Series

800 Series

# 30" Gas Slide-In Range

- · All-In-One Range with Air Fry
- · Sleek Backlit UI Wakes Up When Prompted
- Modern Engraved Straight Handle Design
- · Easy To Clean Porcelainized Surface
- · Large 9,200 BTU Center Oval Burner

LR: 5,000 BTU (NG) LF: 16,000 BTU (NG)

- 5,000 BTU Rear Simmer Burner
- Powerful 16,000 BTU Front Burner
- 2 Standard Racks

C: 9,200 BTU (NG)

- · Rapid Pre-Heat Brings the Oven Cavity to Temp Before You Can Finish Your Prep
- · Self Clean & Steam-Assist Cleaning Modes
- · Large oven capacity at 5.8 cu.ft.
- 18,000 BTU Hidden Bake Burner
- 13,000 BTU Broil Burner
- · Storage Drawer

RR: 5,000 BTU (NG)

RF: 12,000 BTU (NG)



HGF1050MUC

**NEW HGF1050MUC** Stainless Steel

1,499 1,649

# Available April

# 30" Gas Slide-In Range

- · 400 W Warming Drawer
- · Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Star-K Certified 100°-450°F
- · Rear Vent Trim Included
- LR: 5.000 BTU (NG) LF: 10,000 BTU (NG)

- Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- Powerful 18,000 BTU Center Burner
- · 3 Standard Racks
- · Large Oven Capacity at 4.8 cu.ft.
- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner



HGI8056UC

RR: 5,000 BTU (NG) C: 18,000 BTU (NG) RF: 15,000 BTU (NG)

**HGI8056UC HGI8046UC**  Stainless Steel

**Black Stainless Steel** 

2,549 2,849

2,749 3,049



HGI8046UC

Number Description MAP MSRP

# Benchmark® Series

# 30" Gas Slide-In Range

- 400 W Warming Drawer
- · Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- · QuietClose® Door
- Star-K Certified 100°-450°F
- Rear Vent Trim Included
- Heavy-Duty Metal Knobs

LR: 5,000 BTU (NG)

LF: 10,000 BTU (NG)

- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- Temperature Probe
- A Full-Extension Telescopic Rack
- Temperature Probe
- · Two Oven Lights

• Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer

- 1 Telescopic Rack, 2 Standard racks
- · Large Oven Capacity at 4.8 cu.ft.
- 18,000 BTU Bake Burner
- 12,500 BTU Broil Burner



HGIP056UC

C: 20,000 BTU (NG) Dual-Stacked

RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)

**HGIP056UC** 

30" Gas Slide-In Range

2,949 3,249

# All Bosch Dual-Fuel Slide-In Ranges Include the Following Features:

- The Bosch Slide-In Range Fits in Any Freestanding Range Cutout
- 400 W Warming Drawer
- Touch Control for Easier Operation of the Oven
- Temperature Conversion for Convection Cooking
- 2-4 hr Time-Adjustable Self Clean
- Extra Large Door Window
- Star-K Certified 100°-450°F

- · Rear Vent Trim Included
- · Heavy-Duty Metal Knobs
- Low-Profile Continuous Grate Design
- · Stainless Steel Maintop
- 11 Specialized Cooking Modes
- 2,000 W Convection Ring Element
- · Genuine European Convection
- Temperature Probe
- Fast Preheat™

- 5 Burners Add Flexibility to Your Cooking
- Large Oven Capacity at 4.6 cu.ft.
- Recessed 8-Pass 3,800 W Broil Element
- Powerful 2,400 W 4-Pass Bake Element
- · LP Conversion Kit Included
- Electrical Supply: 30 A

#### 800 Series

#### 30" Dual Fuel Slide-In Range

- Powerful 18,000 BTU Center Burner
  - LR: 5,000 BTU (NG)
  - LF: 10,000 BTU (NG)
- Two Oven Lights
- · Kitchen Timer

C: 18,000 BTU (NG)

· 3 Standard Racks

1 Telescopic Rack,
 2 Standard racks

RR: 5,000 BTU (NG)



HDI8056U Stainless Steel 2,949 3,249 HDI8056U

#### Benchmark® Series

#### 30" Dual Fuel Slide-In Range

- QuietClose® Door
- A Full-Extension Telescopic Rack
- Temperature Probe
- · Two Oven Lights

LR: 5,000 BTU (NG)

- Kitchen Timer
- Powerful 20,000 BTU Center Dual-Stacked Burner Designed for Faster Boiling and Low Simmer
  - C: 20,000 BTU (NG) Dual-Stacked

RR: 5,000 BTU (NG)

RF: 15,000 BTU (NG)

HDIP056U

HDIP056U 30" Dual-Fuel Slide-In Range

3,349 3,699

Description MAP MSRP

Accessorie	es for Industrial	Style Ranges			:	Induction		Gas				שמו ו מפו	
					30"	36"	HGS8055UC 30" SS	OS 0	HGS8655UC 36" SS	30"	30"	36"	36"
$\bigcirc$	HEZ9GW23UC	Wok Ring for Industrial Style Range	69	79			•	•	•	•	•	•	•
	HEZ8YZ30UC	9" Low Backguard for 30" Industrial Style Range, Black Stainless Steel	229	259				•			•		
	HEZ8YZ36UC	9" Low Backguard for 36" Industrial Style Range, Black Stainless Steel	239	269					•				•
	HEZ9YZ30UC	9" Low Backguard for 30" Industrial Style Range, Stainless Steel	179	199	•		•			•			
	HEZ9YZ36UC	9" Low Backguard for 36" Industrial Style Range, Stainless Steel	189	209		•			•			•	
	HEZ8ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Black Stainless Steel	139	159				•			•		
	HEZ8ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Black Stainless Steel	139	159					•				•
	HEZ9ZZ30UC	3" Rear Vent Trim Extension for 30" Industrial Style Range, Stainless Steel	119	139	•		•			•			
	HEZ9ZZ36UC	3" Rear Vent Trim Extension for 36" Industrial Style Range, Stainless Steel	119	139		•			•			•	
	HEZ8YZ04UC	Side Panel Extension Kit for Industrial Style Range, Black Stainless Steel Provides full side coverage extending to rear of range	99	109				•	•		•		•
	HEZ9YZ04UC	Side Panel Extension Kit for Industrial Style Range, Stainless Steel Provides full side coverage extending to rear of range	89	99	•	•	•		•	•		•	

Model Number Description MAP MSRP

Accessorie	es for Industrial	Style Ranges			1 - 1 - 1 - 1	Induction		286	C C C			Dual Fuel	
					30"	36"	30"	30"	36"	36"	30"	36	36" BS
					HIS8055U	HIS8655U	HGS8055UC	HGS8045	HGS8655UC	HGS8645UC	HDS8055	HDS86450	HDS8645U
_	HEZ8TK30UC	Range Toe Kick 30", Black Stainless Steel	229	259				•			•		
_	HEZ8TK36UC	Range Toe Kick 36", Black Stainless Steel	249	279						•			•
	HEZ9TK30UC	Range Toe Kick 30", Stainless Steel	219	249	•		•				•		
_	HEZ9TK36UC	Range Toe Kick 36", Stainless Steel	239	269		•			•			•	
	HEZ8LLUC	Range Feet Premium 30"/36", Black Stainless Steel-Set of 4	149	169				•		•	•	•	•
	HEZ9LLUC	Range Feet Premium 30"/36", Stainless Steel-Set of 4	79	89	•	•	•		•		•	•	
	12029918	Telescopic Extension Rails Industrial Style Ranges, Wire ra *Available only as a service par			•	•	•	•	•	•	•	•	•

Accessories for Slide-In Ranges									
					Induction	Electric	Gas	Dual Fuel	
	HEZ298102	Wok Ring-Attaches to Grates	69	79			•		
	HEZTR301	Gliding Telescopic Rack	279	309	•	•	•	•	
	HEZBS301	4" Low Back Accessory for Radiant and Induction Slide-In Ranges	249	279	•	•			
	HGZBS301	4" Low Back Accessory for Gas Slide-In Ranges	219	249			•		
	HGZIT301	Island Trim Accessory for Use in Gas Range Island Applications	219	249			•		

# All Bosch Over-the-Range Microwaves Include the Following Features:

- · Design-Matched for Use in Combination with Bosch Range or Cooktop
- Exclusive Stainless Steel Handle
- Easy to Read White LCD Display
- · Easy to Use Touch Control
- Side-Hinged Door Allows Full Access to Microwave Cavity
- · Installation for Recirculation or **Outside Venting**
- · Reheat Setting
- · Potato Program
- · Automatic Defrost
- · Popcorn Program
- · Timer with Cook Time and Automatic Shut Off Function

- · Convenient Kitchen Timer
- · Easily Adds 30 Seconds to Cooking Time
- 10 Microwave Power Levels
- Plugs into Standard 110 V, 3-Prong Outlet

#### 100 Series

# 30" Over-the-Range Microwave

- · Stainless Steel Colored Vent Grid
- · 1.7 cu.ft. Large Cavity Capacity
- Large 13 %" Glass Turntable
- Three-Speed Vent with up to 300 CFM Power
- · Two Surface Lights for Bright Cooktop Illumination



HMV1055U

NEW HMV1055U

30" Stainless Steel 579 649

#### Available April

#### 300 Series

# 30" Over-the-Range Microwave

- · Stainless Steel Colored Vent Grid
- · 1.7 cu.ft. Large Cavity Capacity
- Large 13 %" Glass Turntable
- · Three-Speed Vent with up to 300 CFM Power
- · Two Surface Lights for Bright Cooktop Illumination



HMV3054U

30" Stainless Steel HMV3054U

**Discontinues August** 

NEW HMV3055U

**Available August** 

30" Stainless Steel

599 699

599 699 HMV3055U



500 Series

### 30" Over-the-Range Microwave

- Easy-Clean Stainless Steel Vent Cover
- · 2.1 cu.ft. Large Cavity Capacity
- Large 14 3/16" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- · Two LED Lights for Bright Cooktop Illumination



HMV5053U

**HMV5053U** 30" Stainless Steel 649 749

# **OVER-THE-RANGE MICROWAVES/DRAWER MICROWAVES**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Descrip

Description MAP MSRP

### 800 Series

# 30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.9 cu.ft. Large Cavity Capacity
- Large 14 <sup>3</sup>/<sub>16</sub>" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- Two LED Lights for Bright Cooktop Illumination
- · Convection Cooking
- Full Stainless Steel Cavity

1,049 1,199

949 1,049



HMV8045U



HMV8054U

HMV8045U 30" Black Stainless Steel

HMV8054U 30" Stainless Steel

#### 11111100040

# 30" Over-the-Range Convection Microwave

- Easy-Clean Stainless Steel Vent Cover
- 1.9 cu.ft. Large Cavity Capacity
- Large 14<sup>3</sup>/<sub>16</sub>" Glass Turntable
- 8 Sensor Programs
- Four-Speed Vent with up to 385 CFM Power
- Two 30 W LED Lights for Bright Cooktop Illumination
- · Convection Cooking
- Full Stainless Steel Cavity
- Heavy-Duty Mesh Ventilation Filter
- Triple Distribution System



Benchmark® Series

HMVP054U

HMVP054U 30" Stainless Steel

1,049 1,199

# 800 Series

# 24" and 30" Drawer Microwave

- New hidden control panel; opens for enhanced visibility
- Home Connect® allows for remote monitoring and control the drawer microwave with Wi-Fi Connectivity

**HMD8054UC** 

- 1.2 cu.ft. overall capacity
- Microwave Power 950 W
- 10 Power Levels
- Opens and Closes through Touch Control
- Can Be Installed Flush



HMD8454UC



HMD8454UC

HMD8454UC 24" Drawer Microwave

30" Drawer Microwave

2,049 2,299

1,949 2,149

Model Number Description

# 800 Series

#### 24" Built-in Microwave with Side Swing Door and Trim Kit Accessory in 27" or 30"

•	Glass	touch controls	with
	white	display	

• Microwave Power 1,200 W

· 2.1 cu.ft. overall capacity

• 10 Power Levels · Sensor Cooking

• 16 1/2" Glass Turntable



HMB30155UC w/ HMT5055

HMB30155UC	24" Microwave, Stainless Steel	699	799
HMT5755	27" Built-In Trim Kit	299	329
	Standard Microwave, Stainless Steel		
HMT5055	30" Built-In Trim Kit	299	329

Standard Microwave, Stainless Steel



HMB30155UC w/ HMT5755

# 27" and 30" Built-In Microwave Touch Control with Drop Down Door

- LCD Display and LED Light • 1.6 cu.ft. Overall Capacity
- Microwave Power: 950 W
- 10 Power Levels
- 14 1/8" Glass Turntable
- · Sensor Cooking
- Sensor Reheat
- · No Trim Kit Required
- Plugs into a Standard 120 V, 3-Prong Outlet



HMB57152UC

HMB57152UC 27" Microwave, Stainless Steel

HMB50152UC 30" Microwave, Stainless Steel 1,449 1,599

1,449 1,599

MAP

MSRP



HMB50152UC

# All Bosch Speed Ovens Include the Following Features:

- 1.6 cu.ft. Overall Capacity
- Nine SpeedChef® Cooking Cycles
- · Convection Broil and Convection Bake Modes
- · Seven Auto Sensor Microwave Cycles
- 1,000 W Microwave
- 1,750 W Broil Element
- · 600 W Bake Element
- 1,700 W Convection Element
- · Kitchen Timer and Panel Lock Setting
- · Stainless Steel Cooking Interior
- Cut-resistant Metal Turntable and Separate Ceramic Cooking Tray
- Multi-Use Oven Rack
- Wall or Under Counter Approved Installation (HMC54151UC cannot be installed under a cooktop)

#### 500 Series

#### 24" Speed Oven

- · Cooks Faster than a Traditional Oven and Can Also Be Used as a Microwave
- Electrical Connection -120 V NEMA 5-20 3-Prong Plug
- Electric Load 20 A



HMC54151UC

HMC54151UC 24" 120 V Speed Oven, Stainless Steel 1,949 2,149

2,049 2,299

2,399 2,649

2,449 2,699

2,049 2,299

### 800 Series

# 27" and 30" Speed Ovens

- · Cooks Faster than a Traditional Oven and Can Also Be Used as a Microwave
- LCD Display and LED Light

**HMC87152UC** 

**HMC80252UC** 

**HMC80242UC** 

**HMC80152UC** 

• Electrical Connection -120 V NEMA 5-20 3-Prong Plug for HMC80152UC and HMC87152UC; 240 V Direct Wire for HMC80252UC and HMC80242UC

27" 120 V Speed Oven, Stainless Steel

30" 240 V Speed Oven, Stainless Steel

30" 120 V Speed Oven, Stainless Steel

30" 240 V Speed Oven, Black Stainless Steel

• Electric Load - 20 A



HMC87152UC



HMC80152UC





HMC80242UC

### Benchmark® Series

#### 30" Speed Oven Touch Control with TFT Display

- Electrical Connection: 240 V Direct Wire
- Electric Load 16 A
- · Installs in Horizontal Configuration Paired with 30" Bosch Single Wall Ovens and Warming Drawers

HMCP0252UC

HMCP0252UC 30" Stainless Steel 2,599 2,899

# All Bosch 500 Series 24" Built-In Ovens Include the Following Features:

- Oven Is Perfect for Kitchens with a Smaller Footprint
- Designed to Be Installed Flush with Your Cabinetry
- Telescopic Extension Rail
- Knob Control
- Halogen Light to Better Monitor Cooking Progress
- Genuine European Convection Ensures Even Cooking and Baking Results on Multiple Racks
- 10 Oven Modes
- Custom Cooking Modes: Pie, Frozen Foods, Defrost, Warm, and Broil Plus
- 8-Pass Broil Element

- The DualClean® System Uses the Cavity Coating and Heat to Burn Off Most Grease
- Timer with Cook Time and Delay Start Function
- · Kitchen Timer
- · Capacity at 2.8 cu.ft.

500 Series

# 24" Single Wall Oven, European Convection

HBE5453UC

24" Stainless Steel

2,099 2,349



HBE5453UC

# All Bosch 500 Series 30" Built-In Ovens Include the Following Features:

- Heavy-Duty Metal Knobs for a Premium Look and Feel
- Compatible with Most Existing Cut-Outs
- Designed to Be Installed Flush with Your Cabinetry
- 2, 3, and 4-Hour Self-Clean Cycles
- · Kitchen Timer
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Large Capacity at 4.6 cu.ft.
- Recessed 12-Pass Broil Element for Increased Capacity and Performance

### 500 Series

### 30" Single Wall Ovens, Thermal Cooking

- Thermal Cooking with Bake, Broil, Roast, and Warm
- 5 Oven Modes
- · One Oven Light

HBL5351UC 30" Stainless Steel

2,099 2,349



HBL5351UC

# 30" Single Wall Oven, European Convection

- Genuine European Convection
- 11 Oven Modes
- Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Temperature Conversion for Convection Cooking
- One Oven Light

HBL5451UC 30" Stainless Steel 2,549 2,849



HBL5451UC

Number Description MAP **MSRP** 

### 500 Series

# 30" Single Wall Oven SideOpening Door, European Convection

• SideOpening Door Offers Better Ergonomic Access to the Oven Cavity

Genuine European

Convection

HBL5455RUC

HBL5455LUC

- 11 Oven Modes
- · Two Oven Lights
- · Custom Cooking Modes: Pizza, Pie, Warm and Proof
- Temperature Conversion for Convection Cooking

500 Stainless Steel, Right SideOpening Door

500 Stainless Steel, Left SideOpening Door



HBL5455RUC

2,799 3,099 2,799 3,099



HBL5455LUC

# 30" Double Wall Oven, European Convection (Upper Cavity)

- · Genuine European Convection in Upper Oven
- 11 Upper Oven Modes
- Custom Cooking Modes Upper Oven: Pizza, Pie, Warm and Proof
- Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven
- Temperature Conversion for Convection Cooking in Upper Oven
- · One Oven Light



HBL5651UC

#### **HBL5651UC** 30" Stainless Steel

### 30" Microwave Combination Oven

- · Combination Oven Featuring a Microwave and Wall Oven with Stainless Steel Knobs
- 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display
- · Genuine European Convection in Lower Oven
- · One Oven Light



3,749 4,149



HBL57M52UC

30" Stainless Steel

Number Description MAP **MSRP** 

### 500 Series

# 30" Speed Combination Oven

- · Combination Oven Featuring a Speed Oven and Wall Oven with Heavy-**Duty Metal Knobs**
- The Upper Speed Oven Functions as a Microwave and Convection Oven So You Have Flexible Cooking **Options**
- · Speed Oven: For Additional Details Please Review SKU HMC80152UC page 6-4
- · Genuine European Convection in Lower Oven
- · One Oven Light

4,699 5,199



HBL5754UC

#### All Bosch 800 Series Built-In Ovens Include the Following Features:

30" Stainless Steel

• QuietClose® Door

**HBL5754UC** 

- A Full-Extension Telescopic Rack
- · Designed to Be Installed Flush with Your Cabinetry
- · Compatible with Most Existing **Cut-Outs**
- 11 Oven Modes
- · Custom Cooking Modes: Pizza, Pie, Warm and Proof
- · Genuine European Convection

- · Temperature Conversion for Convection Cooking
- Touch Control with SteelTouch™ Buttons Makes Operating the Oven Easier
- Temperature Probe Takes Guesswork Out of Cooking
- Fast Preheat<sup>™</sup> Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles

- · Two Oven Lights
- · Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Large Capacity at 4.6 cu.ft.
- Recessed 12-Pass Broil Element for Increased Capacity and Performance

# 800 Series

#### 27" Single Wall Oven

· Recessed 8-Pass Broil Element for Increased Capacity and Safety

**HBN8451UC** 27" Single Wall Oven, Stainless Steel

HBN8451UC

3,099 3,449

Number Description MAP MSRP

### 800 Series

# 30" Single Wall Ovens

Home Connect® Features.
 Remotely Monitor and
 Control the Wall Oven with
 Wi-Fi Connectivity

HBL8443UC 30" Single Wall Oven, Black Stainless Steel 3,249

3,249 3,599





# Q

### 30" Single Wall Oven

- The Bosch Wall Oven Combines Your Favorite Tools into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil
- Home Connect® Features.
   Remotely Monitor and
   Control the Wall Oven with
   Wi-Fi Connectivity



HBL8454UC

**HBL8454UC** 

30" Single Wall Oven, Stainless Steel with Air Fry

3,099 3,449

# 30" Double Wall Oven

- 11 Upper Oven Modes
- 5 Lower Oven Modes
- Genuine European Convection in Upper Oven
- Thermal Cooking with Bake, Broil, Roast and Warm in Lower Oven



HBN8651UC



HBL8651UC



HBL8642UC

HBN8651UC	27" Stainless Steel	4,299	4,749

HBL8651UC	30" Stainless Steel	4,249	4,699

Number Description MAP **MSRP** 

# 800 Series

### 30" Microwave Combination Oven

• Home Connect® Features. Remotely Monitor and Control the Lower Wall Oven with Wi-Fi Connectivity

HBL87M53UC

 Combination Oven Featuring a Microwave and Wall Oven with Touch Control

30" Stainless Steel

- 1.6 cu.ft. Capacity Microwave with Drop Down Door and LCD Display
- 11 Lower Oven Modes

4,499 4,949







# 30" Speed Combination Oven

- Home Connect® Features. Remotely Monitor and Control the Lower Wall Oven with Wi-Fi Connectivity
- · Combination Oven Featuring a Speed Oven and Wall Oven with Touch Control
- · Speed Oven Cooks Faster than a Traditional Oven
- · Speed Oven: For Additional Details Please Review SKU HMC80252UC (page 6-4)
- 11 Lower Oven Modes







HBL8743UC



**HBL8753UC** 30" Combo, Stainless Steel 5,349 5,899

**HBL8743UC** 

30" Combo, Black Stainless Steel

5,649 6,249

# All Bosch Benchmark® Series Built-In Ovens Include the Following Features:

- QuietClose® Door Dampened Hinges Softly and Quietly Guide the QuietClose® Door Shut
- The Color TFT Control Panel with SteelTouch™ Buttons Is Easy to Use
- A Full-Extension Telescopic Rack Offers Safe Access to the Oven Cavity
- Designed to Be Installed Flush with Your Cabinetry
- Compatible with Most Existing Cut-Outs

- 13 Specialized Cooking Modes Gourmet Cooking Made Easy
- Custom Cooking Programs: No-Preheat Frozen Food Mode, Pizza, Pie, Warm and Proof
- Genuine European Convection
- Temperature Conversion for Convection Cooking
- Fast Preheat™ Reduces Preheat Time
- 2, 3, and 4-Hour Self-Clean Cycles
- EcoChef Mode Remaining Heat in Cavity Finishes Cooking Process

- AutoProbe Takes the Guesswork Out of Cooking
- Two Halogen Lights Provide Superior Cavity Illumination
- Timer with Cook Time and Delay Start Function
- Extra Large Door Window for Easy Monitoring of Cooking Process
- Star-K Certified 100°-450°F
- Two Separate Time Intervals Can Be Programmed
- Large Capacity at 4.6 cu.ft.

# Benchmark® Series

#### 30" Single Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- Recessed 12-Pass Broil Element for Increased Capacity and Performance





HBLP451RUC

HBLP451LUC

HBLP451RUC 30" Stainless Steel, Right SideOpening Door 3,599 3,999
HBLP451LUC 30" Stainless Steel, Left SideOpening Door 3,599 3,999

### 30" Single Wall Oven

- The Bosch Wall Oven Combines Your Favorite Tools into One Appliance. It's an Air Fryer, Convection Oven, Roaster, Dough Proofer and More
- Air Fry Mode Quickly Cooks Foods to Crisp Perfection without Added Oil



HBLP454UC 30" Single Wall Oven, Stainless Steel

with Air Fry

3,399 3,749

Number Description MAP MSRP

# Benchmark® Series

# 30" Double Wall Oven SideOpening Door

- SideOpening Door Offers Better Ergonomic Access to the Oven Cavity
- AutoProbe in the Upper Oven Takes the Guesswork Out of Cooking
- Recessed 12-Pass Broil Element for Increased Capacity and Performance







HBLP651RUC

HBLP651LUC

HBLP651UC

HBLP651RUC	30" Stainless Steel, Right SideOpening Door	5,349	5,899
HBLP651LUC	30" Stainless Steel, Left SideOpening Door	5,349	5,899
HBLP651UC	30" Stainless Steel	4,799	5,299

# Benchmark® Series

# 30" Speed Combination Oven with TFT Display

- Combination Oven Featuring a Speed Oven
- Speed Oven Cooks Faster than a Traditional Oven
- Speed Oven: For Additional Details Please Review SKU HMCP0252UC (page 6-4)
- Recessed 12-Pass Broil Element for Increased Capacity and Performance



HBLP752UC

HBLP752UC 30" Stainless Steel 5,649 6,249

Number Description MAP MSRP

500 Series

# 30" Warming Drawers

- Keeps Meals Hot and Is
   Designed to Match the
   Perfectly Flush Fit of a
   Bosch Wall or Speed Oven
- 3 Settings to Keep Meals Hot and Ready to Serve
- Installs Vertically under Bosch Wall or Speed Oven
- Matches Bosch Built-In Products
- Install Either Flush or Proud
- 450 W Heating Element Concealed Below Drawer
- Special Dough Proofing Mode
- Sturdy Ball Bearing Telescopic Rails for Smooth Opening

- · Star-K Certified
- 1 Hour Automatic Shut Off Function with Adjustable Timer
- 2.2 cu.ft. Large Cavity
- Lower Side Walls Allow Easy Loading and Unloading of Drawer



HWD5051UC

HWD5051UC 30" Stainless Steel 1,499 1,649

Accessorie	es for Ovens	30" Single Wall Ovens	30" Double Wall Ovens
Ball Bearing Telescopic Rack Ball Bearing Full Extension Telescopic Racks  • Adjustable to All Rack Support Levels • Convenient Handling • Easy to Operate  • Available as Separate Accessory for Even More Convenience  HEZTR301 30" Telescopic Rack 279 309		•	

Number Description

# All Bosch Induction Cooktops Include the Following Features:

- Fast And Efficient, Boil Water Two Times Faster
- · Easy To Clean Premium Glass
- · SpeedBoost® Adds a Boost of Power to an Element
- Precise Temperature Control
- · Childproof Panel Lock

· See All Pan Accessories on Page 8-9.

# 500 Series

# 30" Induction Cooktop

- An 11" Heating Element Offers 3,600 W of Power
- 30 A Breaker

LR: 9" @	RR: 11" @
2,200 W/3,600 W (SpeedBoost®)	2,600 W/3,600 W (SpeedBoost®)
LF: 6" @ 1.400 W/2.200 W (SpeedBoost®)	RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)




30" Induction, Black, Stainless Steel

1,949 2,149

#### 36" Induction Cooktop

• Dual 12" Heating Element Offers 5,400 W of Power

· 40 A Breaker





NIT5660UC

NIT5060UC

**NIT5660UC** 

36" Induction, Black, Stainless Steel **Frameless** 

2,349 2,599

# 800 Series

# 24" Induction Cooktop

- · Home Connect®
- AutoChef®

- An 11" Heating Element Offers 3,600 W of Power
- · PreciseSelect®
- · Hood Control with Home Connect® Enabled Ventilation
- 30 A Breaker



NIT8461UC



LR: 11" @ 2,600 W/3,600 W (SpeedBoost®)

RR: 7" @ 1,800 W/3,100 W (SpeedBoost®) RF: 6" @ 1,400 W/2,200 W (SpeedBoost®)

1,999 2,199

**NEW NIT8461UC** Available April

24" Induction, Black, Frameless

# 800 Series

# 30" Induction Cooktop

- · Home Connect®
- · AutoChef®

- An 11" Heating Element Offers 3,600 W of Power
- PreciseSelect®

•	Hood Control with
	Home Connect® Enabled
	Ventilation

• 30 A Breaker



NIT8061UC



LR: 9" @	RR: 11" @
2,200 W/3,600 W (SpeedBoost®)	2,600 W/3,600 W (SpeedBoost®)
LF: 6" @	LF: 6" @
1,400 W/2,200 W (SpeedBoost®)	1,400 W/2,200 W (SpeedBoost®)

1

NEW NIT8061UC Available April 30" Induction, Black, Frameless

2,399 2,649

**MSRP** 

# 36" Induction Cooktop

- · Home Connect®
- · AutoChef®

- Triple-Ring 13" Heating Element Accommodates Multiple-Size Pans with Three Diameter Sizes
- · PreciseSelect®
- Hood Control with Home Connect® Enabled Ventilation
- · 40 A Breaker



NIT8661UC

LR: 7" @ 1,800 W/3,100 W (SpeedBoost®)
LF: 7" @ 1,800 W/3,100 W (SpeedBoost®)

C: 9"/11"/13" @ 2,200 W/3,600 W (SpeedBoost®) 2,600 W/3,600 W (SpeedBoost®) 3,300 W/3,600 W (SpeedBoost®)

1,400 W/2,200 W (SpeedBoost®)

RF: 9" @
2,200 W/3,600 W (SpeedBoost®)

RR: 6" @



NEW NIT8661UC Available April 36" Induction, Black, Frameless

2,799 3,099

# 30" Induction Cooktop

- Home Connect®
- AutoChef®
- An 11" Heating Element Offers 3,600 W of Power
- Hood Control Hood Control with Home Connect® Enabled Ventilation
- FlexInduction® Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove<sup>™</sup> Divides
   FlexInduction<sup>®</sup> Into 3
   Preset Power Level Zones—
   Simply Move Your Pot to
   Change the Power Level
- 30 A Breaker



Benchmark® Series

NITP060UC



NITP060UC

30" Induction, Black, Frameless

2,849 3,149

Number Description MAP MSRP

# Benchmark® Series

# 36" Induction Cooktop

- · Home Connect®
- · AutoChef®
- Dual 12" Heating Element with Powerful 3,600 W
- Hood Control with Home Connect® Enabled Ventilation
- FlexInduction® Can Combine Two Cooking Zones into One Continuous Surface
- PowerMove<sup>™</sup> Divides
   FlexInduction<sup>®</sup> Into 3
   Preset Power Level Zones—
   Simply Move Your Pot to
   Change the Power Level
- 50 A Breaker



NITP660UC



- II - 14" O"	
Full Zone: 14"x8"	@
3,300 W /	-
3,600 W	
(SpeedBoost®)	
	- 1

LR: 7"x8" @ 2,200 W/3,600 W (SpeedBoost®)
LF: 7"x8" @ 2,200 W/3,600 W

(SpeedBoost®)

C: 12"/9" @ 3,400 W/3,600 W (SpeedBoost®) 2,200 W/3,300 W (SpeedBoost®)



Full Zone: 14"x8" @3,300 W / 3,600 W (SpeedBoost®)

NITP660UC

36" Induction Cooktop, Black, Frameless

3,399 3,749

Number Description MAP MSRP

### All Bosch Radiant Cooktops Include the Following Features:

 Current and Residual Heat Indication for Each Element

· Easy to Clean Premium Glass

- Dual-Ring Heating Element for Multiple Pan Sizes
- See All Pan Accessories on Page 8-9.

500 Series

# 24" Knob Control, Frameless Design

- 4 Elements
- 8" Heating Element with Powerful 2,200 W
- Knob Controls for Precision Cooking
- 30 A Breaker

LR: 8" @	RR: 6" @
2,200 W	1,200 W
LF: 6" @	RF: 7" @
1,850 W	1,800 W



NEM5466UC

NEM5466UC

24" Radiant Cooktop

949 1,049

### 30" Knob Control, Frameless Design

- Dual Element for Using Different Pan Sizes
- Precise Temperature Control for Better Results
- 9" Heating Element with Powerful 2,500 W
- · 30 A Breaker



NEM5066UC

LR: 7" @	RR: 6" @
1,800 W	1,200 W
LF: 7"/5" @	RF: 9" @
1,700 W/700 W	2,500 W

NEM5066UC 30" Radiant Cooktop 1,049 1,199

800 Series

# 30" Cooktop with or without Stainless Steel Frame

- · PreciseSelect®
- Front and Back Stainless Steel Frame
- · Bridge Element
- Dual Element

- SpeedBoost®
- · 2-Level Heat Indicator
- · Childproof Panel Lock
- Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer
- 40 A Breaker



NET8069UC

LR: 7" @ 1,800 W (400 W Bridge)	C: 9"/6" @ 3,600 W/1,400 W (SpeedBoost®)	
LF: 7" @ 1,800 W		RF: 6" @ 1,200 W

NET8069UC 30" Radiant, Black, Frameless 1,499 1,649

Number Description MAP MSRP

# 800 Series

# 36" Cooktop with or without Stainless Steel Frame

- · PreciseSelect®
- Front and Back Stainless Steel Frame
- Bridge Element
- · 2 Dual Elements
- · SpeedBoost®
- · Clean Lock
- · 2-Level Heat Indicator
- ChildLock

- Built-In Timers for Each Element: Doubles as General-Purpose Kitchen Timer
- 50 A Breaker



NET8669UC

LR: 7" @	C: 9"/6" @	RR: 6" @
1,800 W (400 W Bridge)	3,600 W/1,400 W (SpeedBoost®)	1,200 W
LF: 7" @ 1,800 W		RF: 8"/5" @ 1,900 W/800 W

NET8669UC 36" Radiant, Black, Frameless 1,549 1,749

#### Benchmark® Series

# 30" Five Element Cooktop with AutoChef®

- Front and Back Stainless Steel Frame
- 2-Zone 9" Heating Element with Powerful 3,600 W Element
- Dual Element Left Front with AutoChef®
- SpeedBoost®
- AutoChef®
- PreciseSelect®
- Keep Warm Mode is Suitable for Melting Chocolate or Butter and for Keeping Food Warm
- · Kitchen Timer
- · Count-Up Timer
- · Clean Lock
- 2-Level Heat Indicator
- · Childproof Panel Lock
- 40 A Breaker



NETP069SUC

LR: 6" @ 1,200 W	C: 9"/6" @	RR: 6" @ 1,200 W
AutoChef® LF: 7"/5" @ 2,000 W/800 W	3,600 W/1,400 W (SpeedBoost®)	RF: 6" @ 1,500 W

**NETP069SUC** 

30" Radiant

**Black with Stainless Steel Frame** 

1,549 1,749

# All Bosch Gas Cooktops Include the Following Features:

- Front-Center Controls
- · High Efficiency Gas Burners
- · Continuous Cast Iron Grates
- FlameSafe thermocouple shuts off gas if flame is extinguished
- · LP Kit Included
- See All Pan Accessories on Page 8-9.

# 500 Series

#### 24" Gas Cooktop

- 4 Burners
- 10.3K BTU Max
- Ideal for Kitchens with a Smaller Footprint
- · Stainless-Look Metal Knobs
- · LED "On" Indicator Light
- Low Profile Stainless Steel Design for Easy Cleaning

• Sealed Burners for Easier Cleanup



NGM5453UC

LR: 6,000 BTU	RR: 10,300 BTU
LF: 6,000 BTU	RF: 3,400 BTU

**NGM5453UC** 


24" Gas Cooktop, 4 Burners, Stainless Steel

999 1,099

### 30" Gas Cooktop

- 5 Burners
- 16K BTU Max
- · OptiSim® Burner
- Stainless-Look Metal Knobs
- LED "On" Indicator Light
- Low Profile Stainless Steel Design for Easy Cleaning

 Sealed Burners for Easier Cleanup



NGM5059UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU	С: 16,000 В10	RF: 6,000 BTU


**NGM5059UC** 

30" Gas Cooktop, 5 Burners, Stainless Steel

1,099 1,249

# 36" Gas Cooktop

- 5 Burners
- 16K BTU Max
- · OptiSim® Burner
- Stainless-Look Metal Knobs
- · LED "On" Indicator Light
- Low Profile Stainless Steel Design for Easy Cleaning
- Sealed Burners for Easier Cleanup



NGM5659UC

LR: 6,000 BTU	C: 16,000 BTU	RR:10,300 BTU
LF: 3,400 BTU	C: 10,000 B10	RF: 6,000 BTU

**NGM5659UC** 

36" Gas Cooktop, 5 Burners, Stainless Steel

1,249 1,399

800 Series

### 30" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 17K BTU Max

LR: 6,000 BTU
LF: 3,400 BTU

- Dual-Ring Power Burner
- · OptiSim® Burner
- LED Light Line Knob Illumination

C: 17,000 BTU

•	Dishwasher-Safe	Grates
---	-----------------	--------

MAP

**MSRP** 

· Residual Heat Indication



NGM8059UC

( Flame Select



NGM8049UC

(\*) FlameSelect

NGM8059UC 30" Gas Cooktop, 5 Burners, Stainl

30" Gas Cooktop, 5 Burners, Stainless Steel 1,549 1,749

RR: 10,300 BTU

RF: 6,000 BTU

LR: 5,000 BTU

C: 17,000 BTU

RR: 10,300 BTU

RF: 5,000 BTU

**NGM8049UC** 

30" Gas Cooktop, 5 Burners Black with Black Stainless Knobs 1,649 1,849

#### 36" Gas Cooktop

- 5 Burners
- 19K BTU Max
- Recessed Burner Areas
- LR: 9,300 BTU
- OptiSim® Burner
- Black Stainless Metal Knobs
- · Automatic Re-Ignition
- Red LED Lights Indicate Burners Are On



NGM8646UC

C: 19,000 BTU

RF: 9,300 BTU

NGM8646UC

36" Gas Cooktop, 5 Burners, Black with Black Stainless Knobs 1,549 1,749

Legacy

# 36" Gas Cooktop

- 5 Burners
- FlameSelect®
   (9 Power Levels)
- 17K BTU Max
- LR: 6,000 BTU

  LF: 3,400 BTU
- · Dual-Ring Power Burner
- OptiSim® Burner
- LED Light Line Knob Illumination
- · Dishwasher-Safe Grates
- · Residual Heat Indication



NGM8659UC

( Flame Select

RR: 10,300 BTU

C: 17,000 BTU

RF: 6,000 BTU

**NGM8659UC** 

36" Gas Cooktop, 5 Burners, Stainless Steel

1,699 1,899

Number Description MAP **MSRP** 

# Benchmark® Series

# 30" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 18K BTU Max

LR: 6,000 BTU
LF: 3,400 BTU

- Bosch Exclusive Dual-Ring Power Burner
- OptiSim® Burner
- LED Power Level/Residual Heat Indication Display
- · Digital Display Indicating Selected Power Level
- · Stainless-Look Metal Knobs
- · Dishwasher-safe Grates



NGMP059UC

( Flame Select

C: 18,050 BTU	RR: 10,300 BTU
C: 10,030 B10	RF: 6,000 BTU

### NGMP059UC

30" Gas Cooktop, 5 Burners, Stainless Steel

1,899 2,099

# 36" Gas Cooktop

- 5 Burners
- FlameSelect® (9 Power Levels)
- 18K BTU Max

LR: 6,000 BTU
LF: 3,400 BTU

- · Bosch Exclusive Dual-Ring Power Burner
- OptiSim® Burner
- LED Power Level/Residual Heat Indication Display
- · Digital Display Indicating Selected Power Level
- · Stainless-Look Metal Knobs
- · Dishwasher-safe Grates



NGMP659UC

( Flame Select

C: 18.050 BTU	RR: 10,300 BTU
С. 10,030 Б10	RF: 6,000 BTU

NGMP659UC

36" Gas Cooktop, 5 Burners, Stainless Steel

1,999 2,199

Model Number Description MAP MSRP

Accessories for Cooktops			Cooktops			os	Rangetops			
					Induction	Radiant	Mainline Gas	Benchmark Gas	30"	36"
$\bigcirc$	HEZ9GW23UC	Industrial-Style Wok Ring for 30" Gas Rangetop	69	79					•	
000	Metal Knob Kit Cooktops HEZ27754	Metal Knobs, Compatible with Mainline and Be	nchmark	Gas 139			•	•		
	HEZ7YZ30UC	9" Stainless Steel Low Backguard for 30" Gas Rangetop	199	219					•	
	HEZ7YZ36UC	9" Stainless Steel Low Backguard for 36" Gas Rangetop	209	229						•

# All Bosch Gas Rangetops Include the Following Features:

- 18K BTU Max
- · OptiSim® Burner
- · High Efficiency Burners
- Industrial-Style Design
- Porcelain Enameled Cooking Surface
- · Large Metal Control Knobs
- Up-Front Centralized Controls
- · Continuous Surface Cast Iron Grates
- Dishwasher-Safe Grates
  - · Electronic Ignition
  - Flame Supervision Device
  - LP Kit Included

800 Series

# 30" Gas Rangetop

•	18K BTU Dual Flame
	Ring Burner

• Two 12K BTU Large Burners • 5K BTU OptiSim®

Simmer Burner



LR: 12,000 BTU	RR: 5,000 BTU
LF: 12,000 BTU	RF: 18,000 BTU

RGM8058UC

**RGM8058UC** 

30" Gas Rangetop, 4 Burners, Stainless Steel

3,149 3,499

# 36" Gas Rangetop

<ul> <li>Two 18K BTU Dual Flame Ring Burners</li> </ul>	<ul> <li>Three 12K BTU Large Burners</li> </ul>	<ul> <li>5K BTU OptiSim® Simmer Burner</li> </ul>
LR: 12,000 BTU	CR: 12,000 BTU	RR: 5,000 BTU
LF: 18,000 BTU	CF: 12,000 BTU	RF: 18,000 BTU



RGM8658UC

**RGM8658UC** 

36" Gas Rangetop, 6 Burners, Stainless Steel

3,649 4,049

Number Description MAP MSRP

### 300 Series

#### 30" and 36" Under-Cabinet Hood

- 5" Height / 21" Depth
- · Slim-Line Styling
- 3-Speed Control Rotary Knobs
- 300 CFM

**DUH36253UC** 

- 2 LED Lights
- Dishwasher Safe Aluminum Mesh Filters
- Ducted or Convertible to Non-Ducted Operation

 7" Round (Vertical) and 3 ¼" x 10" Rectangular (Horizontal)



DUH30253UC

DUH30253UC 30" Stainless Steel, 300 CFM Blower

0011 04 1 1 04 1 000 0711 71

36" Stainless Steel , 300 CFM Blower

649 749

849

729

#### 500 Series

#### 30" and 36" Under-Cabinet Hood

- 5" Height / 21" Depth
- Slim-Line Styling
   Touch Control with
- Touch Control with Backlite LED 3 Speeds
- 300 CFM

- · 2 LED Lights
- Dishwasher-Safe Aluminum Mesh Filters
- Ducted or Convertible to Non-Ducted Operation

7" Round (Vertical)
 Ducting & 3½" x 10"
 Rectangular (Horizontal)



DUH50353UC 30" Stainless Steel, 300 CFM Blower 849 949

DUH56353UC 36" Stainless Steel, 300 CFM Blower 899 999

#### 800 Series

### 30" and 36" Professional-Style Under-Cabinet Hood

- 11" Height / 23" Depth
- Professional Styling
- Touch Control with LED Backlite – 4 Speeds
- 600 CFM

- 2 LED Lights
- Dishwasher Safe Aluminum Mesh Filters with Stainless Steel Covers
- Ducted or Convertible to Non-Ducted Operation
- Ducting 7" Round (Vertical)
- Home Connect®



DUH80553UC



**DUH80553UC** 30" Stainless Steel, 600 CFM Blower 1,499 1,649

**DUH86553UC** 36" Stainless Steel, 600 CFM Blower 1,549 1,749

# **Benchmark Series**

# 30" and 36" Professional-Style Under-Cabinet Hood

- 18" Height / 23" Depth
- Professional Styling
- Touch Controls with LED Backlite – 4 Speeds
- 800 CFM

- 2 LED Lights
- Dishwasher Safe Aluminum Mesh Filters with Stainless Steel Covers
- Ducted or Convertible to Non-Ducted Operation
- Ducting 7" Round (Vertical)
- Home Connect®



DUHP0853UC



**DUHP0853UC** 30" Stainless Steel, 800 CFM Blower 1,649 1,849

DUHP6853UC 36" Stainless Steel, 800 CFM Blower 1,749 1,949

# **UNDER-CABINET HOOD ACCESSORIES**

 $This \ price \ list supersedes \ all \ previous \ price \ lists. \ Prices \ listed \ herein \ do \ not \ include \ applicable \ state \ or \ local \ taxes.$ 

Model Number Description MAP MSRP

Accessori	es for Under-Ca	abinet Hoods			DUH					
					300/500 Series		80 Bench	0/ nmark		
	_				30"	36"	30"	36"		
	HEZVEUD301	30" 300 Series Recirculation Filter Kit - 2 Pack	69	79	•					
	HEZVEUD361	36" 300 Series Recirculation Filter Kit - 2 Pack	79	89		•				
	HEZVEUD302	30" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	109	119			•			
	HEZVEUD362	36" 800/Benchmark Series Recirculation Filter Kit - 2 Pack	119	139				•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description MAP MSRP

800 Series

# Slim Profile Box Canopy Island Hood

- 600 CFM
- Four-Speed Electronic Control with White and Red LCD Display
- · Kitchen Timer
- Clean Filter Reminder
- · Auto On/Heat Sensor
- Four 20 W Halogen Lights
- Three Anodized Aluminum Mesh Filters with Stainless Steel Bosch Design Covers and Metal Latch
- Vertical Ducting with 8" Round Duct
- Backdraft Damper and Transition Included
- Recirculation Kit Available as an Accessory
- Extension Kit for Ceilings 9' to 11' 6" Available as an Accessory



HIB82651UC

# HIB82651UC 42" Island Hood, 600 CFM

2,299 2,549

Accessorie	es for Island Hoods	НІВ
		42"
	Island Hood Extension Kit	
	Fits Ceilings From 9'     to 11' 6" in Height	•
	HCIEXT5UC Island Hood Extension Kit 539 599	
	HCREC5UC Box/Pyramid/Glass Canopy 119 139 Chimney Hood Recirculation Kit	•
<b>M</b>	HIREC5UC Island Hood Recirculation Kit 109 119	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Number Description MAP **MSRP** 

# All Bosch Chimney Wall Hoods Include the Following Features:

•	K itchon	lima
•	Kitchen	HIIII

· Clean Filter Reminder

· Auto On/Heat Sensor

· Anodized Aluminum Mesh Filters

- · Vertical Ducting with 8" Round
- · Backdraft Damper and Transition Included
- · Recirculation Kit Available as an Accessory
- Extension Kit for Ceilings 9'-11' 6" Available as an Accessory

### 300 Series

# **ENERGY STAR® Certified Pyramid Canopy Chimney Hood**

300 CFM

• Three-Speed Electronic Control with White and Red LCD Display

· Two Bright LED Lights

24" Pyramid Canopy Chimney Hood, 300 CFM HCP34E52UC 1,099 1,249 30" Pyramid Canopy Chimney Hood, 300 CFM HCP30E52UC 1,199 1,349

36" Pyramid Canopy Chimney Hood, 300 CFM

1,299 1,449

1,649 1,849



500 Series

### **Box Canopy Chimney Hood**

• 600 CFM

**HCB50651UC** 

HCB56651UC

HCP36E52UC

 Four Speed Electronic Control with White and Red LCD Display

36" Box Canopy Chimney Hood, 600 CFM

• Two 40 W Halogen Lights

30" Box Canopy Chimney Hood, 600 CFM 1,549 1,749



# **Pyramid Canopy Chimney Hood**

· Home Connect®

 Four Speed Electronic Control with White and 600 CFM Red LCD Display · Cooktop Hood Control

· Two Bright LED Lights

30" Pyramid Canopy Chimney Hood, 600 CFM **HCP50652UC** 1,549 1,749 36" Pyramid Canopy Chimney Hood, 600 CFM **HCP56652UC** 1,649 1,849



HCP50652UC

# 800 Series

### **Pyramid Canopy Chimney Hood**

• Black Stainless Steel Guards Against Surface Scratches and Fingerprints

600 CFM

**HCP86641UC** 

• Four Speed Electronic Control with White and Red LCD Display

• Two 40 W Halogen Lights

1,399 1,549



HCP80641UC

30" Pyramid Chimney, 600 CFM, HCP80641UC

**Black Stainless** 

36" Pyramid Chimney, 600 CFM,

**Black Stainless** 

1,549 1,749

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP MSRP

# Benchmark® Series

# **Glass Canopy Chimney Hood**

- Anodized Aluminum Mesh Filter with Stainless Steel Bosch Design Cover and Metal Latch
- Four Speed Electronic Control with White and Red LCD Display

• Clean Filter Reminder

• Two 40 W Halogen Lights



• 600 CFM

HCG56651UC 36" Glass Canopy Chimney Hood, 600 CFM

**2,099 2,349** HO

HCG56651UC

Accessorie	es for Chimney	Wall Hoods					Canopy
					HCB/Box	HCP/Pyramid	HCG/Glass Can
	Chimney Wall H • Fits Ceilings F 6" in Height	rom 9' to 11' • Stainless Steel Flue Extensions and Inner Structure Parts Included					
N	HCBEXT5UC	Box Canopy Chimney Hood Extension Kit, Stainless Steel	319	359	•		
	HCGEXT5UC	Glass Canopy Chimney Hood Extension Kit	319	359			•
	HCPEXT4UC	Pyramid Canopy Chimney Hood Extension Kit, Black Stainless Steel	539	599		•	
	HCPEXT5UC	Pyramid Canopy Chimney Hood Extension Kit, Stainless Steel	319	359		•	
	HCIFILTUC	Box/Pyramid/Glass Canopy Chimney Hood Filter Kit	119	139	•	•	•
<b></b>	HCREC5UC	Box/Pyramid/Glass Canopy Chimney Hood Recirculation Kit	119	139	•	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description MAP MSRP

500 Series

## **Integrated Stainless Pull-Out Range Hood**

- 400 CFM
- Electronic Control with White LCD Display
- · Kitchen Timer
- · Clean Filter Reminder
- Three Fan Speeds with Intensive Speed
- Two Bright LED Lights
- Two Anodized Aluminum Mesh Filters
- Vertical Ducting with 6" Round Duct
- Backdraft Damper and Transition Included
- Recirculation/Charcoal Kit Available as an Accessory
- 110 V UL Rated with 120 V 3-Prong Plug

919 1,049



HUI54452UC

HUI54452UC 24" Pull-Out Hood, 400 CFM

101544520C 24 Full-Out Hood, 400 Criv

**Integrated Stainless Pull-Out Range Hood** 

- 300 CFM (30" Width)
   500 CFM (36" Width)
- Three Speed Slider Switch Control
- Two 20 W Halogen Lights
- Four Aluminum Mesh Filters
- Removable Stainless
   Steel Front Visor Panel
   That Can Be Replaced
   with a Custom Strip (Not
   Provided)
- 6" Round Duct
- Vertical and Horizontal Discharge
- 120 V Junction Box Direct Wire
- CFM Reducer Kit Available as Accessory
- Non-Duct Recirculation
   Kit Available as Accessory
   (Vent Grate Cover
   Included with Hood)



HUI56551UC

HUI50351UC	30" Pull-Out Hood, 300 CFM, Stainless Steel	949	1,049
HUI56551UC	36" Pull-Out Hood, 500 CFM, Stainless Steel	999	1,099

Accessorie	es for Pull-Out Hoods	HUI54452UC	HUI50351UC	HUI56551UC
	<b>Recirculation Kit/Charcoal Filter Accessory Kit</b> For HUI50351UC and HUI56551UC Models • Absorbs Odors with High Quality Heavy Duty Charcoal Filters • For Recirculation Non-Vented Installations	,		•
	HUIF06UC Non-Duct Recirculation Accessory 109 119 Kit/ Charcoal Filter Accessory Kit			
3	<b>CFM Reducer Accessory Kit</b> For HUI56551UC Model • Reduces CFM to Under 300 • Converts a 6" Round Duct to a 5" Round Duct • Check Your Local Code and Regulations for Make-Up Air Requirements			•
	HUIRED56UC CFM Reducer Accessory Kit, 59 69 Reduces CFM to Under 300 CFM			
	Recirculation/Charcoal Kit for HUI54452UC - 24" Pull-Out Hood			
	HVREC5UC Pull-Out Hood Recirculation/ 109 119 Charcoal Filter Accessory Kit	•		

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model

Number Description MAP MSRP

# All NEW Bosch Custom Insert Range Hoods Include the Following Features:

• Two LED Lights

· Dishwasher-safe Aluminum Filter

15 Amps120 V

· Mesh with Stainless Steel Cover

• Plug Type: Hardwire

# 300 Series

### **Custom Insert Range Hood**

300 CFM
Vertical Ducting with
Home Connect®
Touch Control

6" Round Duct



HUI34253UC

HUI34253UC 24" Custom Insert Hood, 300 CFM 899 999

HUI30253UC 30" Custom Insert Hood, 300 CFM

HUI36253UC 36" Custom Insert Hood, 300 CFM



HUI30253UC

1,049

999 1,099

1,399 1,549

949





HUI36253UC



# 800 Series

# **Custom Insert Range Hood**

600 CFMVertical Ducting withHome Connect®Touch Control

8" Round Duct



HUI80553UC

HUI80553UC 30" Custom Insert Hood, 600 CFM 1,299 1,449

HUI86553UC 36" Custom Insert Hood, 600 CFM



HUI86553UC



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes. Model Number

Description MAP MSRP

Accessories for Custom Insert Range Hoods			HUI34253UC	HUI30253UC	HUI36253UC	HUI80553UC	HUI86553UC		
	HUIFILTOUC	Charcoal Filter Kit for 30" Custom Inserts HUI30253UC, and HUI80553UC	109	119		•		•	
	HUIFIL46UC	Charcoal Filter Kit for 24" Custom Insert HUI34253UC and 36" Custom Inserts HUI36253UC, and HUI86553UC	109	119	•		•		•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

800 Series

### **Downdraft Ventilation**

- Design Matched for Use In Combination with Bosch Cooktops
- 15" Telescopic Chimney Rise
- Preserves Clean Sight Lines When Not In Use
- · Stainless Steel
- Six Possible Discharge Connections to Fit Your Kitchen Design Allowing Flexibility to Exhaust At Sides, Front, Rear or Downward (Additional Accessories May Be Required Depending on Installation, See Manual)
- Sleek Front Panel Conceals Mesh Filters, Giving a Timeless Aesthetic and Acts as a Splatter Guard While Cooking
- Dishwasher-Safe Aluminum Mesh Filters
- · 3-Speed Control

Required to Complete the Installation: Blower Options, Sold Separately

 600 CFM Remote (DHR1FZUC), and Inline (DHI1FZUC) Blower May Be Required to Complete the Installation Depending on Exhaust Direction & Blower Chosen:

MAP

**MSRP** 

- Downdraft Transitions (HDDSTRAN6, HDDSTRAN8, HDDFTRAN6, HDDFTRAN8, HDD2RECTD, HDDSTRAN2 see page 10-10)
- Recirculation Possible, Accessory Sold Separately (HDDREC5UC see page 10-11)
- Gas Cooktop Seal Kit Sold Separately (Required For Installation with Gas Cooktops see page 10-11).

1,899 2,099



HDD80052UC

HDD80052UC 30" Downdraft, Optional Blower
HDD86052UC 36" Downdraft, Optional Blower

l Blower 1,999 2,199

NOTE: Transition required and sold separately for all remote and inline blower installations.

Accessorie	es for Downdraf	ft–Blowers	HDD80052UC	HDD86052UC
00	DHG602DUC	600 CFM Flexible Blower 739 849 for HDD80052UC and HDD86052UC Bosch Downdrafts Only 8" Round Exhaust	•	•
	DHI1FZUC	600 CFM Inline Blower 689 799	•	•
	DHR1FZUC	600 CFM Remote Blower 729 849 for HDD80052UC and HDD86052UC Bosch Downdrafts Only 6" Round Exhaust	•	•
	EXTNCB25W	25-ft Remote & Inline Blower See Thermador Price List Extension Cable Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC	•	•
113	EXTNSET4	3-pc extension set for Inline See Thermador Price List and remote blowers For older generation blowers when paired with new generation blowers Compatible with Remote Blower DHR1FZUC and Inline Blower DHI1FZUC	•	•

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model Number Description MAP MSRP

# **Accessories for Downdraft-Transitions**

	The Below Transitions May Be Required to Complete the Installation of HDD80052UC and HDD86052UC Depending on the Discharge Connection Chosen in Combination with the Downdraft Blower Selected (See Installation Manual) • For Use with Inline and Remote Blowers			HDD80052UC	HDD86052UC	
	HDD2RECTD	2' Rectangular Duct Rectangular Duct That Is 2' Long × 1%" Deep × 19" Wide Ability to Use as an Extension to Exhaust through a Cabinet or Wall. To Modify Length, Duct May Be Cut. HDDSTRAN6 or HDDSTRAN8 May Be Used to Connect HDD2RECTD to Round Ductwork HDDSTRAN2 Required to Attach Duct to Downdraft Housing	89	99	•	•
	HDDSTRAN2	Transition for Rectangular Duct Required to Attach HDD2RECTD 2' Rectangular Duct to Downdraft Housing	69	79	•	•
0	HDDFTRAN6	6" Round Front Plate Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
0	HDDFTRAN8	8" Round Front Plate for Downdraft Front Rough-In Plate for Front Exhaust Applications	79	89	•	•
6	HDDSTRAN6	6" Side/Rear Transition Rectangular 1%" X 19" Transition to 6" Round for Side and Rear Exhaust Applications	139	159	•	•
4	HDDSTRAN8	8" Side/Rear Transition Rectangular 1%" X 19" Transition to 8" Round for Side and Rear Exhaust Applications	139	159	•	•

MAP

MSRP

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Model
Number
Description

Accessorie	es for Downdraft		DUSCUCAL	HDD86052UC
	<ul> <li>Enables Non-Ducted         Downdraft Installation         by Allowing Filtered Air         to Re-Enter the Kitchen         after Passing Through a         Charcoal Filter         Includes Recirculation         Module, Charcoal Filter         and Metal Grill Vent Plate</li> <li>Recirculation Module         Works In Wall or Island         Applications         Applications         Nounts to Cabinet Base,         Recesses into Toe Kick/         Socket Area         Nay Bypass the Need         to Supply Make Up Air,         Subject to Local Code     </li> <li>Module and Grill Vent         Plate Can Be Placed So Air         Does Not Hit Feet</li> </ul>			
0.0	HDDREC5UC Recirculation Kit for Downdraft 479 529 Replace Filters Every 3-6 Months, Depending on Usage, with HDDFILTUC	•	•	•
	HDDFILTUC Charcoal Filter Replacement 89 99 for Recirculation Kit for Downdraft		•	•
	Gas Cooktop Seal Kit  • For Use with 30"  • Required for Installation  HDD80052UC and 36"  HDD86052UC Downdrafts  • Includes Trim Bracket, Seal, and 2 Metal Grills  HDD0RSP  30" Gas Cooktop Seal Kit for Downdraft  89  99			•
	HDDGRSP 36" Gas Cooktop Seal Kit for 89 99 Downdraft		•	•
	HDDTRIM30S Trim accessory for 30" downdraft 49 59		•	
	HDDTRIM36S Trim accessory for 36" downdraft 49 59			•

120299185-10	F	HDDREC5UC10-11
В	FPETHKT50 1-11	HDDSTRAN210-10 HDDSTRAN610-10
D001D01NCD 1.0	FPETHRF501-11	HDDSTRAN810-10
B09IB91NSP1-6		HDDTRIM30S 10-11
B18IF905SP1-10	Н	HDDTRIM36S 10-11
B24CB50ESS1-6	HBE5453UC7-1	HDI8056U5-8
B24CB80ESB1-7	HBL57M52UC7-3	HDIP056U5-8
B24CB80ESS1-7	HBL87M53UC	HDS8045U5-3
B24CB80ESW1-7	HBL5351UC7-2	HDS8055U5-3
B30BB130SS1-8	HBL5451UC72	HDS8645U5-3
B30BB935SS1-8	HBL5455LUC	HDS8655U5-3
B30IB100SP1-8	HBL5455RUC7-3	HEATKITB82 1-11
B30IB905SP1-8	HBL5651UC7-3	HEF1050MU5-5
B30IR905SP1-10	HBL5754UC7-4	HEI8056U 5-5
B36BT130NS1-9	HBL8443UC7-5	HEZ7YZ30UC8-9
B36BT935NS1-9 B36CD10ENS1-1	HBL8454UC7-5	HEZ7YZ36UC8-9
	HBL8642UC7-5	HEZ8LLUC5-10
B36CD52SNB 1-3	HBL8651UC7-5	HEZ8TK30UC5-10
B36CD52SNS 1-3	HBL8743UC7-6	HEZ8TK36UC5-10
B36CL80ENS1-5	HBL8753UC7-6	HEZ8YZ04UC5-9
B36CL80SNS1-5	HBLP451LUC	HEZ8YZ30UC5-9
B36CL81ENG1-5	HBLP451RUC77	HEZ8YZ36UC5-9
B36CL81ENW1-5	HBLP454UC	HEZ8ZZ30UC5-9
B36CT80SNB1-4	HBLP651LUC7-8	HEZ8ZZ36UC5-9
B36CT80SNS1-4	HBLP651RUC	HEZ9GW23UC 5-9, 8-9
B36CT81ENS1-4	HBLP651UC	HEZ9LLUC5-10
B36FD10ENS1-1	HBLP752UC	HEZ9TK30UC5-10
B36FD52SNB1-2	HBN8451UC	HEZ9TK36UC5-10
B36FD52SNS1-2	HBN8651UC	HEZ9YZ04UC5-9
B36HNDL8001-11	HCB50651UC10-4	HEZ9YZ30UC5-9
B36IT100NP1-9	HCB56651UC 10-4	HEZ9YZ36UC5-9
B36IT905NP1-9 BCM8450UC4-1	HCBEXT5UC 10-5	HEZ9ZZ30UC5-9
	HCG56651UC10-5	HEZ9ZZ36UC5-9
BFL18IF8001-11 BFL30IR8001-11	HCGEXT5UC10-5	HEZ27754 8-9
BORPLFTR301-11	HCIEXT5UC 10-3	HEZ2981025-11
BORPLFTR301-11	HCIFILTUC10-5	HEZBS3015-11
BURPLF 1R35 1-11	HCP30E52UC 10-4	HEZCMT30504-1
D	HCP34E52UC 10-4	HEZTR3015-11, 7-9
_	HCP36E52UC 10-4	HEZVEUD30110-2
DHG602DUC 10-9	HCP50652UC 10-4	HEZVEUD30210-2
DHI1FZUC10-9	HCP56652UC 10-4	HEZVEUD36110-2
DHR1FZUC 10-9	HCP80641UC 10-4	HEZVEUD36210-2
DUH30253UC 10-1	HCP86641UC 10-4	HGF1050MUC5-6
DUH36253UC10-1	HCPEXT4UC 10-5	HGI8046UC5-6
DUH50353UC10-1	HCPEXT5UC 10-5	HGI8056UC5-6
DUH56353UC10-1	HCREC5UC10-3, 10-5	HGIP056UC5-7
DUH80553UC10-1	HDD0RSP10-11	HGS8045UC5-2
DUH86553UC10-1	HDD2RECTD 10-10	HGS8055UC5-2
DUHP0853UC10-1	HDD6RSP10-11	HGS8645UC5-2
DUHP6853UC10-1	HDD80052UC 10-9	HGS8655UC5-2
F	HDD86052UC 10-9	HGZBS3015-11
E	HDDFILTUC 10-11	HGZIT3015-11
EXTNCB25W10-9	HDDFTRAN610-10	HIB82651UC10-3
EXTNSET410-9	HDDFTRAN810-10	HII8047U 5-4

HII8057U 5-4	NIT5060UC8-1	SHX5AEM6N2-3
HIIP057U5-4	NIT5660UC8-1	SHX9PCM5N2-12
HIREC5UC 10-3	NIT8061UC8-2	SHX53CM5N2-6
HIS8055U5-1	NIT8461UC8-1	SHX53DM5N2-6
HIS8655U5-1	NIT8661UC8-2	SHX65CM5N2-8
HMB30155UC6-3	NITP060UC8-2	SHX65DM5N2-9
HMB50152UC6-3	NITP660UC8-3	SHX78CM2N2-11
HMB57152UC6-3		SHX78CM4N2-11
HMC54151UC6-4	R	SHX78CM5N2-11
HMC80152UC6-4	504005040	SHX78CM6N2-11
HMC80242UC6-4	RGM8058UC9-1	SHX78DM5N
HMC80252UC6-4	RGM8658UC9-1	SMZ3IN1UC
HMC87152UC6-4	S	SMZ1008UC 2-15
HMCP0252UC 6-4	3	SMZ4000UC 2-15
HMD8054UC6-2	SGE53C55UC 2-13	SMZ50002-15
HMD8454UC6-2	SGV43C53UC 2-13	SMZ5002UC 2-15
HMT50556-3	SGV78C53UC 2-14	SMZ50032-15
HMT57556-3	SGX78C55UC 2-14	SMZCD200UC2-15
HMV1055U6-1	SGZ1010UC2-15	SMZEPCC1UC 2-15
HMV3054U6-1	SGZ1052UC2-15	SMZPCJB1UC2-16
HMV3055U6-1	SHE3AEE5N2-1	SMZSH1ABUC2-16
HMV5053U6-1	SHE3AEM2N2-1	SPE53C55UC2-13
HMV8045U6-2	SHE3AEM5N2-1	SPE68C75UC2-14
HMV8054U6-2	SHE3AEM6N2-1	SPV68C73UC2-14
HMVP054U6-2	SHE41CM2N2-4	SPX68C75UC2-14
HUI30253UC 10-7	SHE41CM5N2-4	5PX66C75UC2-14
HUI34253UC 10-7	SHE41CM6N2-4	W
HUI36253UC 10-7	SHE43C75N2-5	
HUI50351UC 10-7	SHE53C82N2-6	WGA14400UC3-1
HUI54452UC10-6	SHE53C85N2-6	WGB246AXUC3-2
HUI56551UC	SHE53C86N2-6	WGB24600UC3-1
HUI80553UC10-6	SHE53CE5N	WMZ206003-5
HUI86553UC 10-7	SHP9PCM5N2-12	WMZPW2XW3-5
HUIF06UC 10-7	SHP65CM2N2-8	WMZPW20W3-5
	SHP65CM5N2-8	WPA12100UC 3-3
HUIFIL46UC 10-8	SHP65CM6N2-8	WQB245AXUC 3-4
HUIFILTOUC 10-8	SHP65DM2N2-9	WQB245B0UC3-3
HUIRED56UC10-6	SHP65DM5N2-9	WTZ2750XUC 3-5
HVREC5UC 10-6	SHP65DM6N2-9	WTZ2751XUC 3-5
HWD5051UC7-9	SHP78CM2N2-11	WTZ11400UC 3-5
N	SHP78CM4N2-11	WTZ20410UC 3-5
14	SHP78CM5N2-11	WTZ27500UC 3-5
NEM5066UC8-4	SHP78CM6N2-11	WTZ27510UC 3-5
NEM5466UC8-4	SHP78DM5N2-10	WTZPA20UC 3-6
NET8069UC8-4	SHP95CM5N2-10	WTZPA30US 3-6
NET8669UC8-5	SHS53CD2N2-7	WTZPW2XD3-5
NETP069SUC 8-5	SHS53CD5N2-7	WTZPW20D3-5
NGM5059UC8-6	SHV4AEB3N2-7	WTZSB3XUC3-6
NGM5453UC8-6	SHV9PCM3N2-12	WTZSB30UC3-6
NGM5659UC8-6	SHV53CM3N2-12	
NGM8049UC8-7	SHV78CM3N2-6 SHV78CM3N2-11	
NGM8059UC8-7		
NGM8646UC8-7	SHV78DM3N2-10	
NGM8659UC8-7	SHX5AEM2N2-3	
NGMP059UC 8-8	SHX5AEM4N 2-3 SHX5AEM5N 2-3	
NGMP659UC 8-8	201424EM2M 7-3	

# Invented for life



# **Bosch Home Appliances**

North America Corporate Office 1.800.944.2904

www.bosch-home.com/us

 $@2025 \ BSH \ Home \ Appliances \ Corporation. \ All \ rights \ reserved. \ Bosch \ is \ a \ registered \ trademark \ of \ Robert \ Bosch \ GmbH.$ 

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate installation dimensions by fax, use your handset and call 1.775.833.3600. Use Code #8317 for a directory of Bosch products.

20-BSH-0914.2